OFFICE OF THE CITY ATTORNEY CHARLES PARKIN, City Attorney 411 West Ocean Boulevard, 9th Floor Long Beach, CA 90802-4664

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

FIRST AMENDMENT TO AGREEMENT NO. 35616

35616

THIS FIRST AMENDMENT TO AGREEMENT NO. 35616 is made and entered, in duplicate, as of October 14, 2021, for reference purposes only, pursuant to a minute order adopted by the City Council of the City of Long Beach at its meeting on July 7, 2020, by and between TWINING, INC., a California corporation ("Consultant"), with a place of business at 2883 East Spring Street, Ste. 300, Long Beach, California 90806, and the CITY OF LONG BEACH, a municipal corporation ("City").

WHEREAS, City and Consultant (the "Parties") entered into Agreement No. 35616 (the "Agreement") whereby Consultant agreed to provide as-needed construction materials testing and inspection services for various development projects at the Long Beach Airport; and

WHEREAS, the Parties desire to attach an updated fee schedule;

NOW, THEREFORE, in consideration of the mutual terms, covenants, and conditions herein contained, the Parties agree as follows:

- 1. The Rates contained in Exhibit "B" to the Agreement is hereby amended and replaced by Exhibit "B-1", attached hereto and incorporated herein.
- Except as expressly modified herein, all of the terms and conditions contained in Agreement No. 35616 are ratified and confirmed and shall remain in full force and effect.

21 || ///

22 || ///

23 ///

24 | ///

25 | ///

26 || ///

27 || ///

28 || ///

1

RFA:bg A20-04963 01324284.DOCX

RFA:bg A20-04963 01324284.DQCX

1 IN WITNESS WHEREOF, the Parties have caused this document to be duly 2 executed with all formalities required by law as of the date first stated above. 3 TWINING, INC., a California corporation 10.12.20 . 2021 4 By (Name 5 Title 6 Ву 7 Name Title 8 "Consultant" 9 10 CITY OF LONG BEACH, a municipal corporation 11 OFFICE OF THE CITY ATTORNEY CHARLES PARKIN, City Attorney 411 West Ocean Boulevard, 9th Floor Long Beach, CA 90802-4664 2021 City Manager 12 13 "City" 14 This First Amendment to Agreement No. 35616 is approved as to form on 15 , 2021. 16 17 CHARLES PARKIN, City Attorney 18 By _____ Deputy 19 20 21 22 23 24 25 26 27 28 2

> RFA:bg A20-04963 01324284.DOCX

	1	
	2	
	3	
	4	
	5	
	6	
	7	
	1 2 3 4 5 6 7 8 9 10	
	9	
	10	
	11	
OFFICE OF THE CITY ATTORNEY CHARLES PARKIN, City Attorney 411 West Ocean Boulevard, 9th Floor Long Beach, CA 90802-4664	12	
OFFICE OF THE CITY ATTORNEY CHARLES PARKIN, City Attorney :11 West Ocean Boulevard, 9th Floo Long Beach, CA 90802-4664	12 13 14 15 16 17 18	
CITY , KIN, CI Souleve	14	
F THE S PARI cean E	15	
ICE OI ARLES Vest O	16	
유 2 1 1 2	17	
	18	
	19	
	20	
	21	
	22	
	23	
	24	
	25	
	26	
	27	
		I

EXHIBIT "B-1"

3

Rate Schedule for the City of Long Beach As-Needed Projects at Long Beach Airport

Effective Dates Rates Are Effective through Project Completion

Consultant: Overhead rate 125.35%

Employee Classification	Direct	Labor Rate	Overhead Rate	Total Loaded Rate	Overtime	Double
Principal Engineer	\$	93.03	125.35%	\$133.90		Time
Project Manager	\$	48.69	125.35%	\$152.62		
Technical Advisor	\$	72.04	125.35%	\$173.23		
Lead Inspector Group 1*	\$	54.21	125.35%	\$126.80	\$153.08	\$179.36
Inspector Group 1*	\$	50.50	125.35%	\$121.83	\$147.08	\$172.33
Lead Inspector Group 2*	\$	54.21	125.35%	\$131.22	\$158.41	\$185.61
Inspector Group 2*	\$	52.33	125.35%	\$126.25	\$152.41	\$178.58
Lead Inspector Group 3*	\$	56.45	125.35%	\$136.19	\$164.41	\$192.64
Inspector Group 3*	\$	54.39	125.35%	\$131.22	\$158.41	\$185.61
Project Administrator	\$	32.48	125.35%	\$75.00	NA	NA
QA Inspector (Group 1 Rate)*	\$	50.50	125.35%	\$121.83	\$147.08	\$172.33

^{*}Indicates rates which are subject to Prevailing Wage.



Schedule of Fees 2021 - 2022

Personnel Rates: Per Hour Unless Otherwise Noted

Task		
Code	Engineering and Consulting Personnel	Rate
10026	Principal Engineer/Geologist	\$ 133.90
10001	Registered Geotechnical Engineer	\$ 133.90
10017	Technical Advisor	\$ 173.23
70000	Project Engineer/Manager	\$ 152.62
10010	Staff Engineer/Geologist	\$ 133.90

Task Code	Field Inspection Personnel	Rate
10101	Concrete/Reinforced Steel Inspector	\$ 126.25
10103	Prestressed/Post Tensioned Inspector	\$ 126.25
10105	Concrete ICC Inspector	\$ 126.25
10109	Drilled-in-Anchor Inspector	\$ 126.25
10111	Gunite/Shotcrete Inspector	\$ 126.25
10113	Masonry Inspector	\$ 126.25
10201	Structural Steel/Welding Inspector	\$ 126.25
10203	AWS Certified Welding Inspector	\$ 126.25
10207	Fireproofing Inspector	\$ 126.25
10501	Lead Inspector	\$ 126.80
10115	Firestop Special Inspector - IFC Premier	\$ 142.00
10117	Firestop Special Inspector - IQP	\$ 187.00
70109	L.A. Deputy Grading Inspector	\$ 130.00
75001	Asphalt Field and Plant Inspector/Technician	\$ 121.83
70103	Pile Driving Inspector	\$ 121.83
70101	Soils Technician	\$ 121.83
10107	Concrete Quality Control (ACI/Caltrans Technician)	\$ 121.83
Task Code	Shop inspection Personnel	Rate
10301	Structural Steel Fabrication Inspector	\$ 131.22
10309	Batch Plant Quality Control Technician/Inspector	\$ 126.25
10325	Glue-Laminated Fabrication Inspector	Quotation
10328	Pre-Cast Concrete/Pipe Fabrication Inspector	\$ 126.25
Task		
Code	Nondestructive Testing Personnel	 Rate
10401	NDE Ultrasonic Testing Technician	\$ 130.00
10403	NDE Magnetic Particle Testing Technician	\$ 130.00
10405	NDE Dye Penetrant Testing Technician	\$ 130.00
10305	Combination NDE Technician/Welding Inspector	\$ 130.00
10409	Radiographic Testing (crew of 2)	\$ 350.00
10020	NDE Engineer	\$ 200.00

Task Code	Concrete Tests (Field Made Specimens)	 Rate
20201	6" x 12" Cylinder: Compression Strength	\$ 40.00
	(ASTM C39)	
20202	4" x 8" Cylinder: Compression Strength	\$ 35.00
	(ASTM C39)	
20203	Density of Structural Lightweight Concrete	\$ 85.00
	Equilibrium or Oven Dry Method (ASTM C567)	
20205	Core Compression including Trimming (ASTM C42)	\$ 75.00
20207	6" x 6" x 18" Flexural Beams Not Exceeding	\$ 100.00
	Referenced Size (ASTM C78, C293 or CTM 523)	
20209	Splitting Tensile Strength (ASTM C496)	\$ 95.00
20211	Modulus of Elasticity Test (ASTM C469)	\$ 275.00
80003	Rapid Chloride Permeability Test: Cylinders or	\$ 520.00
	Cores (ASTM C1202)	
80006	Density, Absorption, and Voids in Hardened	\$ 520.00
	Concrete (ASTM C642)	

TWINING

Code	Concrete Tests (Field Made Specimens), Continued		Rate
40005	Flexural Toughness (ASTM C1609, Formerly	\$	800.00
	ASTM C1018)		
40007	Flexural Toughness (ASTM C1550)	\$	500.00
40006	Double Punch Strength of Fiber Reinforced Concrete	\$	500.00
40009	Coefficient of Thermal Expansion of Concrete	\$	600.00
	(CRD 39, AASHTO T336)		
40012	Bulk Electrical Resistivity (ASTM C1876)	\$	120.00
Task			
Code 20151	Concrete Specimen Preparation	•	Rate
20151	Sawing of Specimens (Each)	\$ \$	40.00 40.00
20157	Coring of Specimens in Lab (Each) Grinding of Concrete Below 6000 psi Strength (Each)	\$	60.00
20160	Grinding of Concrete 6000 psi Strength and Above (Each)	\$	90.00
Task	Laboratory Trial Batch: Concrete, Cement		
Code	and Mortar		Rate
30216	Compression Test 4"x8" Cylinders Made and Tested in	\$	50.00
	Laboratory (ASTM C192, C35)		
30217	Compression Test 6"x12" Cylinders Made and Tested in	\$	60.00
	Laboratory (ASTM C192, C35)	_	
30219	6" x 6" x 18" Flexural Beams Made and Tested in	\$	100.00
30223	Laboratory (ASTM C192, C78) Splitting Tensile Strength Cylinders Made and Tested	s	115.00
30223	in Laboratory (ASTM C192, C496)	•	115.00
30225	Modulus of Elasticity Test Cylinders Made and Tested in	\$	285.00
	Laboratory (ASTM C192, C469)		
30227	Density of Structural Lightweight Concrete Made in the	\$	105.00
	Laboratory, Equilibrium or Oven Dry Method (ASTM C567)	_	
30237	Bulk Electrical Resistivity (ASTM C1876)	\$	140.00
30201 30203	Laboratory Trial Batch (ASTM C192)	\$ \$	525.00
30203	Laboratory Trial Batch: Packaged Dry Concrete	•	950.00
	Including Verification of Slump, Air Content, Plastic Unit Weight, Six Cylinders for Compressive Strength (ASTM		
	C387 and C192)		
30205	Drying Shrinkage Up to 28 Days: Three 3" x 3" or	\$	500.00
	4" x 4" Bars, Five Readings up to 28 Dry Days		
	(ASTM C157)		
30230	Additional Reading, Per Set of Three Bars	\$	45.00
30231	Storage over Ninety (90) Days, Per Set of	\$	30.00
	Three Bars, Per Month	\$	180.00
30207 30209	Setting Time Up to 7 Hours (ASTM C403) Bleeding (ASTM C232)	S	150.00
30229	Concrete Restrained Expansion (ASTM C878)	\$	600.00
30211	Mix, Make and Test Mortar or Grout Specimens for	\$	550.00
	Compressive Strength: Set of 6 (ASTM C878)		
20263	Non-Shrink Grout: Height Change after Final	\$	550.00
	Set (ASTM C1090)		
20265	Non-Shrink Grout: Height Change at Early	\$	800.00
	Age (ASTM C827)		
30232	Cracking Resistance, Set of Three Rings,	\$	5,500.00
	Laboratory Trial Batching, Test Until Cracking or		
	up to 28 Days (ASTM 1581)	_	
30233	Evaluation of Pre-Packaged Masonry Mortars	\$	1,150.00
20224	(ASTM C270) Creep (ASTM C512) (One Age of Loading, 12 Months		8,000.00
30234	Duration of Testing)	ð	υ,υ υ υ.υυ
Task	Chamical Analysis and Datengraphic		
Task Code	Chemical Analysis and Petrographic Examination of Concrete		Rate
30123	Chemical Analysis for Acid Soluble Chlorides	\$	145.00
	(ASTM C1152) (includes sample prep)		
30126	Chemical Analysis for Water Soluble Chlorides	\$	170.00
	(ASTM C1218) (includes sample prep)		
	Chloride Diffusion Coefficient of Cementitious	\$	2,600.00
30193			
	Mixtures by Bulk Diffusion (ASTM C1556)		
	Petrographic Examination of Hardened Concrete, Level II		
	Petrographic Examination of Hardened Concrete, Level II (ASTM 856) (Comprehensive)		
	Petrographic Examination of Hardened Concrete, Level II (ASTM 856) (Comprehensive) Each, One Sample		
30129	Petrographic Examination of Hardened Concrete, Level II (ASTM 856) (Comprehensive)		
30129 Task	Petrographic Examination of Hardened Concrete, Level II (ASTM 856) (Comprehensive) Each, One Sample Each, Two or More Samples		2,100.00
30193 30129 Fask Code	Petrographic Examination of Hardened Concrete, Level II (ASTM 856) (Comprehensive) Each, One Sample Each, Two or More Samples Physical and Chemical Analysis of Cement	\$:	2,100.00
30129 Task	Petrographic Examination of Hardened Concrete, Level II (ASTM 856) (Comprehensive) Each, One Sample Each, Two or More Samples Physical and Chemical Analysis of Cement Physical Testing and Chemical Analysis of Portland	\$:	2,100.00
60129 Fask Code 60195	Petrographic Examination of Hardened Concrete, Level II (ASTM 856) (Comprehensive) Each, One Sample Each, Two or More Samples Physical and Chemical Analysis of Cement	\$:	2,100.00 Rate 1,300.00
30129 Fask Code	Petrographic Examination of Hardened Concrete, Level II (ASTM 856) (Comprehensive) Each, One Sample Each, Two or More Samples Physical and Chemical Analysis of Cement Physical Testing and Chemical Analysis of Portland Cement per Standard Requirements (ASTM C150)	\$	2,400.00 2,100.00 Rate 1,300.00 675.00

Code	Physical and Chemical Analysis of Cement, Continued		Rate
80194	Physical Testing of Type K Cement, Mortar	\$	675.00
	Expansion (ASTM C806)		
80106	Partial Analysis or Specific Physical Tests		Quotation
80110	Sulfates Resistance of Hydraulic	\$	2,700.00
	Cement (ASTM C1012), 6 months		
80111	Sulfates Resistance of Hydraulic	\$	3,000.00
	Cement (ASTM C1012), 12 months		
Task			
Code	Physical and Chemical Analysis of Fly Ash	_	Rate
80140	Chemical Analysis of Fly Ash per	\$	675.00
80143	Standard Requirements (ASTM C618) Physical Testing of Fty Ash per Standard Requirements	\$	675,00
00145	(ASTM C618)	•	070.00
80146	Partial Analysis or Specific Physical Tests		Quotation
80147	Chemical Analysis and Physical Testing of Fly Ash per	\$	1,300.00
	Standard Requirements (ASTM C1618)		
Task	Physical Testing of Chemical Admixtures for		
Code	Concrete		Rate
80196	Qualification of Admixture per ASTM C494		Quotation
Task Code	Soile and Aggregate Toote		Date
30503	Soils and Aggregate Tests Abrasion: LA Rattler (ASTM C131)	\$	200.00
30505	Abrasion: LA Rattler (ASTM C131)	\$	210.00
70301	Atterberg Limits/Plasticity Index (ASTM D4318, CTM 204)	\$	160.00
70303	California Bearing Ratio Excluding Maximum Density	\$	550.00
	(ASTM D1883): Soil		
70304	California Bearing Ratio Excluding Maximum Density	\$	650.00
70011	(ASTM D1883): Cement-Treated Soil	_	
70344	Cement-Treated Soil/Base Mix Design: includes three trial	\$	3,500.00
	cement contents with three unconfined compressive strength specimens per cement content		
70305	Chloride and Sulfate Content (CTM 417, CTM 422)	s	175.00
30403	Clay Lumps and Friable Particles (ASTM C142)	Š	200.00
30321	Cleanness Value: 1" x #4 (CTM 227)	\$	175.00
30322	Cleanness Value: 1.5" x .75" (CTM 227)	\$	275.00
70393	Collapse Potential/Index (ASTM D5333)	\$	225.00
70396	Compressive Strength of Molded Soil-Cement	\$	105.00
	Cylinders (ASTM D1633)	_	
70309	Consolidation Test: Full Cycle (ASTM 2435, CTM 219)	\$	195.00
70311	Consolidation Test: Time Rate per Load Increment (ASTM D2435, CTM 219)	\$	45.00
70313	Corrosivity Series: Sulfate, CI, pH, Resistivity	\$	245.00
,00.0	(CTM 643, 417, and 422)	•	240.00
70315	Crushed/Fractured Particles (ASTM D5821, CTM 205)	\$	175.00
70317	Direct Shear Test: Remolded and/or Residual	\$	245.00
	(ASTM D3080)		
70319	Direct Shear Test: Undisturbed - Slow [CD] (ASTM D3080)	\$	225.00
70321	Direct Shear Test: Undisturbed - Fast [CU] (ASTM D3080)	\$	195.00
70378	Durability Index: Per Method - A,B,C, or D	\$	210.00
70325	(ASTM D3744, CTM 229) Expansion Index (ASTM D4829, UBC 18-2)	\$	170.00
75004	Fine Aggregate Angularity	\$	190.00
,0004	(ASTM C1252, CTM 234, AASHTO T304)	•	
30507	Flat and Elongated Particle (ASTM D4791)	\$	240.00
30508	Flat or Elongated Particle (ASTM D4791)	\$	210.00
70331	Maximum Density: Methods A/B/C	\$	190.00
	(ASTM D1557, D698, CTM 216)		
70333	Maximum Density: Check Point (ASTM D1557, D698)	\$	65.00
70335	Maximum Density: AASHTO C [Modified]	\$	195.00
	(AASHTO T-180)		245.00
70336 70337	Maximum Index Density: Vibratory Table (ASTM D4253)	\$ 5	345.00 25.00
70337	Moisture Content (ASTM D2216, CTM 226) Moisture and Density: Ring Sample (ASTM D2937)	\$	30.00
70341	Moisture and Density: Shelby Tube Sample	\$	40.00
	(ASTM D2937)	•	
70340	Moisture-Density Relations of Soil-Cement	\$	275.00
	Mixtures Premixed in the Field (ASTM D558)		
70342	Moisture-Density Relations of Soil-Cement Mixtures	\$	350.00
	Mixed in the Lab (ASTM D558)		
30401	Organic Impurities (ASTM C40, CTM 213)	\$	90.00
70343	Permeability (ASTM D5084)		Quotation
80001	Potential Reactivity: Chemical Method (ASTM C289 -	\$	625.00
	Discontinued Method) Potential Reactivity: Mortar Bar Expansion Method,	\$	850.00
70394			

TWINING

Code	Soils and Aggregate Tests, Continued		Rate
70391	Potential Reactivity: Mortar Bar Expansion Method,	\$	900.00
	28-Day Exposure (ASTM C1260)		
70398	Potential Reactivity: Concrete Bar Expansion	\$	2,700.00
70399	Method (ASTM C1293), 12 month		2 000 00
/0399	Potential Reactivity: Concrete Bar Expansion Method (ASTM C1293), 24 month	3	2,900.00
70397	Potential Reactivity of Aggregate Combination, non-standard	s	1,000.00
	method; 14-Day Exposure, Mortar (after ASTM C1567)	•	.,
70392	Potential Reactivity of Aggregate Combination, non-standard	\$	1,050.00
	method; 28-Day Exposure, Mortar (after ASTM C1567)		
70345	R-Value: Soil (ASTM 2844, CTM 301)	\$	440.00
70347	R-Value: Aggregate Base (ASTM D2844, CTM 301)	\$	490.00
70349	Sand Equivalent (ASTM D2419, CTM 217)	\$	125.00
70351	Sieve #200 Wash Only (ASTM D1140, CTM 202)	\$	90.00
70353	Sieve with Hydrometer: 3/4" Gravel to Clay (ASTM D422, D7928, CTM 203)	\$	250.00
70355	Sieve with Hydrometer: Sand to Clay (ASTM D422,	\$	240.00
	D7928, CTM 203)	•	2-10.00
70357	Sieve Analysis Including Wash (ASTM C136, CTM 202)	\$	150.00
70359	Sieve Analysis Without Wash (ASTM C136, CTM 202)	\$	120.00
70360	Sieve Analysis: Split Sieve (ASTM C136, CTM 202)	\$	240.00
70361	Sieve Analysis Without Wash: With Cobbles	\$	235.00
	(ASTM C136, CTM 202)		
70363	Soundness: Sodium or Magnesium Sulfate,	\$	450.00
70265	5 Cycles (ASTM C88)	\$	100.00
70365	Specific Gravity and Absorption: Coarse (ASTM C127, CTM 206)	3	100.00
70367	Specific Gravity and Absorption: Fine	\$	165.00
	(ASTM C128, CTM 207)	•	
70369	Swell/Settlement Potential: One Dimensional	\$	150.00
	(ASTM D4546)		
70371	Triaxial		Quotation
70373	Unconfined Compression (ASTM D2166, CTM 221)	\$	
30317	Unit Weight Per Cubic Foot (ASTM C29, CTM 212)	\$	125.00
30319	Voids in Aggregate with Known Specific Gravity	\$	125.00
30411	(ASTM C29, CTM 212) Lightweight Particles: Coarse, with Two Solutions (ASTM C123)	\$	410.00
30412	Lightweight Particles: Fine, with One Solution (ASTM C123)	\$	205.00
00412	Eightweight andess time, was one double (violin o 125)	•	200.00
Task			
Code	Asphalt Concrete Tests		Rate
75031	HMA Mixing and Preparation	\$	125.00
75032	HMA Mixing and Preparation with Aggregate Treatment	\$	175.00
75033	Bulk Specific Gravity of Compacted Sample or	\$	55.00
75036	Core: SSD (ASTM D2726, CTM 308C) Bulk Specific Gravity of Compacted Sample or	\$	80.00
73036	Core: Parafin Coated (ASTM D1188 and CTM 308A)	Ψ	00.00
75040	Emulsion Residue, Evaporation (ASTM D244)	s	160.00
75024	Extraction: % Bitumen (ASTM D6307, CTM 382)	s	160.00
75027	Extraction: % Bitumen and Gradation	\$	215.00
	(ASTM D5444, D6307, CTM 202, 382)		
75028	Extraction: % Bitumen, Correction Factor	\$	350.00
	(ASTM D6307, CTM 382)		
75030	Chemical Extraction: % Bitumen and Sieve Analysis	\$	245.00
75040	(ASTM D2172 Method A or B, ASTM D5444)	\$	215.00
75042	Lab Tested Maximum Density: Hveem, 3 briquettes (ASTM D1561, D1188, CTM 304, 308)	•	215.00
75057	Hyeem Stabilometer Test, Premixed, 3 briquettes	\$	215.00
13031	(ASTM D1560, D1561, CTM 304, 366)	•	210.00
75048	Lab Tested Maximum Density: Marshall,	\$	210.00
	3 briquettes (ASTM D6926, D2726)		
75049	Lab Tested Maximum Density: Marshall	\$	215.00
	6" Specimen, 3 briquettes (ASTM D5581, D2726)		
75050	Lab Tested Maximum Density: Superpave Gyratory	\$	80.00
	Compacted Briquette, SSD, 1 briquette		
	(ASTM D6925, D2726)	•	00.00
75052	Lab Tested Maximum Density: Superpave Gyratory	\$	90.00
	Compacted Briquette, Parafin, 1 briquette (ASTM D1188, D6925)		
	Maximum Theoretical Specific Gravity [RICE]	\$	160.00
75051	mention moreos openio diarity [Moc.]	•	. 55.50
75051	(ASTM D2041, CTM 309)		
75051 75066	(ASTM D2041, CTM 309) Marshall Stability and Flow, Cored Sample, each	\$	80.00
75051 75066	(ASTM D2041, CTM 309) Marshall Stability and Flow, Cored Sample, each (ASTM D6927)	\$	80.00
75066	Marshall Stability and Flow, Cored Sample, each	\$ \$	80.00 230.00
75066	Marshall Stability and Flow, Cored Sample, each (ASTM D6927) Marshall Stability and Flow, Premixed, 3 briquettes (ASTM D6926, D6927)	\$	230.00
75066 75069	Marshall Stability and Flow, Cored Sample, each (ASTM D6927) Marshall Stability and Flow, Premixed, 3 briquettes (ASTM D6926, D6927) Marshall Stability and Flow, Gyratory Compacted		
	Marshall Stability and Flow, Cored Sample, each (ASTM D6927) Marshall Stability and Flow, Premixed, 3 briquettes (ASTM D6926, D6927)	\$	230.00

Task			
Code	Asphalt Concrete Tests, Continued		Rate
75107	Marshall Stability and Flow 6" Specimen, Premixed,	\$	230.00
	3 briquettes (ASTM D5581)	_	
75063 75005	Moisture Content (CTM 370) Wet Track Abrasion Test (ASTM D3910)	\$ \$	85.00 165.00
75093	Hveem Mix Design (Excluding Aggregate Quality Tests)		5,200.00
75096	Hveem Mix Design, with RAP (Excluding Aggregate		5,645.00
	Quality Tests, RAP Qualification)		•
75099	Hveem Mix Design, with Lime (Excluding Aggregate	\$	6,000.00
	Quality Tests)		
75094	Hveem Mix Design Caltrans Untreated Mix (Including Aggregate Quality Tests)	\$	6,200.00
75095	Hveem Mix Design Caltrans Lime Treated Mix	s	7,200.00
,,,,,,	(Including Aggregate Quality Tests)	•	,,200.00
75084	Marshall Mix Design (Excluding Aggregate Quality Tests)	\$	5,200.00
75087	Marshall Mix Design with RAP (Excluding Aggregate	\$	5,645.00
	Quality Tests)		
75090	Marshall Mix Design with Lime (Excluding Aggregate	\$	6,200.00
75083	Quality Tests) Open Grade Asphalt Concrete Mix Design	•	3,000.00
70000	(ASTM D7064, CTM 368)	•	0,000.00
75109	Superpave Mix Design (Excluding Aggregate Quality Tests)	\$ 1	0,600.00
75113	Superpave Mix Design, with RAP	\$ 1	1,200.00
	(Excluding Aggregate Quality Tests)		
75114	Superpave Mix Design, with Rubber	\$ 1	1,200.00
75115	(Excluding Aggregate Quality Tests) Superpave Mix Design, with Additives	S 1	1,500.00
75115	(Excluding Aggregate Quality Tests)	•	1,000.00
75075	Effect of Moisture on Asphalt Paving Mixtures, Pre-Mixed	\$	1,000.00
	(ASTM D4867, AASHTO T283)		
75111	Hamburg Wheel Track Test, 20,000 passes, 4 briquettes	\$	1,100.00
75000	(AASHTO T324)		200.00
75039	Raveling Test of Cold Mixed Emulsified Asphalt (ASTM D7196)	\$	200.00
75067	Marshall Stability, wet set, 3 replicates (AASHTO T245)	\$	350.00
75068	Marshall Stability, dry set, 3 replicates (AASHTO T245)	\$	300.00
75070	Cold Recycled Asphalt Mix Design: 2 gradings each,	\$ 1	0,500.00
	3 emulsion content (Caltrans LP-8)		
Tack			
Task Code	Brick Masonry Tests, ASTM C67		Rate
	Modulus of Rupture: Flexural	\$	95.00
20301 20303	Modulus of Rupture: Flexural Compression Strength	\$	95.00 60.00
20301 20303 20305	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour	\$	95.00 60.00 65.00
20301 20303 20305 20307	Modulus of Ruphure: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours	\$ \$ \$	95.00 60.00 65.00 95.00
20301 20303 20305	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour	\$	95.00 60.00 65.00
20301 20303 20305 20307 20309	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption	\$ \$ \$ \$	95.00 60.00 65.00 95.00 55.00
20301 20303 20305 20307 20309 20311	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence	\$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 55.00 75.00
20301 20303 20305 20307 20309 20311 20313 20315	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression	\$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 55.00 75.00 70.00
20301 20303 20305 20307 20309 20311 20313 20315	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces	\$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 55.00 75.00 70.00 95.00
20301 20303 20305 20307 20309 20311 20313 20315 Task Code	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140	\$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 55.00 75.00 70.00
20301 20303 20305 20307 20309 20311 20313 20315	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces	\$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00
20301 20303 20305 20307 20309 20311 20313 20315 Task Code 20321	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression	\$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 55.00 75.00 70.00 95.00 Rate
20301 20303 20305 20307 20309 20311 20313 20315 Task Code 20321 20323 20327 20335	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption: 6 Hour or 25 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements	\$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 55.00 75.00 70.00 95.00 Rate 90.00 90.00 250.00 50.00
20301 20303 20305 20307 20309 20311 20313 20315 Task Code 20321 20323 20323 20323 20323 20323 20329	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 Rate 90.00 90.00 250.00 160.00
Code 20301 20303 20305 20307 20309 20311 20313 20315 Task Code 20321 20323 20327 20335 20329 20331	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 Rate 90.00 90.00 250.00 160.00 70.00
Code 20301 20305 20305 20305 20307 20319 20315 Task Code 20321 20323 20327 20335 20329 20331 20333	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 Rate 90.00 90.00 250.00 160.00
Code 20301 20303 20305 20307 20309 20311 20313 20315 Task Code 20321 20323 20327 20335 20329 20331	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption: 6 Hour or 25 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 Rate 90.00 90.00 250.00 50.00 160.00 95.00
Code 20301 20303 20305 20307 20309 20311 20315 Task Code 20321 20323 20327 20335 20329 20331 20333 20339	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 95.00 90.00 90.00 250.00 50.00 70.00 95.00 75.00
Code 20301 20303 20305 20307 20309 20311 20313 20315 Task Code 20321 20323 20327 20335 20329 20331 20333 20339 Task Code	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption: 6 Hour or 25 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 8ate 90.00 90.00 250.00 160.00 70.00 95.00 75.00
Code 20301 20303 20305 20307 20309 20311 20315 Task Code 20321 20323 20327 20335 20329 20331 20333 20339	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 95.00 90.00 90.00 250.00 50.00 70.00 95.00 75.00
Code 20301 20305 20307 20309 20311 20313 20315 Task Code 20321 20327 20335 20327 20335 20329 20331 20333 20339	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry Prisms Up To 8" x 16"	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 8ate 90.00 90.00 250.00 160.00 70.00 95.00 75.00
Code 20301 20303 20305 20307 20309 20311 20313 20315 Task Code 20321 20323 20327 20335 20329 20331 20333 20339 Task Code	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 75.00 95.00 95.00 95.00 250.00 50.00 160.00 70.00 95.00 75.00
Code 20301 20305 20307 20309 20311 20313 20315 Task Code 20321 20327 20335 20327 20335 20339 Task Code 20341 20343	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry Prisms Up To 8" x 16" Compression Test: Composite Masonry Prisms Larger Than 8" x 16" Prism Cord Modulus of Elasticity	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 90.00 250.00 160.00 70.00 95.00 75.00 Rate 190.00 250.00 50.00 75.00
Code 20301 20303 20305 20307 20309 20311 20315 Task Code 20321 20323 20329 20331 20333 20339 Task Code 20341	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption: 6 Hour or 27 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry Prisms Up To 8" x 16" Compression Test: Composite Masonry Prisms Larger Than 8" x 16" Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 95.00 50.00 160.00 70.00 95.00 160.00 75.00 75.00
Code 20301 20305 20307 20309 20311 20313 20315 Task Code 20321 20327 20335 20327 20335 20339 Task Code 20341 20343	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry Prisms Up To 8" x 16" Compression Test: Composite Masonry Prisms Larger Than 8" x 16" Prism Cord Modulus of Elasticity	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 90.00 250.00 160.00 70.00 95.00 75.00 Rate 190.00 250.00 50.00 75.00
Code 20301 20303 20305 20307 20309 20311 20315 Task Code 20321 20323 20335 20329 20331 20333 20339 Task Code 20341 20343	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption: 6 Hour or 27 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry Prisms Up To 8" x 16" Compression Test: Composite Masonry Prisms Larger Than 8" x 16" Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 90.00 250.00 160.00 70.00 95.00 75.00 Rate 190.00 250.00 50.00 75.00
Code 20301 20305 20307 20309 20311 20313 20315 Task Code 20321 20327 20335 20327 20335 20339 Task Code 20341 20343	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption: 6 Hour or 27 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry Prisms Up To 8" x 16" Compression Test: Composite Masonry Prisms Larger Than 8" x 16" Prism Cord Modulus of Elasticity Mortar and Grout	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 65.00 95.00 95.00 75.00 70.00 95.00 55.00 70.00 95.00 50.00 160.00 70.00 95.00 75.00 75.00 Rate 190.00 250.00 50.00 Fate
Code 20301 20303 20305 20307 20309 20311 20313 20315 Task Code 20321 20323 20329 20331 20333 20339 Task Code 20341 20343 20346 20347	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry Prisms Up To 8" x 16" Compression Test: Composite Masonry Prisms Larger Than 8" x 16" Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity with Transverse Strain (for double-wythe specimen) Mortar and Grout Compression: 2" x 4" Mortar Cylinders (ASTM C780)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 50.00 160.00 75.00 75.00 75.00 75.00 75.00 76.00 50.00 160.00 75.00 8ate 190.00 540.00 665.00
Code 20301 20305 20307 20309 20311 20313 20315 Task Code 20321 20327 20339 20339 Task Code 20341 20343 20341 20341 20343	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry Prisms Up To 6" x 16" Compression Test: Composite Masonry Prisms Up To 6" x 16" Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity with Transverse Strain (for double-wythe specimen) Morter and Grout Compression: 2" x 4" Morter Cylinders (ASTM C780) Compression: 2" x 4" Morter Cylinders (ASTM C780) Compression: 2" x 3" x 6" Grout Prisms,	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 65.00 95.00 95.00 75.00 70.00 95.00 55.00 70.00 95.00 50.00 160.00 70.00 95.00 75.00 75.00 Rate 190.00 250.00 50.00 Fate
Code 20301 20305 20307 20309 20311 20313 20315 Task Code 20321 20323 20327 20333 20339 Task Code 20341 20343 20341 20343 20347 Task Code 20351 20351	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption: 6 Hour or 27 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry Prisms Larger Than 8" x 16" Compression Test: Composite Masonry Prism Lord Modulus of Elasticity Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity with Transverse Strain (for double-wythe specimen) Mortar and Grout Compression: 3" x 3" x 6" Grout Prisms, Includes Trimming (ASTM C1019)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 60.00 65.00 95.00 75.00 70.00 95.00 50.00 160.00 75.00 75.00 75.00 75.00 75.00 76.00 50.00 160.00 75.00 8ate 190.00 540.00 665.00
Code 20301 20303 20305 20307 20309 20311 20313 20315 Task Code 20321 20323 20329 20331 20333 20339 Task Code 20341 20343 20346 20347	Modulus of Rupture: Flexural Compression Strength Absorption: 5 Hour or 24 Hour Absorption (Boil): 1, 2 or 5 Hours Initial Rate of Absorption Efflorescence Cores: Compression Shear Test on Brick Cores: 2 Faces Concrete Block, ASTM C140 Compression Absorption/Moisture Content/Oven Dry Density Linear Shrinkage (ASTM C426) Web and Face Shell Measurements Tension Test Core Compression Shear Test of Masonry Cores: 2 Faces Efflorescence Tests Masonry Prisms, ASTM C1314 Compression Test: Composite Masonry Prisms Up To 6" x 16" Compression Test: Composite Masonry Prisms Up To 6" x 16" Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity Prism Cord Modulus of Elasticity with Transverse Strain (for double-wythe specimen) Morter and Grout Compression: 2" x 4" Morter Cylinders (ASTM C780) Compression: 2" x 4" Morter Cylinders (ASTM C780) Compression: 2" x 3" x 6" Grout Prisms,	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95.00 65.00 95.00 95.00 95.00 95.00 95.00 95.00 95.00 95.00 160.00 70.00 95.00 75.00 75.00 76.00 76.00 76.00 76.00 76.00 76.00 76.00 76.00 76.00 76.00 76.00 76.00 76.00 76.00 76.00 76.00

TWINING

Code	Masonry Specimen Preparation		Rate
20155	Cutting of Cubes or Prisms	\$	75.00
	-		
Task			
Code	Fireproofing Tests		Rate
20401	Oven Dry Density (ASTM E605)	\$	70.00
T1.			
Task Code	Gunite and Shotcrete Tests		Rate
20361	Core Compression Including Trimming (ASTM C42)	\$	75.00
20365	Compression: Cubes (Includes Saw Cutting)	\$	95.00
	,		
Task	Concrete Roof Fill: Gypsum, Vermiculite, Perlite,		
Code	Lightweight insulating Concrete, Etc.		Rate
20371	Compression Test (ASTM C495 and C472)	\$	65.00
20373	Air Dry Density (ASTM C472)	\$	50.00
20379	Oven Dry Density (ASTM C495)	\$	75.00
Task			
Code	Reinforcing Steel, ASTM A615, A706		Rate
20501	Tensile Test: # 11 or Smaller	\$	65.00
20503	Bend Test: # 11 or Smaller	\$	60.00
20504	Bend Test #14 or #18	\$	375.00
20505	Tensile Test: # 14	\$	260.00
20507	Tensile Test: # 18	\$	360.00
	Bulgaria Otto I Wolded on Occupied		
Task Code	Reinforcing Steel - Welded or Coupled		Rate
20521	Specimens Tensile Test: Welded/Coupled #11 and Smaller	\$	75.00
20523	Tensile Test: Welded/Coupled #14	Š	270.00
20525	Tensile Test: Welded/Coupled #18	\$	395.00
20529	Weld: Macroetch	\$	90.00
20531	Slippage Test - Caltrans (CTM 670)	\$	200.00
20532	Tensile Test: Welded Hoops #11 and Smaller	\$	150.00
20332	Tensile Test. Treided Hoops #11 and Omalie		
	Tellane Teat. Wedded 1100pa will and Official		
Task	·		Rate
Task Code	Metal and Steel Testing		
Task Code 20601	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each)	\$ \$	70.00
Task Code 20601 20603	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each)	\$	70.00 80.00
Task Code 20601 20603 20605	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each)	\$	70.00 80.00 100.00
Task Code 20601 20603 20605 20607	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each)	\$ \$ \$	70.00 80.00 100.00 150.00
Code 20601 20603 20605 20607 20609	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each)	\$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00
Code 20601 20603 20605 20607 20609 20611	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch	\$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00
Code 20601 20603 20605 20607 20609 20611 20545 20547	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00
Code 20601 20603 20605 20607 20609 20611 20545 20547 20615	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00
Code 20601 20603 20605 20607 20609 20547 20545 20547 20615 20617	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00
Task Code 20601 20603 20605 20607 20609 20611 20545 20547 20615 20617 20619	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00 80.00
Task Code 20601 20603 20605 20607 20609 20611 20545 20547 20615 20617 20619 20630	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00 80.00 55.00
Task Code 20601 20603 20605 20607 20609 20611 20545 20547 20615 20617 20619 20630 20631	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Avial Tensile Test (Up to 7/8" diameter) Bolt: Wedge Tensile Test (Up to 7/8" diameter)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00 80.00 55.00 70.00
Task Code 20601 20603 20605 20607 20609 20611 20545 20547 20615 20617 20619 20630 20631	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00 80.00 55.00 70.00
Task Code 20601 20603 20605 20607 20609 20611 20545 20547 20615 20617 20619 20630 20631 20632	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Greater than 7/8"	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00 80.00 75.00
Task Code 20601 20603 20605 20607 20607 20611 20545 20547 20615 20617 20619 20630 20631	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 7/8" up to 1" diameter)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00 80.00 75.00 95.00
Code 20601 20603 20605 20607 20609 20611 20545 20547 20619 20630 20631 20633 20633	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Axial Tensile Test (Greater than 1/8" up to 1" diameter) Bolt: Axial Tensile Test (Greater than 1/8" up to 1" diameter)	\$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00 80.00 55.00 75.00
Code 20601 20601 20601 20601 20601 20603 2	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Wedge Tensile Test (Up to 7/8" diameter) Bolt: Wedge Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 90.00 45.00 70.00 70.00 75.00 95.00
Code 20601 20605 20607 20609 20611 20545 20605 20606 20607 20609 20611 20545 20547 20619 20630 20633 20633 20634 20635 20636	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bott: Axial Tensile Test (Up to 7/8" diameter) Bott: Wedge Tensile Test (Up to 7/8" diameter) Bott: Wedge Tensile Test (Greater than 7/8" up to 1" diameter) Bott: Wedge Tensile Test (Greater than 1" diameter) Bott: Proof Load Test (Up to 7/8")	***********	70.00 80.00 100.00 150.00 360.00 90.00 90.00 45.00 70.00 80.00 75.00 95.00
Task Code 20601 1 20603 1 20605 20607 20609 20611 20615 20617 20619 20632 20633 20634 20633 20634 20635 20636 20637	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Axial Tensile Test (Greater than 1" diameter) Bolt: Medge Tensile Test (Greater than 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Proof Load Test (Up to 7/8") Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter)	************	70.00 80.00 100.00 150.00 200.00 90.00 45.00 70.00 80.00 75.00 95.00 Quotation 80.00 100.00
Task Code 20601 20603 20605 20607 20609 20611 20545 20547 20615 205630 20633 20633 20634 20636 20637 20638	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Arcoetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Wedge Tensile Test (Up to 7/8" diameter) Bolt: Wedge Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00 80.00 55.00 75.00 95.00 Quotation 80.00 100.00
Task Code 20601 20603 20605 20607 20609 20615 20545 20547 20615 20617 20632 20633 20633 20634 20636 206364 20636 20636 20636	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Wedge Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Axial Tensile Test (Greater than 1" diameter) Bolt: Tensile Test (Greater than 1" diameter) Bolt: Proof Load Test (Up to 7/8") Bolt: Proof Load Test (Greater than 1" diameter) Bolt: Proof Load Test (Greater than 1") Nut: Proof Load Test (Up to 7/8") Nut: Proof Load Test (Up to 7/8")	************	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00 75.00 75.00 95.00 Quotation 80.00 100.00 Quotation 60.00
Task Code 20601 20603 20605 20607 20607 20608 20607 20619 20619 20632 20634 20634 20636 20637 20634 20636 20637 20634	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Arcoetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Wedge Tensile Test (Up to 7/8" diameter) Bolt: Wedge Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter) Bolt: Proof Load Test (Greater than 7/8" up to 1" diameter)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 70.00 80.00 75.00 95.00 Quotation 80.00 100.00 Quotation 60.00 80.00
Task Code 20601 20603 20605 20607 20608 20607 20608 20617 20619 20618 20632 20634 20638 20636 20636 20637 20634 20636	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Proof Load Test (Up to 7/8") Bolt: Proof Load Test (Greater than 1" diameter) Bolt: Proof Load Test (Greater than 1") Nut: Proof Load Test (Greater than 1") Nut: Proof Load Test (Greater than 7/8" up to 1" diameter) Nut: Proof Load Test (Greater than 7/8" up to 1" diameter)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 70.00 80.00 75.00 95.00 Quotation 80.00 100.00 Quotation 60.00 80.00
Task Code 20601 20603 20605 20607 20609 20611 20607 20609 20611 20607 20609 20611 20603 20605 20617 20619 20630 20636 20637 20636 20637 20638 20	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Wedge Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Axial Tensile Test (Greater than 1" diameter) Bolt: Proof Load Test (Up to 7/8") Bolt: Proof Load Test (Greater than 1" diameter) Bolt: Proof Load Test (Greater than 1" diameter) Bolt: Proof Load Test (Greater than 1") Nut: Proof Load Test (Greater than 1") Nut: Proof Load Test (Greater than 1") Nut: Proof Load Test (Greater than 7/8" up to 1" diameter) Nut: Proof Load Test (Greater than 1")	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.00 150.00 360.00 200.00 90.00 45.00 70.00 75.00 95.00 90.00 80.00 80.00 80.00 80.00 80.00 80.00 80.00 80.00 80.00
Task Code 20601 20603 20605 20607 20609 20611 20545 20617 20619 20630 20631 20632 20633 20634 20636 20637 20638 20634 20634 Task Code	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Proof Load Test (Up to 7/8") Bolt: Proof Load Test (Greater than 1" diameter) Bolt: Proof Load Test (Greater than 1") Nut: Proof Load Test (Greater than 1") Chemical Testing of Metal and Steel	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	70.00 80.00 100.003 150.00 200.00 200.00 90.00 45.00 70.00 80.00 75.00 95.00 Luctation 60.00 80.00 20.000 Luctation Rate
Task Code 20060173 8 173 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Metal and Steel Testing Tensile Strength: Up to 100K Pounds (Each) Tensile Strength: Up to 200K Pounds (Each) Tensile Strength: Up to 300K Pounds (Each) Tensile Strength: Up to 400K Pounds (Each) Tensile Strength: 400K to 600K Pounds (Each) Tensile Strength: Stress-Strain Percent Offset Weld: Macroetch Weld: Fracture Bend Test Flattening Test Hardness Test (ASTM E18) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Axial Tensile Test (Up to 7/8" diameter) Bolt: Wedge Tensile Test (Greater than 7/8" up to 1" diameter) Bolt: Wedge Tensile Test (Greater than 1" diameter) Bolt: Axial Tensile Test (Greater than 1" diameter) Bolt: Proof Load Test (Up to 7/8") Bolt: Proof Load Test (Greater than 1" diameter) Bolt: Proof Load Test (Greater than 1" diameter) Bolt: Proof Load Test (Greater than 1") Nut: Proof Load Test (Greater than 1") Nut: Proof Load Test (Greater than 1") Nut: Proof Load Test (Greater than 7/8" up to 1" diameter) Nut: Proof Load Test (Greater than 1")	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Rate 70.00 80.00 90.00 100.00 80.00

Task	Machining and Preparation of Tensile and Bend		
Code	Sample: Carbon Steel		Rate
20751	Machinist: Initial Preparation from Mock-up, Etc.	\$	105.00
	(Per Hour)		
20753	Sawcut to Overall Width (Per 0.5" Thickness or	\$	55.00
	Fraction Thereof)		
20755	Machine to Test Configuration: Milled Specimens	\$	75.00
20757	Machine to Test Configuration: Turned Specimens	\$	145.00
	(Per 0.5" Thickness or Fraction Thereof)		
20759	Prepare Subsize Specimens (Per 0.5" Thickness	\$	95.00
	or Fraction Thereof)		
Task			_
Code	Charpy Impact		Rate
20621	Charpy Impact Ambient Temperature	\$	95.00
20623	Charpy Impact Reduced Temperature	\$	125.00
Table			
Task Code	Machining of Chames Complete Codes Steel		Rate
20780	Machining of Charpy Samples: Carbon Steel Cutting and Milling (Per 0.5" or Fraction Thereof)	s	85.00
20783	Final Machining to Sample Configuration	\$	95.00
20763	Final Machining to Sample Configuration	•	33.00
Task	Prestressing Wires and Tendons,		
Code	(ASTM A416)		Rate
20701	Stress-Strain Analysis: Wire or Strands	S	200.00
20,01	(Including Chart and Percent Offset)	•	200.00
20703	Tensile Test Only	s	145.00
20705	Tendons		Quotation
20.00			
Task	Polymer Matrix Composite Materials		
Code	(Fiberwrap)		Rate
20706	Tensile Strength - Set of 5 Specimens/batch/	\$	1,350.00
	direction (ASTM D3039)		
20707	Tensile Strength - Additional Specimens	\$	250.00
	(ASTM D3039)		
20708	Heating Chamber Time - Per 24 hr period	\$	95.00
Task	Calibration Services and Universal Machine		
Code	Usage		Rate
20801	Calibration/Verification Services		Quotation
20803	Universal Test Machine Usage (Per Hour)	\$	400.00
	c Tile Testing Division		Rate
	amic Tile Institute of America (CTIOA) and Twining worked together		
	technology designed to enhance the quality of materials and workr tile industry. A separate schedule of fees for these services is avail		
request		able u	pon
request			
Culio no	d Fatigue Testing Programs on Special Products/Parts		Quotation
	ring and Technical supports/Design of Prototypes and Special		Quotation
Test Set	•		Quotation
	r/Coupling Full Testing Program Per New Regulations: Tension,		
	/Bend, Shear, Double Shear, 8 Compressions		Quotation
	ss/Composite Materials Field Testing Program (ASTM D1143		
	D2584, D4065, D4476, D4923, D7901, D7921, and D732)		Quotation
	sting of Structures and Structural Elements		Quotation
	Shear Testing		Quotation
Material	s and/or Product Evaluation Per Specifications		Quotation
	al Dynamic Testing and Durability Analysis		Quotation



General Conditions

NOTE: Field inspection work conditions are established by contract with Operating Engineers. Local 12.

NOTE: For projects subject to a Project Labor Agreement (PLA), if terms/conditions of the PLA are more restrictive those terms/conditions will apply.

Minimum Charges (Inspection and Technician Personnel Only - Other Personnel Charged on Portal to Portal Basis)

2-Hour Minimum: Inspector arrives at jobsite, no work to perform.
 4-Hour Minimum: 1 to 4 hours of inspection
 8-Hour Minimum: Over 4 to 8 hours of inspection