Conditional Use Permit Conditions of Approval:

ALL NEW WORK SHALL COMPLY WITH:

- 2013 California Building Code 2013 California Plumbing Code
- 2013 California Mechanical Code 2013 California Electrical Code
- 2013 California Energy Code

NEVERMORE GALLERY



SYMBOLS:

KOX >	WINDOW TYPE INDICATION
(xxx)	DOOR TYPE INDICATION
XXXXX XXXXX XXXXX	ROOMNAME AND NUMBER INDICATION
XXXXXXX 💠	ELEVATION HEIGHT
+ x'-x' +	DIMENSION TO FRAMED CONSTRUCTION
X*-X* X*-X*	DIMENSION TO FINISH
	ELEVATION / SECTION REFERENCE
€	CENTER LINE INDICATION
£	PROPERTY LINE INDICATION
Sp	SETBACK LINE INDICATION
X—	GRID LINE INDICATION
(\	DETAIL REFERENCE

	TED CEILING PLAN SYMBOLS LEGEND:				
E	EXISTING	0000	UNDER CABINET LIGHT		
EL	EXISTING LOCATION, NEW FIXTURE	₩2	TRACK LIGHTING		
FL	FLUORESCENT	Ю	EXTERIOR FLOOD LIGHT		
WP	WATERPROOF	▼ τ,ν,	CABLE TV	12" A.F.F.	
LV	LOW VOLTAGE	▼ TEL	TELEPHONE	12* A.F.F.	
HE	HIGH EFFICACY	VDATA	DATA CABLE (INTERNET)	12* A.F.F.	
GD	GARBAGE DISPOSAL	VSAT	SATELLITE	12* A.F.F.	
GFI	GROUND FAULT INTERRUPTER	▼ CATe	COM (CAT5) (NETWORK)	12" A.F.F.	
AFI	ARC FAULT INTERRUPTER	▼ ALAFM	SECURITY SYSTEM	42" A.F.F.	
AGDO	AUTOMATIC GARAGE DOOR OPENER	l l	WALL SWITCH	42" A.F.F.	
F	EXHAUST FAN	\$ ₀	WALL SWITCH W/ DIMMER CONTROL	42* A.F.F.	
ф	RECESSED DOWNLIGHT	\$ ₃	3 WAY WALL SWITCH	42* A.F.F.	
O _E	EMERGENCY LIGHT WITH BACK-UP BATTERY	\$_	4 WAY WALL SWITCH	42* A.F.F.	
Φ	DIRECTIONAL RECESSED DOWNLIGHT	+	DUPLEX OUTLET	12" A.F.F.	
-φ	WALL SCONCE		DUPLEX OUTLET/ SWITCH CONTROL	12" A.F.F.	
⊕ voion	MOTION SENSOR WITH INTEGRAL PHOTO CONTROL.	•	QUAD OUTLET	12" A.F.F.	
	WALL MOUNTED FIXTURE	₽ GAS	GAS LINE	12* A.F.F.	
#	CEILING MOUNTED FIXTURE	♦ 1.8.	HOSE BIB	12* A.F.F.	
Ф,	PENDANT FIXTURE	(§	120-VOLT HARD WIRED & INTERCONNECTED SMOKE DETECTOR (WITH 9-VOLT BATTERY BACK-UP)		
8	STRIP LIGHTING	(H)	INTERCONNECTED HEAT DETECTOR RATED 190 F OR ABOVE		

Project Summary:

EXHIBIT B

Job Address:

242 E. 3rd Street Long Beach, CA 90802

Building Type:

Tenant Improvement for Commercial/Industrial

Occupancy Group:

Number of Stories:

Lot Size:

1 Story 50.00 x 100.00 = 5,000 sf

Legal Description:

APN# 7280-019-002

LONG BEACH W 50 FT OF E 150 FT OF LOTS 1,3,5 AND LOT 7 BLK 90

Scope of Work:

+ Demo existing interior walls and finishes where noted

Interior Remodel

+ Construct interior walls as shown in proposed plan

+ New bathroom + New finishes

Exterior

+ (n) Signage

Sheet Index:

Architectural:

A1.0 Cover Sheet
A1.1 General Notes and Requirements
A1.2 Site Plan
A2.0 Floor Plan (Existing)
A2.1 Floor Plan (Proposed)
A2.2 Power, Signal & Lighting Plan
A3.0 Sign Plan
A4.0 Building Sections

Vicinity Map:



Contacts:

Tenant	Designer	
Nevermore Gallery Carlos Torres T: 310.918.5722	Josh Tully Design Studio 216 Hermosa Ave #3 Hermosa Beach, CA 90254 T: 310.480.2429	
General Contractor	Structural Engineer	
Surveyor	MEP Engineer	

st josh tully design s

THE DRAWINGS AND DESCRIPTIONS SET FORTH ON THIS SHEET AND ALL COPPRIGHTS THEREIM ARE. AND SHALL REMAIN THE PROPERTY OF JOSH TULLY DESIGN STUDIO. USE OF THIS DRAWING IS LIMITED TO A ONE-TIME USE ON THE SPECIFIC PROJECT AND FOR THE SPECIFIC PRESON(S) NAMED HEREON. ANY OTHER USE OR RELYSE OF SAUD DRAWINGS IS STRICTLY PROHIBITED WITHOUT THE SPRESS ON STUDIO JOSH TULLY DESIGN STUDIO JOSH TULLY DESIGN STUDIO JOSH TULLY DESIGN STUDIO

NEVERMORE GALLERY
ART GALLERY & TATTOO STUDIO
TENANT IMPROVEMENT
210 THE PROMENADE
LONG BEACH, CA 90802

COVER SHEET

Assessor Porcel No.: 7280-019-011 Scale: AS NOTED Issue Date: 08.30.2016 Drawn: JPT Checked:

Sheet Number :

A-1.0

Tenant Improvement General Requirements:

- 1. All work shall comply with the following codes including local amendments:
 - 2013 California Building Code (CBC)
 - 2013 California Mechanical Code (CMC)
 - 2013 California Plumbing Code (CPC)
 - 2013 California Electrical Code (CEC)

LA County Public Health - Safe Body Art Act:

Article 4. Permanent Body Art Facilities

- 119312. (a) A body art facility shall not conduct business without a valid health permit.
- (b) The application for a health permit for a body art facility shall include all of the following:
- (1) A copy of the facility's infection prevention control plan, as required by Section
- (2) A fee, as set by the local enforcement agency at an amount not to exceed the amount necessary but that is sufficient to cover the actual costs of administration of the program. Fees established by this section shall be used exclusively in support of activities pursuant to this chapter.
- (c) The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.
- (d) A health permit is valid only for the location of the facility and the time period indicated on the permit and may not be transferred to another owner or facility.
- (e) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.
- (f) A person proposing to construct a practice site or mobile practice site, other than a temporary body art event booth, shall submit plans to the Plan Review Unit of the local enforcement agency. The plans shall be approved in advance of the issuance of a building, plumbing, or electrical permit. All required corrections must be made and the body art facility approved to open before body art can be performed in the facility.
- (g) Health permits shall be renewed annually through a process to be determined by the local enforcement agency.
- (h) An owner who operates a body art facility shall obtain all necessary permits to conduct business, including, but not limited to, a permit issued by a local enforcement agency. In addition to the penalties available pursuant to Article 6 (commencing with Section 119320), an owner who violates this subdivision shall be subject to the closure of the facility and a penalty not to exceed three times the cost of the permit.
- 119313. (a) A body art facility shall maintain and follow a written Infection Prevention and Control Plan, provided by the owner or established by the practitioners, specifying the procedures to achieve compliance with each applicable requirement of this chapter.
- (b) The Infection Prevention and Control Plan shall include all of the following:
- (1) Procedures for decontaminating and disinfecting environmental surfaces.
- (2) Procedures for decontaminating, packaging, sterilizing, and storing reusable instruments.
- (3) Procedures for protecting clean instruments and sterile instrument packs from exposure to dust and moisture during storage.
- (4) A set up and tear down procedure for any form of body art performed at the body art facility.
- (5) Techniques to prevent the contamination of instruments or the procedure site during the performance of body art.
- (6) Procedures for safe handling and disposal of sharps waste.
- (c) The Infection Prevention and Control Plan shall be revised when changes are made in infection prevention practices, procedures, or tasks.
- (d) Onsite training on the facility's Infection Prevention and Control Plan shall take place when tasks where occupational exposure may occur are initially assigned, any time there are changes in the procedures or tasks, and when new technology is adopted for use in the facility, but not less than once each year.
- (e) Records of training required pursuant to this section shall be maintained for three years and shall be available for inspection upon request of the enforcement officer.
- 119314. (a) With the exception of a temporary demonstration booth and a mobile site, as specified in Sections 119317 and 119318, a body art facility shall comply with all of the following:
- (1) Have floors, walls, and ceilings that are smooth, free of open holes, and washable.
- (2) Be free of insect and rodent infestation.
- (3) Be separate from any residential areas used for sleeping, bathing, or meal preparation. A body art facility associated with a residential dwelling shall have a separate entrance and toilet facility, and shall not have a door allowing direct access between the body art facility and the residential dwelling.
 - (b) Procedure areas in a body art facility shall meet all of the following standards:
 - (1) Be equipped with a light source that provides adequate light at the procedure area.
- (2) Be separated, by a wall or ceiling—to—floor partition, from nail and hair activities.
- (3) Be equipped with a sink supplied with hot and cold running water, containerized liquid soap, and single—use paper towels that are dispensed from a wall—mounted, touchless ispenser that is accessible to the practitioner.
- (c) Decontamination and sanitation areas within a body art facility shall meet all of the following requirements:
- (1) Be separated from procedure areas by a space of at least five feet or by a cleanable barrier

LA County Public Health - Safe Body Art Act (cont'd):

- (2) Be equipped with a sink, hot and cold running water, liquid soap in a wall—mounted dispenser, and single—use paper towels dispensed from a wall—mounted, touchless dispenser that is readily accessible to the practitioner.
- (d) Each procedure area and decontamination and sterilization area shall have lined waste
- (e) Each procedure area and decontamination and sterilization area shall have a container for the disposal of sharps waste that meets the following requirements:
- (1) The sharps waste container shall be portable, if portability is necessary to ensure that the sharps waste container is within arm's reach of the practitioner.
- (2) The sharps waste container shall be labeled with the words "sharps waste" or with the international biolograph symbol and the word "BIOHATARD."
- (3) All sharps waste produced during the process of tattooing, body piercing, or the application of permanent cosmetics shall be disposed by either of the following methods:
- (A) Removal and disposal by a company, or removal and transportation through a mail—back system approved by the department pursuant to subdivision (b) of Section 118245.
- (B) As solid waste, after being disinfected by a method approved by the department pursuant to paragraph (3) of subdivision (a) of Section 118215.
- (f) No animals shall be allowed in the procedure area or the decontamination and sterilization area.
- 119315. A body art facility shall conform to the following sterilization procedures:
- (a) Clean instruments to be sterilized shall first be sealed in peel—packs that contain either a sterilizer indicator or internal temperature indicator. The outside of the pack shall be labeled with the name of the instrument, the date sterilized, and the initials of the person operating the sterilizing equipment.
- (b) Sterilizers shall be loaded, operated, decontaminted, and maintained according to manufacturer's directions, and shall meet all of the following standards:
- (1) Only equipment manufactured for the sterilization of medical instruments shall be used.
- (2) Sterilization equipment shall be tested using a commercial biological indicator monitoring system after the initial installation, after any major repair, and at least once per month. The expiration date of the monitor shall be checked prior to each use.
- (3) Each sterilization load shall be monitored with mechanical indicators for time, temperature, pressure, and, at a minimum, Class V integrators. Each individual sterilization pack shall have an indicator.
- (4) Biological indicator monitoring test results shall be recorded in a log that shall be kept on site for two years after the date of the results.
- (5) A written log of each sterilization cycle shall be retained on site for two years and shall include all of the following information:
- (A) The date of the load.
- (B) A list of the contents of the load.
- (C) The exposure time and temperature.
- (D) The results of the Class V integrator.
- (E) For cycles where the results of the biological indicator monitoring test are positive, how the items were cleaned, and proof of a negative test before reuse.
- (c) Clean instruments and sterilized instrument packs shall be placed in clean, dry, labeled containers, or stored in a labeled cabinet that is protected from dust and moisture.
- (d) Sterilized instruments shall be stored in the intact peel-packs or in the sterilization equipment cartridge until time of use.
- (e) Sterile instrument packs shall be evaluated at the time of storage and before use. If the integrity of a pack is compromised, including, but not limited to, cases where the pack is torn, punctured, wet, or displaying any evidence of moisture contamination, the pack shall be discarded or reprocessed before use.
- (f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single—use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for a minimum of 90 days following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single—use, presterilized
- (1) A record of purchase and use of all single-use instruments.
- (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure.
- 119316. (a) If a practitioner performs body art in a vehicle, a health permit is required if the practitioner will practice in the vehicle in the jurisdiction for more than seven days in a 90—day period. To obtain a health permit, the vehicle shall meet the requirements set forth in subdivisions (b) to (g), inclusive, of Section 119317.
- (b) If the vehicle will be operating in the jurisdiction for less than seven days in a consecutive 90-day period, the vehicle shall be treated as a temporary booth and will be subject to Section 119317. 47. Driveway approaches shall comply with Standard Detail ST-1 of the Department of Public Works, max. slope 15%.

josh tully design studio

THE DRAWINGS AND DESCRIPTIONS SET FORTH ON THIS SHEET AND ALL COPPRIENTS THEREIM ARE. AND SHALL REMAIN THE PROPERTY OF JOST THEY DESCRIPTION USE OF THIS DRAWING IS LIMITED TO A ONE-TIME USE ON THE SPECIFIC PROJECT AND FOR THE SPECIFIC PROJECT AND THE SPECIFIC PROJ

EVERMORE GALLERY
ART GALLERY & TATTOO STUDIO
TENANT IMPROVEMENT
210 THE PROMENADE
LONG BEACH, CA 90802

Revisions :

Sheet Title :
GENERAL NOTES

REQUIREMENTS

Assessor Parcel No.: 7280-019-011
Scale: AS NOTED


Issue Date: 08.30.2016

Drawn: JPT Checked:


Sheet Number:

eet Number :

A-1.1







NEVERMORE GALLERY
ART GALLERY & TATTOO STUDIO
TENANT IMPROVEMENT
210 THE PROMENADE
LONG BEACH, CA 90802

josh tully design studio

No. Date

EXISTING FLOOR PLAN

Assessor Parcel No.: 7280-019-011
Scale: 1/4" = 1'-0" Issue Date: 08.30.2016
Drawn: JPT Checked:

A-2.0



LEGEND: EXISTING MASONRY WALL DEMO WALLS ---- FLOOR / WALL ABOVE

NEW EXISTING

1	RETAIL DISPLAY
2	RECEPTION DESK
3	ARCHITECTURAL SCREEN
4	HANDWASH STATION
5	COAT CLOSET
6	REFRIGERATOR
7	THERMO-FAX MACHINE
8	FULL HEIGHT STORAGE CABINET (LOCKING OPTIONAL)
9	BACKGROUND DRAPERY
10	BOOKSHELF
11	AUTOCLAVE
12	SHARPS CONTAINER
13	(N) RAMP
14	ARTIST CHAIR
15	CLIENT CHAIR/TABLE
16	MAYO STAND
17	LOW STORAGE CABINET WITH COUNTER
18	(E) \$KYLIGHT
19	HANDS FREE TRASHCAN
20	(E) STEEL COLUMN
21	(N) ROOF DECK ACCESS
22	(E) CONCRETE COLUMN

THIS FACILITY SHALL OPERATE WITH A VALID
HEALTH PERMIT

ALL PRACTICES SHALL FOLLOW GUIDELINES SET IN PLACE PER LA COUNTY DEPARTMENT OF PUBLIC HEALTH – SAFE BODY ART ACT

josh tully design studio

NEVERMORE GALLERY
ART GALLERY & TATTOO STUDIO
TENANT IMPROVEMENT
210 THE PROMENADE
LONG BEACH, CA 90802

PROPOSED FLOOR PLAN

Assessor Parcel No.: 7280-019-011 Scale: 1/4" = 1'-0" Issue Date: 08.30.2016

A-2.1