TO:

CITY OF LONG BEACH

CITY CLERK

ATTN: SOKUNTHEA KOL

333 West Ocean Boulevard, Plaza Level

Long Beach, California 90802



INVITATION TO BID

MULTI-YEAR VEHICLE PURCHASE

CONTRACT NO.

COMPLETE CONTRACT: 1.

This Invitation to Bid, together with THE NOTICE INVITING BIDS, the entire Bid (including Specifications), or any items(s) thereof, the signature page, Instructions to Bidders, General Conditions, Special Conditions, Bid Section, Addendums, and when required, CONTRACTOR'S BOND shall become the Contract upon its acceptance by the City Manager or designee on behalf of the City of Long Beach, Contractor will be provided with a copy of the executed Contract. All materials or services provided by the Contractor shall comply with the City Charter, and all applicable Federal, State and City Laws,

SERVICES TO BE PROVIDED BY THE CONTRACTOR:

Contractor shall upon acceptance of this Bid by the City, furnish the goods and services herein specified according to the terms and conditions set forth herein.

AMOUNT TO BE PAID:

The City shall pay Contractor for the goods or services as described in the section entitled "PAYMENT" in the Instructions to Bidders.

CHOICE OF ALTERNATE PROVISIONS: OPTIONS: NOTIFICATION:

When alternative provisions are requested, or options are offered, Contractor will be notified as to which provision, or option, is being accepted at the same time that he is notified that he is the successful Bidder.

DECLARATION OF NON-COLLUSION:

The undersigned certifies or declares under penalty of perjury that this Bid is genuine and not sham or collusive, or made in the interest or on behalf of any person or entity not herein named; that the Bidder has not directly or indirectly induced or solicited any other Bidder to submit a sham bid, or any other person or entity to refrain from bidding, and that the Bidder has not in any manner sought by collusion to secure to himself any advantage over other Bidders.

BIDDER MUST COMPLETE AND SIGN BELOW:

(Signature of Corporate Officers or persons authorized to sign bids and contracts on behalf of the Contractor - refer to page 2 Instructions Concerning Signatures.)

EXECUTED AT:	Long Beach	CA O	N THE	26 D	AY OF	Oct		16
) servesor	CITY	STATE	_			MONTH		
COMPANY NAME:	Caruso Ford	·		TIN		(FEDERAL TAY YOU	NTIFICATION NUME) En
STREET ADDRESS:	3500 Cherry Ave,	CITY:	Long Be	each,		STATE:		90807
PHONE:	714-655-4992		FAX:		-41			
s/ <u> </u>	(SIGNATURE)		_G	NEBAL	us	NAGEL (HITLE)		
BUZI	AN ASCH	MAK	PN21	ANC			NWOL!	UWU
si Mind	PL (PRINT NAME)		- <u></u>	CFC	(E)			· 0011
David	(SIGNATURE)		dlis	stonac			ed.com	•
	(PRINT NAME) NATURES MUST BE NOTA DUT-OF-STATE BID WILL B NOTARII		ILESS A NO	TARIAL ACK	TSIDE THE			
of the date stated below. THE CITY OF LONG BEAC	the City of Long Beach has cause	d this contract to be exe	ecuted as requ	Jired by law as			28	
BY Direct	or of Financial Management		Date		<i>U</i>		Deputy	

17 MAR -3 PM 4: 17

FORE SLIVER CV ONLA CTEEK SEOGIAED

The City of Long Beach is committed to provide maximum opportunities for Disadvantaged, Minority, Women and Long Beach Business Enterprises (DBEs, MBEs, WBEs and Local) to compete successfully in supplying our needs for products and services.

Legal Form of Bidder: Corporation State of — DE
Corporation State of State
Partnership State of
General □ Limited □
Joint Venture □ Individual □ DBA
Limited Liability Company State of
Composition of Ownership (more than 51% of ownership of the organization): Ethnic (Check one): OPTIONAL
☐ Black ☐ Asian ☐ Other Non-white
☐ Hispanic ☐ American Indian ☐ Caucasian
Non-ethnic Factors of Ownership (check all that apply): □ Male □ Yes - Physically Challenged □ Under 65
☐ Female ☐ No — Physically Challenged ☐ Over 65
Is the firm certified as a Disadvantaged Business: ☐ Yes ☐ No
Has firm previously been certified as a minority-owned and/or woman-owned business enterprise by any other agency?
☐ Yes ☐ No
Name of certifying agency:
INSTRUCTIONS CONCERNING SIGNATURES
Please use the proper notary form, which applies to your type of organization on all Bid documents, attachments and bonds requiring a signature by officers of your company.
NOTE: FAILURE TO COMPLY MAY RESULT IN DISQUALIFICATION OF YOUR BID.
INDIVIDUAL (Doing Business As)
a. The only acceptable signature is the owner of the company. (Only one signature is required.)b. The owner's signature must be notarized if the company is located outside of the state of California.
b. The owner's signature must be notarized if the company is located outside of the state of California.
b. The owner's signature must be notarized if the company is located outside of the state of California. PARTNERSHIP a. The only acceptable signature(s) is/are that of the general partner or partners.
b. The owner's signature must be notarized if the company is located outside of the state of California. PARTNERSHIP a. The only acceptable signature(s) is/are that of the general partner or partners. b. Signature(s) must be notarized if the partnership is located outside of the state of California.
b. The owner's signature must be notarized if the company is located outside of the state of California. PARTNERSHIP a. The only acceptable signature(s) is/are that of the general partner or partners. b. Signature(s) must be notarized if the partnership is located outside of the state of California. CORPORATION a. Two (2) officers of the corporation must sign.
 b. The owner's signature must be notarized if the company is located outside of the state of California. PARTNERSHIP a. The only acceptable signature(s) is/are that of the general partner or partners. b. Signature(s) must be notarized if the partnership is located outside of the state of California. CORPORATION a. Two (2) officers of the corporation must sign. b. Each signature must be notarized if the corporation is located outside of the state of California. OR a. The signature of one officer or the signature of person other than an officer is acceptable if the Bid is accompanied by a
b. The owner's signature must be notarized if the company is located outside of the state of California. PARTNERSHIP a. The only acceptable signature(s) is/are that of the general partner or partners. b. Signature(s) must be notarized if the partnership is located outside of the state of California. CORPORATION a. Two (2) officers of the corporation must sign. b. Each signature must be notarized if the corporation is located outside of the state of California. OR
 b. The owner's signature must be notarized if the company is located outside of the state of California. PARTNERSHIP a. The only acceptable signature(s) is/are that of the general partner or partners. b. Signature(s) must be notarized if the partnership is located outside of the state of California. CORPORATION a. Two (2) officers of the corporation must sign. b. Each signature must be notarized if the corporation is located outside of the state of California. OR a. The signature of one officer or the signature of person other than an officer is acceptable if the Bid is accompanied by a certified corporate resolution granting authority to said person to execute contracts on behalf of the corporation.
 b. The owner's signature must be notarized if the company is located outside of the state of California. PARTNERSHIP a. The only acceptable signature(s) is/are that of the general partner or partners. b. Signature(s) must be notarized if the partnership is located outside of the state of California. CORPORATION a. Two (2) officers of the corporation must sign. b. Each signature must be notarized if the corporation is located outside of the state of California. OR a. The signature of one officer or the signature of person other than an officer is acceptable if the Bid is accompanied by a certified corporate resolution granting authority to said person to execute contracts on behalf of the corporation. b. Signature(s) must be notarized if the corporation is located outside of the state of California.
 b. The owner's signature must be notarized if the company is located outside of the state of California. PARTNERSHIP a. The only acceptable signature(s) is/are that of the general partner or partners. b. Signature(s) must be notarized if the partnership is located outside of the state of California. CORPORATION a. Two (2) officers of the corporation must sign. b. Each signature must be notarized if the corporation is located outside of the state of California. OR a. The signature of one officer or the signature of person other than an officer is acceptable if the Bid is accompanied by a certified corporate resolution granting authority to said person to execute contracts on behalf of the corporation. b. Signature(s) must be notarized if the corporation is located outside of the state of California. LIMITED LIABILITY COMPANY

THIS INFORMATION IS AVAILABLE IN AN ALTERNATIVE FORMAT BY CONTACTING 562-570-6200.

CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT

State of California	(
County of LOS Angeles	·
	Ala Di-1
On before me,	Here Insert Name and Title of the Officer
On	Liston and Brian Asci
	ivanie(s) or Signer(s)
	,
	who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are
	subscribed to the within instrument and acknowledged
	to me that he/she/they executed the same in
ALAND DOW	his/her/their authorized capacity(ies), and that by
ALAN D. RICH Commission # 2081508	his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the
Notary Public - California	person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.
Los Angeles County My Comm. Expires Sep 13, 2018	polosii(o) actor, excession ale memainent
	I certify under PENALTY OF PERJURY under the
	laws of the State of California that the foregoing
	paragraph is true and correct.
	WITNESS my hand and official seal.
	Signature: Alan Krel
Piace Notary Seal Above	PTIONAL Signature of Notary Public
Though the information below is not required	by law, it may prove valuable to persons relying on the document val and reattachment of this form to another document.
Description of Attached Document	s s s
Title or Type of Document: Thu ta	·
Document Date: <u>10-26-16</u>	Number of Pages: 23
Signer(s) Other Than Named Above:	
Capacity(ies) Claimed by Signer(s)	
Signer's Name:	Signer's Name:
☐ Corporate Officer — Title(s):	Corporate Officer — Title(s):
☐ Individual RIGHT THUN OF SIG	MBPRINT ☐ Individual RIGHT THUMBPRINT OF SIGNER
☐ Partner — ☐ Limited ☐ General Top of thur	
☐ Attorney in Fact	☐ Attorney in Fact
☐ Trustee	☐ Trustee
☐ Guardian or Conservator	☐ Guardian or Conservator
□ Other:	☐ Other:
Signer Is Representing:	Signer Is Representing:

	ACKNOWLE	DGMENT
cer wh atta val	notary public or other officer completing this tificate verifies only the identity of the individual o signed the document to which this certificate ached, and not the truthfulness, accuracy, or idity of that document.	
	e of California inty of	
On _	before me,	(insert name and title of the officer)
who subs in hi pers	scribed to the within instrument and acknowled is/her/their authorized capacity(ies), and that b son(s), or the entity upon behalf of which the pe rtify under PENALTY OF PERJURY under the	ence to be the person(s) whose name(s) is/are dged to me that he/she/they executed the same y his/her/their signature(s) on the instrument the erson(s) acted, executed the instrument. laws of the State of California that the foregoing
•	agraph is true and correct.	
	NESS my hand and official seal.	
	OPTIC	ONAL ons relying on the document and could prevent fraudulent reattachment
of this		ons reiging on the document and could prevent traducient realizonment
	CAPACITY CLAIMED BY SIGNER	DESCRIPTION OF ATTACHED DOCUMENT
	INDIVIDUAL CORPORATE OFFICER TITLE(S)	TITLE OR TYPE OF DOCUMENT
	PARTNER(S)	NUMBER OF PAGES
	OTHER:	DATE OF DOCUMENT
	SIGNER IS REPRESENTING: NAME OF PERSON(S) OR ENTITY(IES):	SIGNER(S) OTHER THAN NAMED ABOVE

INSTRUCTIONS TO BIDDERS

1. PREPARATION OF BID:

The preparation of the Bid, including visits to the Site prior to submittal of the Bid, shall be at the expense of Bidder. All prices and notations must be typewritten or written in ink. Any markings in pencil shall not form part of the Bid and shall be disregarded by the City. Any changes or corrections in the Bid must be initialed in ink by the person signing the Bid. Bidder shall state brand name or make of each item bid. If not bidding on item as described, the manufacturer's name and catalog number of the substitute must be given. Bidder shall also attach specifications and furnish other data to establish the suitability of the substitute. Bidder shall quote separately on each item. Bidder shall quote his lowest price and best delivery date as no changes are permitted after the bid opening. Cash discounts offered for payment within fourteen (14) days or less will not be considered when evaluating bids. No telephonic, telegraphic or fax Bids are acceptable.

NOTE: ALL PAGES OF THE INVITATION TO BID MUST BE RETURNED.

2. EXAMINATION OF BID:

Bidder is responsible for examining the Invitation to Bid and submitting its Bid complete and in conformance with these instructions.

3. CONDITIONS OF WORK:

Bidder shall carefully examine the Site to become fully informed regarding all existing and expected conditions and matters, which could affect performance, cost or time of the Work.

4. DISCREPANCIES IN BID DOCUMENTS:

If Bidder finds discrepancies in or omissions from the Invitation to Bid, if the intent of the Invitation is not clear, or if provisions of the Specifications restrict Bidder from bidding, he may request in writing that the deficiency(s) be modified. Such request must be received by the City Purchasing Agent at least five (5) working days before bid opening date. Bidders will be notified by Addendum of any approved changes in the Invitation to Bid.

5. ORAL STATEMENTS:

The City of Long Beach shall not be bound by oral statements made by any employee or agent concerning this Invitation to Bid. If Bidder requires specific information, Bidder must request it in writing and obtain a reply in writing from the City.

6. BRAND NAMES AND SPECIFICATIONS:

The detailed specifications and/or brand names stated are descriptive only and indicate quality, design and construction of items required. Offers will be considered to supply articles substantially the same as those described herein but with minor variations. Bidders must describe variations in the Bid. Substitute items must be equal in quality, utility and performance. The phrase "or approved equal" throughout the specifications means that the City in its sole and absolute discretion shall make the final determination whether or not the substitute items are equal.

7. AWARD:

Bid shall be subject to acceptance by the City for a period of three (3) months unless a lesser period is prescribed in the quotation by Bidder. The City reserves the right to award all items to one Bidder, or to award separate items or groups of items to various Bidders, or to increase or decrease the quantities of any item. Bidder may submit alternate prices or name a lump sum or discount conditional on two or more items being awarded to him.

The City's purchases of goods and services are based on the City's actual needs and requirements. The City is obligated under this contract/purchase order to purchase and pay for only those goods and services that the City needs and requires, and that the City actually orders and receives. Any dollar amount identified as a "not to exceed:" amount in any City document is not a guaranteed payment amount to any contractor or service provider. Furthermore, the City may determine that its needs and requirements may be met by City labor or by a second contractor or service provider, even after an award is made to one contractor or service provider. An award is not a promise or guarantee of exclusivity.

Bidders are cautioned that comments and statements, whether oral or written, made by City employees regarding the validity of Bids, the waiver of deviations from Specifications, the possibility or probability of an award being made to a particular Bidder, and other similar matters are NOT binding on the City. Bidders should not order materials, obtain financing or take other actions based on such comments and statements. Only authorization of a Contract by the City Council or issuance of a Purchase Order is conclusive and binding on the City with respect to this Bid and its resulting Contract or Purchase Order. However, prior to authorization by the City Council or issuance of the Purchase Order, Bidders may rely on: (1) approval of an "equal" or "substitute" item which will be issued in writing, and (2) written notice of intent to award by the City Council, which is often issued prior to the authorization by the City Council so that a Bidder can order materials that have a long lead time.

8. PAYMENT:

Payment terms are NET/30 unless Bidder otherwise quotes. All Cash Discounts shall be taken and computed from the date of delivery or completion and acceptance of the material, or from date of receipt of invoice, whichever occurs last. Invoices must be submitted as specified at the time of shipping authorization. Partial payments may be made by the City on delivery & acceptance of goods and on receipt of Contractor's invoice.

In the event the Contract to be awarded hereunder, including specifications and other documents incorporated therein by reference, provides for the withholding of moneys by the City to ensure performance of such Contract, Contractor may deposit with the City, as a substitute for said withheld moneys, securities listed in Section 16430 of the California Government Code or bank or savings and loan certificates of deposit, or both, equivalent to the amount withheld, provided Contractor requests permission to make such substitution and bears all expenses in connection therewith.

9. SAFETY APPROVAL:

Where required by City Regulations, any items delivered must carry Underwriters Laboratories Approval or City of Long Beach City Safety Officer approval. Failure to so comply will be cause to reject Bid. Also, any equipment must conform with the Safety Orders of the California Division of Industrial Safety and OSHA regulations.

10. BUSINESS LICENSE:

The Long Beach Municipal Code (LBMC) requires all businesses operating in the City of Long Beach to pay a business license tax. In some cases, the City may require a regulatory permit and/or evidence of a State or Federal license. Prior to Issuing a business license, certain business types will require the business license application and/or business location to be reviewed by the Development Services, Fire, Health, and/or Police Departments. For more information, go to www.longbeach.gov/finance/business_license.

INSTRUCTIONS TO BIDDERS

11. PUBLIC WORK AND PREVAILING WAGES:

The Contractor to whom the contract is awarded, along with its subcontractors, shall pay not less than the general prevailing rate of per diem, holiday and overtime wages established by the Department of Industrial Relations (DIR) of the State of California for the locality in which the public work is to be performed for each craft, classification or type of worker needed to execute the contract. Refer to the California DIR's website, http://www.dir.ca.gov/dlsr for such prevailing wages and additional information.

The Director of Public Works of the City by and on behalf of the City Council has obtained from the Director of the Department of Industrial Relations of the State of California the general prevailing rate of per diem wages and the general prevailing rate of holiday and overtime work in the locality in which the public work is to be performed for each craft, classifications or type of workers needed to execute the Contract, and the same is on file with the City Engineer, 9th floor, City Hall, 333 W. Ocean Boulevard, Long Beach, California 90802. It shall be mandatory upon the Contractor to the whom the Contract is awarded, and his Subcontractors to pay not less than the said prevailing rate of wages to all workers employed by Contractor or said Subcontractors in the execution of the Contract.

12. RIGHT TO REJECT:

The City reserves the right to reject at any time any or all Bids, or parts thereof, and to waive any variances, technicalities and informalities which do not impair the quality, utility, durability or performance of the items.

13. SAMPLES:

Samples of items when requested or required must be furnished to the City free of expense to the City and, if not destroyed by tests, will upon request be returned at Bidder's expense.

14. PRICES:

Prices shall be in accordance with those extended to other governmental agencies. In case of error in extension of prices, unit price will govern. All prices must be firm for the Contract term unless the City specifically provides for adjustment.

15. CITY'S POLICY FOR MINORITY AND WOMEN-OWNED BUSINESSES:

The City of Long Beach is committed to providing maximum opportunities for Disadvantaged, Minority, Women and Long Beach Business Enterprises (DBEs, MBEs, WBEs and Local) to compete successfully in supplying our needs for products and services.

SUBCONTRACTORS

To assist the City in maintaining records of its Minority and Women Outreach Program, Bidder is requested to provide the following information. Answers are optional, and failure to answer will not disqualify Bid. If additional space is required, Bidder shall attach a separate sheet.

The following Minority- or Woman-owned subcontractors are to be utilized to provide equipment, material, supplies and/or services for this Contract requirement:

Company	Name:		
Address:	·		
	y/Service Provide ropriate designat	 iF	

Ethnic Factors	of (Owne	rship: (mo	re than 51%)		
Black	()	Ameri	can Indian	()	
Hispanic	()	Other	Non-white	()	
Asian	()	Cauca	sian	()	
Certified by:		····					
Valid thru:							
Dollar value o	of pa	articip	ation:	\$			

16. BID SUBMITTAL AND WITHDRAWAL OF BIDS:

Each Bid must be delivered to the location and received on or before the due date and time stated herein. Bids will not be accepted after the date and time stated herein. Bids may be withdrawn without prejudice providing the written request is received by the City Clerk no later than the time set for opening Bids. Withdrawals will be returned to Bidder unopened.

SUBMIT TO: CITY OF LONG BEACH CITY CLERK – ATTN: Sokunthea Kol (Soey) 333 W OCEAN BLVD/PLAZA LEVEL LONG BEACH CA 90802

BID DUE DATE:	September 29, 2016
TIME:	11:00 am

IF BIDDER HAS ANY QUESTIONS REGARDING THIS INVITATION TO BID PLEASE CONTACT THE FOLLOWING CITY PERSONNEL.

SOEY KOL	(562) 570-6123 '
BUYER	TELEPHONE NUMBER

17. BID OPENING PROCEDURES:

All bids are publicly opened and read in the Purchasing offices at the date and time noted on the Invitation to Bid.

Bid results are posted on the City's online system as soon as they have been reviewed for responsiveness. Bids are awarded to the lowest responsible and responsive bidder meeting the City's specifications. Bid results will not be given out via telephone, City email, or facsimile.

CAUTION: Only the City Council has authority to make an award, and a contract is not in effect until the City Council makes an award and contract documents (including insurance and bonds) are signed, submitted and approved.

Bid protest procedures may be obtained from the Buyer. Protests must be submitted within five (5) business days after the date on which the bids were opened.

18. INTER-AGENCY PARTICIPATION:

IF OTHER AGENCIES EXPRESS AN INTEREST IN PARTICIPATING IN THIS BID, WOULD YOU SUPPLY THE SAME ITEMS.

YES	NO	

(If yes, any agency electing to participate in this Bid will order its own requirements without regard to the City of Long Beach. The City of Long Beach assumes no liability or payment guarantee on any units sold to participating agencies.)

19. AMERICANS WITH DISABILITIES ACT:

INSTRUCTIONS TO BIDDERS

Contractor shall have and be allocated the sole responsibility to comply with the Americans with Disabilities Act of 1990 ("ADA") with respect to performance hereunder and contractor shall defend, indemnify and hold the City, its officials and employees harmless from and against any and all claims of failure to comply with or violation of the ADA as said claim relates to this Contract.

20. EQUAL BENEFITS ORDINANCE:

Bidders/Proposers are advised that any contract awarded pursuant to this procurement process shall be subject to the applicable provisions of Long Beach Municipal Code section 2.73 et seq., the Equal Benefits Ordinance. Bidders/Proposers shall refer to Attachment/Appendix for further information regarding the requirements of the Ordinance.

All Bidders/Proposers shall complete and return, with their bid/proposal, the Equal Benefits Ordinance Compliance form contained in the Attachment/Appendix. Unless otherwise specified in this procurement package, Bidders/Proposers do not need to submit supporting documentation verifying with their bids/proposals. However, supporting documentation verifying that the benefits are provided equally shall be required if the Bidder/Proposer that is selected for award of a contract.

Multi-Year Vehicle Purchase Page 6 of 23

CONTRACT - GENERAL CONDITIONS

- 1. Acceptance of the offer contained in this Contract is expressly limited to the terms and conditions of such offer as herein stated.
- No charges for taxes, transportation, boxing, packaging, crating or returnable containers will be allowed and paid by the City unless separately stated hereon. All sales, use, excise or similar taxes to be paid by the City must be itemized separately hereon and on invoices. The City is exempt from payment of Federal Excise Tax under Certificate No. 95-73 0502K and none shall be charged to the City.
- 3. The City's obligation to pay the sum herein stated for any one fiscal year shall be contingent upon the City Council of the City appropriating the necessary funds for such payment by the City in each fiscal year during the term of this Contract. For the purposes of this section a fiscal year commences on October 1 of the year and continues through September 30 of the following year. In the event that the City Council of the City fails to appropriate the necessary funds for any fiscal year, then, and in that event, the Contract will terminate at no additional cost or obligation to the City.
- 4. Contractor shall deliver the materials, equipment, supplies or services, or cause the work to be performed, within the time and in the manner specified in the Contract. Times and dates stated herein are of the essence. If at any time Contractor has reason to believe that deliveries will not be made as scheduled, written notice setting forth the cause of the anticipated delay shall be given immediately to the City. Deliveries must be prepaid. C.O.D. shipments will not be accepted.
- 5. The City reserves the right at any time to make changes in drawings and specifications, in methods of shipment and packaging and in place of delivery as to any articles covered by this Contract. In such event there will be made an equitable adjustment in price and time of performance mutually satisfactory to Contractor and the City; but any claim by Contractor for such an adjustment must be made within thirty (30) days of such change.
- 6. Contractor warrants that the goods, machinery or equipment delivered or the work performed hereunder shall conform to the specifications, drawings, samples or other description specified by the City and shall be fit and sufficient for the purpose intended, merchantable, of good material and workmanship, in good working order and free from defect or faulty workmanship for a period of ninety (90) days. When defective goods, machinery, or equipment or faulty workmanship is discovered which requires repair or replacement pursuant to this warranty, Contractor shall provide all labor, materials, parts and equipment to correct such defect at no expense to the City.
- 7. Contractor shall defend, indemnify and hold the City, its officials and employees harmless from any and all loss, damage, liability, demands, claims, causes of action, costs and expenses (including reasonable attorney' fees) for injuries to persons (including death) or damage or destruction of property connected with or arising from the negligent acts or omissions of Contractor, its officers, agents and employees in the performance of this Contract
- 8. The City reserves the right to terminate this Contract at any time in whole or in part even though Contractor is not in default hereunder. In such event there will be made an equitable adjustment of the terms that is mutually satisfactory to the City and Contractor. Upon receipt of any notice of such termination, Contractor shall, unless such notice otherwise directs, immediately discontinue all work on the Contract and deliver, if and as directed, to the City all completed and partially completed articles, work in process and materials purchased or acquired for performance of the Contract. The provisions of this section shall not limit or affect the right of the City to terminate this Contract immediately upon written notice of breach.
- 9. The City reserves the right to cancel this Contract or any part thereof and reject delivery of goods if delivery is not undertaken and completed when specified and in accordance with specifications. Contractor shall be charged for any direct losses, but not any consequential damages, sustained by the City by reason of such delay or failure, excepting losses caused by a delay for reasons beyond Contractor's reasonable control. Direct losses shall include any costs to the city in excess of the Contract price of obtaining goods from other sources similar to those cancelled or rejected hereunder.
- 10. The City shall pay to Contractor the price(s) specified in the Contract on delivery of the materials, equipment, supplies or services and acceptance thereof by the City Manager or his designee, or upon completion of the work to be performed and accepted thereof, as specified in the Contract. Defective articles or articles not in accordance with the City's specifications shall be held for Contractor's instructions at Contractor's risk, and if Contractor so directs will be returned at Contractor's expense.
- 11. No return or exchange of material, equipment or supplies shall be permitted without written approval of the City Purchasing Agent.
- 12. All royalties for patents, or changes for the use of patents, which may be involved in any article to be furnished under this Contract shall be included in the Contract price.
- 13. In cases where a price subject to escalation has been agreed upon, the price escalation shall be shown as a separate item on the invoice. Unless an escalator clause has been shown as a specific part of this Contract Contractor shall not be entitled to reimbursement for costs incurred due to escalation.

CONTRACT - GENERAL CONDITIONS

- 14. All materials, supplies and equipment provided under this Contract shall be in full compliance with the Safety Orders and Regulations of the Division of Industrial Safety of the State of California, Title 8, California Code of Regulations (CAL/OSHA) and all applicable OSHA regulations as well as all other applicable California Code of Regulations. Contractor shall indemnify and hold the City, its officials, and employees harmless for, of and from any and all loss, including but not limited to fines, penalties and corrective measures, the City may sustain by reason of Contractor's failure to comply with said laws, rules and regulations in connection with the performance of this Contract.
- 15. Contractor shall keep confidential and not disclose to others or use in any way to the detriment of the City confidential business or technical information that the City may disclose in conjunction with this Contract or Contractor may learn as a result of performing this Contract.
- 16. This Contract shall not be assigned in whole or in part, nor any duties delegated without the City's prior written approval.
- 17. The remedies herein reserved shall be cumulative and additional to any other remedies at law or in equity. The waiver of any breach of this Contract shall not be held to be a waiver of any other or subsequent breach. The City's failure to object to provisions contained in any communication from Contractor shall not be deemed an acceptance of such provisions or a waiver of the provisions of this Contract.
- 18. This Contract shall not be amended or modified, except by written agreement signed by the parties and expressly referring to this Contract.
- 19. Contractor shall indemnify, hold harmless and defend the City, its officials and employees from any damage, claim, loss, cost, liability, cause of action or expense, including reasonable attorney's fees, whether or not reduced to judgment, arising from any infringement or claimed infringement of any patent, trademark or copyright, or misappropriation of confidential information or trade secrets of any third party and based on the manufacture, sale or use of goods, machinery or equipment supplied hereunder.
- 20. Contractor shall furnish further itemization and breakdown of the Contract price when requested by the City.
- 21. Contractor, in the performance of any work or the furnishing of any labor under this Contract, shall be considered as an independent contractor. Contractor, his agents and employees shall not be considered as employees of the City.
- 22. Contractor and subcontractor(s) shall not discriminate against any person in the performance of this Contract and shall comply with applicable federal, state and city equal employment opportunity laws, ordinances, rules and regulations. Contractor and subcontractor(s) shall not discriminate against any employee or applicant for employment or against any subcontractor on the basis of race, color, religion, national origin, sex, sexual orientation, AIDS, HIV status, age, disability, or handicap, subject to federal and state laws, rules and regulations.
- 23. Contractor shall comply with all applicable federal, state and local laws pertaining to the subject matter hereof.
- 24. Contractor shall submit samples of all documents that Contractor may require the City to execute to complete this transaction. By accepting these samples as part of the bid or by awarding the Contract to a Contractor who has submitted said samples, the City does not agree to the terms stated in said samples. This Invitation to Bid and Contractor's bid shall take priority over said samples and this Invitation and Contractor's bid shall become the Contract between the City and the Contractor.
- 25. All quantities stated herein are only ESTIMATES. The City reserves the right to increase or decrease these estimated quantities based on its actual needs and funds available.
- 26. The City reserves the right to exercise, at its option, an increase in expenditures by ten (10) percent annually, but the City does not guarantee such an increase.
- 27. Contractor shall cooperate with the City in all matters relating to taxation and the collection of taxes, particularly with respect to the self-accrual of use tax. Contractor shall cooperate as follows: (i) for all leases and purchases of materials, equipment, supplies or other tangible personal property totaling over \$100,000 shipped from outside California, a qualified Contractor shall complete and submit to the appropriate governmental entity the form in Appendix "A" attached hereto; and (ii) for construction contracts and subcontracts totaling \$5,000,000 or more, Contractor shall obtain a sub-permit from the California Board of Equalization for the Work site. "Qualified" means that the Contractor purchased at least \$500,000 in tangible personal property that was subject to sales or use tax in the previous calendar year.

In completing the form and obtaining the permit(s), Contractor shall use the address of the Work site as its business address and may use any address for its mailing address. Copies of the form and permit(s) shall also be delivered to the Purchasing Agent. The form must be submitted and the permit(s) obtained as soon as Contractor receives a notice of award. Contractor shall not order any materials or equipment over \$100,000 from vendors outside California until the form is submitted and the permit(s) obtained and, if

Multi-Year Vehicle Purchase Page 8 of 23

CONTRACT - GENERAL CONDITIONS

Contractor does so, it shall be a material breach of the Agreement. In addition, Contractor shall make all purchases from its Long Beach sales office and the Long Beach sales office of its vendors if those vendors have a Long Beach office and all purchases made by Contractor under this Agreement which are subject to use tax of \$500,000 or more shall be allocated to the City of Long Beach. Contractor shall require the same form and permit(s) from its subcontractors.

Contractor shall not be entitled to and by signing this Contract waives any claim or damages for delay against City if Contractor does not timely submit these forms to the appropriate governmental entity. Contractor may contact Julissa Jose-Murray at 562-570-6869 for assistance with the form.

- 28. The California Integrated Waste Management Act (Public Resources Code, Sec. 40000 et seq.) requires governmental entities to achieve fifty (50) percent diversion of waste. In conjunction with the City's Integrated Resources Bureau, the City is currently developing an Environmentally Preferable Product (EPP) procurement plan. These guidelines enable the City Purchasing Agent to greatly expand procurement programs by moving beyond a singular consideration of "recycled-content". EPP procurement facilitates the purchase of products that qualify within a broad range of "environmentally preferable" criteria, such as: minimal packaging; energy savings; non-toxic; manufactured from sustainably-harvested materials. Contractor shall monitor products that fall within the EPP guidelines and document all criteria that qualifies the product as an EPP. Documentation from the manufacturer will be acceptable and may be required during the term of the Contract.
- 29. NOTICE TO BIDDERS REGARDING THE PUBLIC RECORDS ACT:
 Responses to this Invitation to Bid become the exclusive property of the City of Long Beach. All Bids submitted in response to this
 Invitation to Bid are a matter of public record and shall be regarded as public records. Exceptions will be only those elements in
 each Bid that are defined by the Bidder as business or trade secrets and are marked as "Trade Secrets", "Confidential" or
 "Proprietary".

The City shall not be liable or responsible in any way for disclosure of any records not marked as "Trade Secrets", "Confidential" or "Proprietary". The City shall not be liable or responsible in any way for disclosure of any records so marked if disclosure is deemed to be required by law or by a court order.

30. NOTE: FAILURE TO COMPLY WITH THESE ADDITIONAL CONDITIONS WILL DISQUALIFY A BIDDER. NOTICE OF INTENTION TO APPLY FOR WAIVER OF ALL OR A PORTION OF THESE INSURANCE REQUIREMENTS MUST BE IN COMPLIANCE WITH CITY OF LONG BEACH ADMINISTRATIVE REGULATION 8-27 (AR 8-27). NOTE THAT COMPLIANCE WITH THE CITY'S INDEMNIFICATION IS MANDATORY FOR A RESPONSIVE BIDDER.

THE FOLLOWING ADDITIONAL CONDITIONS APPLY TO ALL BIDS:

INSURANCE: As a condition precedent to the effectiveness of this Contract, Contractor shall procure and maintain at its expense, until completion of performance and acceptance by City, from an insurer admitted (licensed) in the State of California with a current financial responsibility rating of A (Excellent) or better and a current financial size category (FSC) of V (capital surplus and conditional surplus funds of greater than \$10 million) or greater rating as reported by A.M. Best Company or equivalent, unless waived in writing by City's Risk Manager, or non-admitted in the State of California with a current financial responsibility rating of A (Excellent) or better and a current financial size category (FSC) of VIII (capital surplus and conditional surplus funds of greater than \$100 million) or greater rating as reported by A.M. Best Company or equivalent, unless waived in writing by City's Risk Manager.

- (a) Commercial general liability insurance or self-insurance equivalent in coverage scope to ISO CG 00 01 10 93 naming the City of Long Beach, and its boards, officials, employees, and agents as additional insureds on a form equivalent in coverage scope to ISO CG 20 10 11 85 from and against claims, demands, causes of action, expenses, costs, or liability for injury to or death of persons, or damage to or loss of property arising out activities performed by or on behalf of the Contractor in an amount not less than One Million Dollars (US \$1,000,000) per occurrence and Two Million Dollars (US \$2,000,000) in general aggregate.
- (b) Workers' compensation coverage as required by the Labor Code of the State of California and Employer's liability insurance with minimum limits of One Million Dollars (US \$1,000,000) per accident or occupational illness. The policy shall be endorsed with a waiver of the insurer's right of subrogation against the City of Long Beach, and its boards, officials, employees, and agents.
- (c) Automobile liability insurance equivalent in coverage scope to ISO CA 00 01 06 92 in an amount not less than Five Hundred Thousand Dollars (US \$500,000) combined single limit (CSL) per accident for bodily injury and property damage covering Symbol 1 ("all autos").

Any self-insurance program or self-insurance retention must be approved separately in writing by the City's Risk Manager or designate and shall protect the City of Long Beach, and its boards, officials, employees, and agents in the same manner and to the same extent as they would have been protected had the policy or policies not contained retention provisions. Each insurance policy shall be endorsed to state that coverage shall not be suspended, voided, or canceled by either party except after thirty (30) days prior written notice to the City of Long Beach, and shall be primary and not contributing to any other insurance or self-insurance maintained by the City of Long Beach.

CONTRACT - GENERAL CONDITIONS

Any subcontractors of all tiers which Contractor may use in the performance of this Contract shall be required to maintain insurance in compliance with the provisions of this section.. The additional insured endorsement form number applicable to subcontractors with respect to the general liability insurance shall be the ISO CG 20 26 11 85 form or its equivalent.

Contractor shall deliver to the City of Long Beach certificates of insurance and original endorsements for approval as to sufficiency and form prior to the start of performance hereunder. The certificates and endorsements for each insurance policy shall contain the original signature of a person authorized by that insurer to bind coverage on its behalf. "Claims-made" policies are not acceptable unless the City's Risk Manager determines that "Occurrence" policies are not available in the market for the risk being insured. In a "Claims-made" policy is accepted, it must provide for an extended reporting period of not less than one hundred eighty (180) days. Such insurance as required herein shall not be deemed to limit Contractor's liability relating to performance under this Contract. The City of Long Beach reserves the right to require complete certified copies of all said policies at any time. Any modification or waiver of the insurance requirements herein shall be made only with the approval of the City's Risk Manager. The procuring of insurance shall not be construed as a limitation on liability or as full performance of the indemnification provisions of this Contract.

To the extent more stringent insurance requirements apply in accordance with the City of Long Beach's Administrative Regulation 8-27 (AR 8-27) and its amendments, the currently in-force AR 8-27 regulations and requirements supersede and replace any insurance requirements stated herein.

INDEMNITY: To the extent allowed by law, Contractor shall defend, indemnify, and hold harmless the City, its Commissions and Boards, and their officials, employees, and agents from and against any and all demands, claims, causes of action, liability, loss, liens, damage, costs, and expenses (including attorney's fees) arising from or in any way connected or alleged to be connected with Contractor's performance of the performance under the Contract or the work under or related to the Contract and from any act or omission, willful misconduct, or negligence (active or passive) by or alleged to be by Contractor, its employees, agents, or subcontractors either as a sole or contributory cause, sustained by any person or entity (including employees or representatives of City or Contractor). The foregoing shall not apply to claims or causes of action caused by the sole negligence or willful misconduct of the City, its Commissions and Boards, or their officials, employees, or agents.

In addition to Contractor's duty to indemnify, Contractor shall have a separate and wholly independent duty to defend Indemnified Parties at Contractor's expense by legal counsel approved by City, from and against all Claims, and shall continue this defense until the Claims are resolved, whether by settlement, judgment or otherwise. No finding or judgment of negligence, fault, breach, or the like on the part of Contractor shall be required for the duty to defend to arise. City shall notify Contractor of any Claim, shall tender the defense of the Claim to Contractor, and shall assist Contractor, as may be reasonably requested, in the defense.

If a court of competent jurisdiction determines that a Claim was caused by the sole negligence or willful misconduct of Indemnified Parties, Contractor's costs of defense and indemnity shall be (1) reimbursed in full if the court determines sole negligence by the Indemnified Parties, or (2) reduced by the percentage of willful misconduct attributed by the court to the Indemnified Parties.

The provisions of this Section shall survive the expiration or termination of this contract.

THE FOLLOWING ADDITIONAL CONDITIONS APPLY ONLY IN CASES WHERE CONTRACTOR IS TO PERFORM WORK FOR THE CITY OR ON CITY PROPERTY:

Before execution of a Contract, the bidder shall file two surety bonds with the City of Long Beach subject to the approval of the City Engineer and City Attorney. The bonds shall be on forms provided by the City or acceptable to the City Attorney. The Payment Bond (Material and Labor Bond) shall satisfy claims of material suppliers and mechanics and laborers employed by the contractor on the Work. This bond shall be maintained by the contractor in full force and effect until the work is accepted by the City of Long Beach and until all claims for materials and labor are paid, and shall otherwise comply with the Civil Code. The Performance Bond shall guarantee faithful performance of all work within the time and manner prescribed, free from original or developed defects. This bond shall remain in effect as prescribed within the Contract, until the end of all warranty periods.

If at any time during the progress of the Work, Contractor shall allow any indebtedness to accrue for labor, equipment or materials, or which may become a claim against the City, Contractor shall immediately upon request from the City pay such claim or indebtedness or cause such lien to be dissolved and discharged by giving a bond or otherwise and, in case of his failure so to do, the City may withhold any money due Contractor until such claim or indebtedness is paid or may apply such money toward the discharge thereof; or in such event the City may, at its option, declare this Contract to be terminated, take possession and control of the Work, and complete the same or cause the same to be completed according to the specifications. Contractor shall pay to the City the difference between the Contract price and the actual cost to the City in completing or causing the Work to be completed.

Contractor shall carry on the Work at its own risk until the same is fully completed and accepted and shall, in case of any accident, destruction or injury to the Work or materials before its final completion and acceptance, repair or replace the Work or materials so injured, damaged and destroyed, at his own expense and to the satisfaction of the City. When materials and equipment are furnished

CONTRACT - GENERAL CONDITIONS

by others for installation or erection by Contractor, Contractor shall receive, unload, store and handle same at the Site and become responsible therefore as though such materials and equipment were being furnished by Contractor under the Contract.

Contractor shall list the name and location of the place of business of each Subcontractor who will perform work, labor or services for Contractor, or who specially fabricates and installs a portion of the Work or improvement in an amount in excess of one-half of one percent of Contractor's total contract cost. The Subcontractor list shall be submitted with Contractor's Bid.

Multi-Year Vehicle Purchase Page 11 of 23

PROJECT OVERVIEW

The purpose of this ITB is to solicit bids from vendors to obtain a multi-year (2-year) vehicle purchase contract with two annual renewal options to secure fixed pricing, and product availability. Bidders are required to provide methodology for discount calculations. Discount structures is to remain firm for the term of the contract.

Discounts would apply to other types of vehicles not currently specified. The City of Long Beach (City or CLB) will contract for its vehicle requirements during the next 2-year term; however, the City cannot guarantee quantities or types of vehicles to be purchased. Vehicles specified are a representation of vehicles that may be purchased during the term of the contract.

See Appendix A for specifications.

BID TIMELINE – All times are Pacific Time

Bid release date: August 25, 2016

Non-Mandatory Pre-Bid Meeting: September 7, 2016 @ 3:30 pm

Questions due: September 9, 2016 by 4:30 pm Response from City to bidder: September 19, 2016 by 4:30 pm

Bid due date: September 29, 2016 by 11:00 am

Non-Mandatory Pre-Bid Meeting:

A non-mandatory Pre-Bid meeting shall be held for the purpose of answering questions. RSVPs are not required but helpful in determining the required resources needed to conduct the meeting. Bidders are encouraged to RSVP on PlanetBids prior to the meeting.

Non-Mandatory Pre-Bid Meeting Schedule

Date/Time: September 7, 2016 - 3:30 pm

Location: City of Long Beach Fleet Services Bureau

2600 Temple Avenue, Floor 2

Long Beach, CA 90806

Vendors are encouraged to attend the meeting in person; however, a dial-in number for those not physically attending the meeting will be provided as follows:

Phone Number: 408-792-6300 Access Code: 809 295 606

BID SUBMISSION INSTRUCTIONS:

It is recommended that bidders visit the City's website www.longbeach.gov/purchasing on a regular basis for any addenda to the bid.

The following documents shall be submitted as general attachments. Bidders that do not include these items will be deemed non-responsive and their bids will be rejected.

Multi-Year Vehicle Purchase Page 12 of 23

 Signed Bid Cover Page
California All Purpose Acknowledgment, Notarized (if applicable)
Specification – Exceptions & Comments (Appendix A)
 Debarment Certification Form (Attachment A)
Reference List (Attachment B)
 W-9 Form (Attachment C)
 Equal Benefits Ordinance (EBO) (Attachment D)
 Insurance Requirement (Attachment E)
 Secretary of State Certification Print-Out (Attachment F)

METHOD OF SUBMISSION:

Electronic Bids shall be submitted via the City's secure online bidding system. All required sections of the Bid must be submitted via the website. Bidder is solely responsible for "on time" submission of their electronic bid. The Bid Management System will not accept late bids and no exceptions shall be made. Bidders will receive an e-bid confirmation number with a time stamp from the Bid Management System indicating that their bid was submitted successfully. The City will only receive those bids that were transmitted successfully.

When bids on certain items are labeled "optional", bidders shall indicate "no bid" or "N/A" in the space provided for an item for which no bid is being offered.

Bid cover page shall be signed in ink and included with the electronic bid submission as a general attachment. Digital and stamped signatures shall not be accepted.

Pricing shall be submitted electronically on the Line Items tab and all pages of the bid document shall be uploaded as a general attachment.

Submit bid online at: http://www.planetbids.com/portal/portal.cfm?CompanyID=15810

In addition to the electronic submission, bidders shall submit the following original document(s) with wet signature(s) in a sealed envelope to the address shown below:

- 1. Original bid cover page
- 2. A notarized California All-Purpose Acknowledgement Form (for all companies located outside the State of California)

City of Long Beach C/O City Clerk Attn: Sokunthea Kol (Soey) 333 West Ocean Boulevard, Plaza Level Long Beach, CA 90802

Documents shall be clearly labeled in a sealed envelope or box as follows:

ITB FS 16-126 Multi-Year Vehicle Purchase

Electronic Bids and required hard copy forms must be received by 11:00 AM Pacific Time, September 29, 2016. Bids and required hard copy forms that do not arrive by the specified date and time WILL NOT BE ACCEPTED. Bidders may submit their bid any time prior to the above stated deadline.

Note: E-Bids are sealed and cannot be viewed by the City until the closing date and time. If you need to withdraw your bid, you may do so any time before the bid deadline, by going back into the system and selecting "withdraw".

All questions must be submitted in writing and emailed to <u>purchasingbids@longbeach.gov</u> attention Soey Kol with the bid number in the subject line of the email message.

<u>REFERENCES</u>

Bidder shall furnish a list of five (5) current customers, including company name, street address, telephone number and contact person, for whom Bidder has provided similar items and quantities. The City intends to contact these customers to determine product reliability, performance and other information. Failure to include customer's references will result in rejection of bids. See Reference Information form attachment.

AWARD

The City desires to award to two vendors per manufacturer, which shall be assigned as a primary and secondary vendor. The City reserves the right to purchase from either the primary or secondary or to increase or decrease the quantities based on the needs of the City. The City reserves the right to reject at any time any or all bids.

RIGHT TO REJECT BID

The City reserves the right, in its discretion, to reject any and all Bids and, to the extent not prohibited by law, to waive any minor irregularity or informality in any Bid that does not affect the validity of the Bid or does not give the bidder a competitive advantage over other bidders.

BID PROTEST PROCEDURES

Who May Protest

Only a bidder who has actually submitted a bid proposal is eligible to protest a bid. The City will not accept or entertain bid protests from manufacturers, vendors, suppliers, subcontractors or the like. A bidder may not rely on the bid protest submitted by another bidder, but must timely pursue its own protest.

Time for Protest

A bidder desiring to protest a bid shall file the protest within five (5) business days of the electronic notification of intent to award. The City Purchasing Agent must receive the protest by the close of the business on the fifth (5th) business day following posting of notification of intent to award the contract.

Form of Protest

The protest must be in writing and signed by the individual who signed the bid or, if the bidder is a corporation, by an officer of the corporation, and addressed to the City Purchasing Agent. A protest

Multi-Year Vehicle Purchase Page 14 of 23

shall not be made by e-mail or fax and the City will not accept such. A protest must set forth a complete and detailed statement of the grounds for the protest and include all relevant information to support the grounds stated, must refer to the specific portion(s) of the contract documents upon which the protest is based, and shall include a valid e-mail address, street address, and phone number sufficient to ensure the City's response will be received.

Once the protest is received by the City Purchasing Agent, the City will not accept additional information on the protest unless the City itself requests it. In that case, the additional information must be submitted within three (3) business days after the request is made and must be received by the City Purchasing Agent by the close of the business on the third (3rd) business day.

The City Purchasing Agent or designee will respond, by e-mail or regular mail to the addresses provided in the protest, with a decision regarding the protest within five (5) business days following receipt of the protest or, if applicable, the receipt of requested additional information.

The decision of the City Purchasing Agent shall be final and conclusive.

The procedure and time limits set forth herein are mandatory and are the bidder's sole and exclusive remedy in the event of bid protest. The bidder's failure to comply with these procedures shall constitute a waiver of any right to further pursue a bid protest, including filling a Government Code Claim or initiation of legal proceedings.

BOND PROVISIONS - N/A

ADDITIONAL REQUIREMENTS FROM FUNDING SOURCE

Any Contract arising from this procurement process may be funded in whole or in part by various granting agencies. Pursuant to said grants, the Awarded Vendor is required to comply with (and to incorporate into its agreements with any sub-vendors) the following provisions in the performance of the Contract, as applicable.

ORDER OF PRECEDENCE

In the event of conflicts or discrepancies between these grant funding provisions and any other Contract document, the Federal grant provisions shall take precedence.

ACCESS TO CONTRACTOR'S RECORDS

The Awarded Vendor shall provide the City, the Office of State and Local Government Coordination and Preparedness, the Comptroller General of the United States, or any of their authorized representatives, access to any books, documents, papers, and records of the Awarded vendor which are directly pertinent to the work performed under the Contract for the purposes of making audit, examination, excerpts or transcriptions.

AMERICANS WITH DISABILITIES ACT

The Awarded Vendor hereby certifies that it will comply, as applicable, with the Americans with Disabilities Act of 1990 ("ADA"), 42 USC §§ 12101 et seq., and its implementing regulations, including Subtitle A, Title II of the ADA. The Awarded Vendor will provide, as applicable, reasonable accommodations to allow qualified individuals with disabilities to have access to and to participate in its programs, services and activities in accordance with the provisions of the ADA. The Awarded Vendor will not discriminate against persons with disabilities or against persons due to their relationship

to or association with a person with a disability. Any contract entered into by the Awarded Vendor (or any subcontract thereof), relating to this Agreement, shall be subject to the provisions of this paragraph.

COMPLIANCE WITH CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

The Awarded Vendor shall comply with the requirements of §§ 103 and 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C §§ 327-330) as supplemented by Department of Labor regulations (29 CFR Part 5).

COMPLIANCE WITH COPELAND "ANTI-KICKBACK" ACT

The Awarded Vendor shall comply with the requirements of the Copeland "Anti-Kickback" Act (18 U.S.C. § 874) as supplemented in the Department of Labor regulations (29 CFR Part 3).

COMPLIANCE WITH DAVIS-BACON ACT

The Awarded Vendor shall comply with the requirements of the Davis-Bacon ACT (40 U.S.C. §§ 276 to 276-a7) as supplemented by Department of Labor regulations (29 CFR Part 5) where applicable and shall provide the City with all applicable payroll records on a weekly basis.

COPYRIGHT

The Awarded Vendor acknowledges the existence of requirements and regulations of the awarding Federal agency relating to copyrights and right in data, including, but not limited to those set forth in 44 CFR Part 13.34 which states: "The Federal awarding agency reserves royalty-free, nonexclusive, and irrevocable license to reproduce, publish or otherwise use, and to authorize others to use, for Federal Government purposes: (a) The copyright in any work developed under a grant, subgrant, or contract under a grant or subgrant; and (b) Any rights of copyright to which a grantee, subgrantee or a contractor purchases ownership with grant support." The Awarded Vendor shall comply with 25 CFR 85.34

DRUG-FREE WORKPLACE

The Awarded Vendor hereby certifies that it shall provide or shall continue to provide a drug-free workplace as required by the Drug-Free Workplace Act of 1988 (41 U.S.C. § 701), and implemented at 44 CFR Part 17.

ENERGY EFFICIENCY

The Awarded Vendor shall comply with all mandatory standards and policies relating to energy efficiency that are contained in the State of California's energy conservation plan issued in compliance with the Energy Policy and Conservation Act (Pub. L.94-163, 89 Stat. 871).

ENVIRONMENTAL LEGISLATION

The Awarded Vendor shall comply with all applicable standards, orders or requirements issued under § 306 of the Clean Air Act (42 U.S.C. 1857 (h)), § 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency regulations (40 CFR Part 15).

MINORITY, WOMEN, AND OTHER BUSINESS ENTERPRISE OUTREACH

In accordance with CalOES/Grantor directives, as applicable, firms who represent small business enterprises (SBEs), minority business enterprises (MBEs) and women business enterprises (WBEs) are encouraged to participate in competition for this opportunity. Any such enterprise shall include the appropriate SBE/MBE/WBE certification along with its proposal. The Awarded Vendor agrees that, to the extent contractors or subcontractors are utilized, the Awarded Vendors shall use small, minority, women-owned, or disadvantaged business concerns and contractors or subcontractors to the extent practicable and shall take the affirmative steps as set forth in 44 CFR §13.36(e).

NATIONAL PRESERVATION ACTS

The Awarded Vendor shall assist City (if necessary) in assuring compliance with § 106 of the National Historic Preservation Act of 1966 (16 U.S.C. § 470), Executive Order 11593 (identification and protection of historic properties), the Archeological and Historical Preservation Act of 1974 (16 U.S.C. § 469 a-1 et seq.), and the National Environmental Policy Act of 1969 (42 U.S.C. § 4321)

NONDISCRIMINATION; EQUAL EMPLOYMENT OPPORTUNITY

The Awarded Vendor hereby assures the City that in performing its obligations pursuant to the Contract, it will comply with all applicable nondiscrimination requirements as set forth in 44 CFR Part 13.36. In addition, the Awarded Vendor shall comply with Executive Order 11246 of September 24, 1965, entitled "Equal Opportunity Employment," as amended by Executive Order 11375 of October 13, 1967, and as supplemented in Department of Labor regulations (41 CFR chapter 60), and where applicable to the nondiscrimination provisions of the Omnibus Crime Control and Safe Street Acts of 1968 (42 U.S.C. § 3789d), the Victims of Crimes Act (42 U.S.C. § 10604(e)), the Juvenile Justice and Delinquency Prevention Act (42 U.S.C. § 5672(b)), the Civil Rights Act of 1964 (42 U.S.C. § 2000d), the Rehabilitation Act of 1973 (29 U.S.C. § 794), the Americans with Disabilities Act of 1990 (42 U.S.C. §§ 12131-34), the Education Amendments of 1972 (20 U.S.C. §§ 1681, 1683, 1685-86), and the Age Discrimination Act of 1975 (42 U.S.C. §§ 6101-07), see Executive Order 13279 (equal protection of the laws for faith-based and community organizations). This provision must be incorporated by Awarded Vendor into any subcontract exceeding \$10,000.

PATENT RIGHTS

The Awarded Vendor acknowledges the existence of requirements and regulations of the awarding Federal agency relating to patent rights with respect to any discovery or invention which arises or is developed in the course or under this Contract, including, but not limited to those regulations and requirements set forth in 44 CFR Part 13.36. Any discovery or invention that arises during the course of this Contract shall be immediately reported to the Department's project management team. The awarding Federal agency shall determine how rights in the invention/discovery shall be allocated consistent with "Government Patent Policy" and 37 CFR Part 401.

PAYMENTS, REPORTS, RECORDS, RETENTION AND ENFORCEMENT

The Awarded Vendor acknowledges the requirements and regulations set forth in 44 CFR Parts 13.36 through 13.42 and 49 CFR Part 18 and agrees to cooperate with the City in order to allow the City to comply with said requirements. The Awarded Vendor shall retain all of its records relating to the project for a period of five (5) years after City makes final payment to the Awarded Vendor and all other pending matters are closed.

PUBLICATIONS

All publications created and/or published with funding under any contract arising from this RFP shall prominently contain the following statement: "This document was prepared under a grant from FEMA's Grant Programs Directorate, U.S. Department of Homeland Security. Points of view or opinions in this document are those of the author(s) and do not necessarily represent the official position or policies of FEMA's Grant Programs Directorate or the U.S. Department of Homeland Security."

RIGHTS TO DATA

The Grantor and the City shall have unlimited rights or copyright license to any data first produced or delivered under this Agreement. "Unlimited rights" means the right to use, disclose, reproduce, prepare derivative works, distribute copies to the public and perform and display publicly, or permit others to do so; as required by 48 CFR 27.401. Where the data are not first produces under this Contract or are

published copyrighted data with the notice of 17 U.S.C § 401 or 402, the Grantor acquires the data under copyright license as set forth in 48 CFR 27.404(f) (2) instead of unlimited rights (4 CFR 27.404(a)).

RIGHTS TO USE INVENTIONS

City and all grantors and/or awarding Federal Agency shall have an unencumbered right, and a non-exclusive, irrevocable, royalty –free license, to use, manufacture, improve upon and all others to do so for all governmental purposes, any Invention developed under the Contract.

SYSTEM FOR AWARD MANAGEMENT (SAM)

In accordance with Executive Orders 12549 and 12689 concerning suspension and debarment, contracts must prohibit contractors from awarding any subcontract to persons (individuals or organizations) listed as having an active exclusion of the Federal system for Awards Management Database (www.sam.gov).

REGISTRATION WITH CALIFORNIA SECRETARY OF STATE WEBSITE

Awarded vendors/contractors must be registered with the California Secretary of State prior to contract execution. See **Attachment F**. For more information, please consult: http://www.sos.ca.gov

CONTRACT PERIOD

The Contract term shall be twenty-four (24) months from the date of award unless the City determines, in its sole discretion, that a later commencement date is necessary, in which case the City will notify the Bidder of such date upon award of the Contract. This Contract may be extended by mutual agreement for up to two additional periods of one year each in accordance with the terms and conditions stated herein.

RENEWALS

It is agreed that if the City intends to renew this Contract, the City shall so notify the Vendor 90 days prior to the expiration date. If the Vendor proposes a price increase for a contract renewal, the Vendor shall be required to submit any price increases to the City Purchasing Agent for approval at least 60 days prior to expiration of the Contract. Said notice shall show item number, price, the Contract number, and purchase order number. The City reserves the right to accept or reject any price increase, and to cancel the renewal notice if price increases are not acceptable. Documentation may be required to provide justification for any increases based on the US Bureau of Labor Statistics, Consumer Price Index increases or manufacturer increases that are out of the control of the Vendor.

FUTURE AMENDMENTS

The City reserves the right to change any portion of the work required, to add and/or delete items, or amend such other terms and conditions that may become necessary. Any such revisions shall be accomplished by written amendment to the contract and executed by the Contractor and the City.

INSURANCE

See Requirements on page 9, Section 30 and Attachment E.

Multi-Year Vehicle Purchase Page 18 of 23

DELIVERY REQUIREMENT

• •	ipplies or services shall be delivered FOB Desti ch, CA 90806. All DMV paperwork is due at tin	•
Estimated Day of Delive	ery (ARO)	
the contract. The partie	for delivery. Failure to deliver on the date state es agree that damages for delay would be he amount of \$ 25.00 per day, per vehicle will b	difficult to calculate. Therefore,
PAYMENT TERMS		
Net _30;	% discount in days.	
BRAND NAMES		
name and/or by name of	cations any material or process is indicated or so of manufacturer, such specifications shall be us erial and/or process desired and shall be deen	ed for the purpose of facilitating
indicated or specified, pl is not, in the opinion o Contractor must furnish	fer any material or process which shall be ed rovided however, that if the material, process or of the City of Long Beach, equal in every res of the material, process or article specified or or qual thereof in every respect.	article offered by the Contractor pect to that specified, then the
in writing no later than s necessary to substantia	an "approved equal" item, the bidder shall subr seven (7) working days before bid opening. T ate that the item is equal. The City will notify th puivalent item no later than three (3) working da	he request shall include all data ne bidder, in writing, of approva
VENDOR CONTACT IN	NFORMATION	
	will be the City's contact for order placement, o st have a person's name).	rder problems or
Contact Name:	Greg Place	
Contact Direct Phone:	714-655-4992	
Contact Fax:		
Contact E-mail:	fordbids@gmial.com	
VENDOR'S EMPLOYE	<u>ES</u>	

Multi-Year Vehicle Purchase Page 19 of 23

Specify the number of current full-time employees residing in Long Beach _______

SPECIFICATIONS

Instructions:

State comments and/or exceptions in the blank spaces provided for each section regarding the vehicle or equipment offered corresponding to the specifications as provided in **Appendix A**. FAILURE TO COMPLETE ALL BLANK SPACES SHALL OTHERWISE BE DETERMINED AS VENDOR MEETING SPECIFICATIONS MINIMUMS.

General:

It is the intent of the following specifications to describe new current production vehicles.

The body, finish and fittings shall be the latest model, shall not have been used in demonstrator or other services, and shall be <u>factory standard</u> in all respects not in conflict with the following specific requirements. All work and material furnished shall be subject to the approval of the Fleet Services Bureau.

These specifications indicate minimum requirements for this equipment sufficient for the City's needs. However, it shall in all respects meet standards and safety requirements established for equipment of this type by the appropriate State and Federal Agencies.

Evidence of compliance with requirements of these specifications shall be based on manufacturer's data sheets applicable to this equipment. Such data sheets shall be included with and made a part of the bid. Bids shall be considered on equipment complying substantially with the specifications, provided all deviations are stated and all substitutions are described, including technical data where applicable, in a letter attached to the bid.

The City reserves the right to determine whether such substitutions are within the intent of the specifications and shall reasonably meet the service requirements of the City.

The following shall be provided for each purchase:

- Two (2) additional keys for each lock type;
- All related manuals to include, service, parts, and operators. Manuals are to be either electronic versions, or complete access to web-based services;
- Specification sheets of serial numbers and wear items; and
- Any necessary operator training.

Bid information:

Vehicle specifications listed are written as generic specifications. Bidder shall identify each item with manufacturer name, make, model name and/or number.

While each specification represents a multiple unit purchase, vendors shall price each item as a single unit purchase and include itemized unit cost, tire cost, and taxes. Delivery charges (if any) shall be included in the unit cost.

SPECIFICATIONS

Discount Structure Description / Calculation:

Bidders are required to firm for the term of the		thodology for	discount calcula	ations. Disc	ount structur	es is to remain
						
	·					

Conditions:

The design of the complete unit shall embody the latest approved automotive engineering practices and the workmanship must be of the highest quality in its respective field. The Vendor shall be responsible for the integrity of the completed unit. The unit shall be completely equipped as specified and be ready for immediate service upon delivery.

The unit shall comply with the latest editions of the California Vehicle Code, California Code of Regulations, SAE Standards, Federal Motor Vehicle Safety Standards, DOT Standards, provisions of Cal/OSHA, and ANSI Z245.1 Safety Standards. The omission from the specifications of any standard feature as shown in the manufacturer's brochure shall not alleviate the Vendor from their responsibility of furnishing a specified vehicle with all of the manufacturer's latest improvements in current production unless specifically stated in the specifications. The complete unit(s) and all components shall be standard production items unless otherwise specified.

Warranty:

The Vendor shall guarantee the complete unit furnished under these specifications against defects in material and workmanship for a minimum period of three (3) years or 36,000 miles, whichever occurs first from date unit is placed in service. The Vendor shall repair or replace any such item(s) necessary during the warranty period at its own cost and expense, without cost to the City.

The Vendor shall supply all vehicle certification and registration necessary for operation in the State of California.

Vehicle weight certificates shall be supplied when vehicle has been constructed from a cab and chassis configuration.

Vehicles shall be registered with California exempt licensing, using DMV form "Exempt License Plate Request" REG 5050.

Vehicle registration shall be as follows:

City of Long Beach 2600 Temple Ave. Long Beach Ca. 90806

SPECIFICATIONS

Product Availability:

The City of Long Beach understands that there is no current pricing for the CNG conversion products for the F-250, F-350, and F-450 Ford trucks. Cost of vehicles shall include engine prep packages and all other specification items, and the City will obtain the CNG conversion prices separately as they become available.


Summary of Bid Items & Estimated Quantities:

It is understood by the Vendor that the quantities given are estimates and that the City of Long Beach may purchase an amount above or below the estimate given according to the requirements and needs of the City. The amount of the orders may vary. Orders will be placed on an as-needed basis. The City does not guarantee that it will place a minimum quantity or dollar amount of orders.

A 4 DOOR COMPACT HYBRID SEDAN 5 5 B 4 DOOR COMPACT CNG SEDAN 5 5 C 4 DOOR COMPACT PLUG IN HYBRID SEDAN 5 5 D 4 DOOR MID SIZE HYBRID SEDAN 5 5 E 4 DOOR MID SIZE HYBRID SEDAN 5 5 F FORD MIN CARGO VAN 5 5 5 G CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP 5 5 H CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP 5 5 I CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP 5 5 I CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED PICK UP 5 5 K CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED PICK UP 5 5 K CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 Q 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q 1/2 TON CARGO VAN CNG 5 5 X TON PASSENGER VAN – 10 PASSENGER CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 G ASOLINE Y TON 2WD FORD REGULAR CAB, LONG BED PICK UP CAG 5 5 X 1 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 5 Z 1/2 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 5 Z 1/2 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 5 X 2 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 5	ITEM	VEHICLE TYPE	Estimated	Estimated
A 4 DOOR COMPACT HYBRID SEDAN B 4 DOOR COMPACT GNG, SEDAN C 4 DOOR COMPACT GNG, SEDAN D 4 DOOR MID SIZE HYBRID SEDAN E 4 DOOR MID SIZE HYBRID SEDAN E 4 DOOR MID SIZE PLUG IN HYBRID SEDAN F FORD MINI CARGO VAN G CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP H CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP I CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP J CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED PICK UP J CHEVY COLORADO, 4WD COMPACT CREW CAB SHORT BED FICK UP K CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP L CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP K CHEVY COLORADO, 4WD CREW CAB LONG BED PICK UP L CHEVY COLORADO, 4WD CREW CAB LONG BED PICK UP M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV D 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV Q 1/2 TON CARGO VAN CNG R 1/2 TON CARGO VAN CNG S 5 J TON CARGO VAN CNG T 3/4 TON PASSENGER VAN – 10 PASSENGER CNG V FORD 1 TON PASSENGER VAN – 10 PASSENGER V FORD 1 TON PASSENGER VAN – 10 PASSENGER V FORD 1 TON PASSENGER VAN – 10 PASSENGER X 1 TON PASSENGER VAN – 10 PASSENGER S 5 X 1 TON SASSENGER VAN – 10 PASSENGER S 5 X 1 TON SASSENGER VAN – 10 PASSENGER S 5 X 1 TON PASSENGER VAN – 10 PASSENGER S 5 X 1 TON PASSENGER VAN – 10 PASSENGER S 5 X 1 TON PASSENGER VAN – 10 PASSENGER S 5 X 1 TON 2WD FORD REGULAR CAB, LONG BED PICK UP GASOLINE Y 7 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25			Quantity	
B			(2017)	
C 4 DOOR COMPACT PLUG IN HYBRID SEDAN 5 5 D 4 DOOR MID SIZE HYBRID SEDAN 5 5 E 4 DOOR MID SIZE PLUG IN HYBRID SEDAN 5 5 F FORD MINI CARGO VAN 5 5 5 G CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP 5 5 H CHEVY COLORADO, 4WD COMPACT EXTENDED CAB PICK UP 5 5 I CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED 5 5 PICK UP 5 5 K CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED 5 5 PICK UP 5 5 K CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 O 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 S ¼ TON CARGO VAN CNG 5 5 T ¾ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 GASOLINE 7 10 10 10 10 10 10 10 10 10 10 10 10 10	Α	4 DOOR COMPACT HYBRID SEDAN	5	5
C 4 DOOR COMPACT PLUG IN HYBRID SEDAN 5 5 D 4 DOOR MID SIZE HYBRID SEDAN 5 5 E 4 DOOR MID SIZE PLUG IN HYBRID SEDAN 5 5 F FORD MINI CARGO VAN 5 5 5 G CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP 5 5 H CHEVY COLORADO, 4WD COMPACT EXTENDED CAB PICK UP 5 5 I CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED 5 5 PICK UP 5 5 K CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED 5 5 PICK UP 5 5 K CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 O 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 S ¼ TON CARGO VAN CNG 5 5 T ¾ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 GASOLINE 7 10 10 10 10 10 10 10 10 10 10 10 10 10				
D 4 DOOR MID SIZE HYBRID SEDAN 5 5 E 4 DOOR MID SIZE PLUG IN HYBRID SEDAN 5 5 F FORD MINI CARGO VAN 5 5 G CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP 5 5 H CHEVY COLORADO, 4WD COMPACT CREW CAB SHORT BED PICK UP 5 5 I CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED PICK UP 5 5 J CHEVY COLORADO, 4WD COMPACT CREW CAB LONG BED PICK UP 5 5 K CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 5 K CHEVY COLORADO, 4WD CREW CAB LONG BED PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 Q 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 Q ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¼		4 DOOR COMPACT GNG SEDAN	5	5
E 4 DOOR MID SIZE PLUG IN HYBRID SEDAN 5 5 F FORD MINI CARGO VAN 5 5 G CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP 5 5 H CHEVY COLORADO, 4WD COMPACT CREW CAB SHORT BED PICK UP 5 5 J CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED PICK UP 5 5 J CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 10 L CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 O 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 O 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 V TON PASSENGER VAN – 10	С	4 DOOR COMPACT PLUG IN HYBRID SEDAN		
F FORD MINI CARGO VAN 5 5 G CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP 5 5 H CHEVY COLORADO, 4WD COMPACT EXTENDED CAB PICK UP 5 5 I CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED PICK UP 5 5 PICK UP 5 5 5 K CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 5 L CHEVY COLORADO, 4WD CREW CAB LONG BED PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 Q 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½2 TON CARGO VAN CNG 5 5 Q ½2 TON CARGO VAN CNG 5 5 Q ½2 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾4 TON PASSENGER VAN – 10 PASSENGER 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER CNG 5		4 DOOR MID SIZE HYBRID SEDAN		
G CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP 5 5 H CHEVY COLORADO, 4WD COMPACT EXTENDED CAB PICK UP 5 5 I CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED PICK UP 5 5 J CHEVY COLORADO, 4WD COMPACT CREW CAB SHORT BED PICK UP 5 10 K CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 10 L CHEVY COLORADO, 4WD CREW CAB LONG BED CAB-PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 O 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½TON CARGO VAN CNG 5 5 Q ½TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON PASSENGER VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 V TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 5	Е	4 DOOR MID SIZE PLUG IN HYBRID SEDAN	5	5
H CHEVY COLORADO, 4WD COMPACT EXTENDED CAB PICK UP 5 5 I CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED PICK UP 5 5 J CHEVY COLORADO, 4WD COMPACT CREW CAB SHORT BED PICK UP 5 5 K CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 10 L CHEVY COLORADO, 4WD CREW CAB LONG BED CAB-PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 O 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 Q ½ TON CARGO VAN CNG 5 5 R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON PASSENGER VAN – 10 PASSENGER 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 V TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	F	FORD MINI CARGO VAN		
CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED 5 PICK UP	G	CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP		
PICK UP	Н	CHEVY COLORADO, 4WD COMPACT EXTENDED CAB PICK UP		
J CHEVY COLORADO, 4WD COMPACT CREW CAB SHORT BED PICK UP 5 5 K CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 10 L CHEVY COLORADO, 4WD CREW CAB LONG BED CAB-PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 Q 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 10 P 4WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON PASSENGER VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	1	CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED	5	5
PICK UP K		PICK UP		
K CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP 5 10 L CHEVY COLORADO, 4WD CREW CAB LONG BED CAB-PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 Q 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 10 P 4WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON CARGO VAN CNG 5 5 U 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 V 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	J	CHEVY COLORADO, 4WD COMPACT CREW CAB SHORT BED	5	5
L CHEVY COLORADO, 4WD CREW CAB LONG BED CAB-PICK UP 5 5 M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 Q 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 40 P 4WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON CARGO VAN CNG 5 5 T ¾ TON PASSENGER VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 V 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25		PICK UP		
M FORD ESCAPE, 2WD COMPACT 4 DOOR SUV 5 5 N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 Q 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 10 P 4WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON PASSENGER VAN CNG 5 5 U 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 V 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE 7 ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	K			10
N FORD ESCAPE, 4WD COMPACT 4 DOOR SUV 5 5 Q 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 10 P 4WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON CARGO VAN CNG 5 5 T ¾ TON PASSENGER VAN CNG 5 2 U 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE 7 1/2 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	L	CHEVY COLORADO, 4WD CREW CAB LONG BED GAB-PICK UP		
O 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 40 P 4WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON CARGO VAN CNG 5 5 U 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	М	FORD ESCAPE, 2WD COMPACT 4 DOOR SUV		
P 4WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV 5 5 Q ½ TON CARGO VAN CNG 5 5 R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON CARGO VAN CNG 5 2 U 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE 7 ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	N	FORD ESCAPE, 4WD COMPACT 4 DOOR SUV		5
Q ½ TON CARGO VAN CNG 5 5 R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON CARGO VAN CNG 5 5 T ¾ TON PASSENGER VAN CNG 5 2 U 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE 7 ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	0	2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV		40
R ½ TON PASSENGER VAN – 10 PASSENGER CNG 5 5 S ¾ TON CARGO VAN CNG 5 5 T ¾ TON PASSENGER VAN CNG 5 2 U 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE 7 ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	Р	4WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV		5
S 3/4 TON CARGO VAN CNG 5 5 T 3/4 TON PASSENGER VAN CNG 5 2 U 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE 5 25	Q	½ TON CARGO VAN CNG		5
T 3/4 TON PASSENGER VAN CNG 5 2 U 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE 7 ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25		1/2 TON PASSENGER VAN – 10 PASSENGER CNG		5
U 1 TON CARGO VAN CNG 5 5 V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP GASOLINE Y ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25		3/4 TON CARGO VAN CNG		
V FORD 1 TON PASSENGER VAN – 10 PASSENGER 5 5 W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE Y ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	T	3/4 TON PASSENGER VAN CNG		2
W 1 TON PASSENGER VAN – 10 PASSENGER CNG 5 5 X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 GASOLINE Y ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	U	1 TON CARGO VAN CNG		5
X ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP 5 5 5 GASOLINE Y ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	V	FORD 1 TON PASSENGER VAN – 10 PASSENGER		5
GASOLINE Y ½ TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	W	1 TON PASSENGER VAN – 10 PASSENGER CNG	5	5
Y 1/2 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG 5 25	Х	1/2 TON 2WD FORD REGULAR CAB, LONG BED PICK UP	5	5
		GASOLINE		
Z 1/2 TON 2WD FORD EXTENDED CAB, SHORT BED PICK UP CNG 5 5		1/2 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG		25
	Z	1/2 TON 2WD FORD EXTENDED CAB, SHORT BED PICK UP CNG	5	5

SPECIFICATIONS

AA	1/2 TON 2WD FORD EXTENDED CAB, SHORT BED PICK UP	5	5
	GASOLINE		
BB	½ TON 2WD FORD CREW CAB PICK UP CNG	5	5
CC	1/2 TON 2WD FORD CREW CAB PICK UP GASOLINE	5	5
DD	½ TON 4WD, FORD 4 DOOR, SHORT BED PICK UP CNG	5	5
EE	½ TON 4WD, FORD 4 DOOR, LONG BED PICK UP CNG	5	5
FF	34 TON 2WD, FORD REGULAR CAB, LONG BED, PICK UP CNG	5	5
GG	34 TON 2WD, FORD EXTENDED CAB, SHORT BED, PICK UP CNG	5	5
HH	3/4 TON 2WD, FORD CREW CAB, LONG BED, PICK UP CNG	5	5
II	3/4 TON 4WD, FORD REGULAR CAB, LONG BED, PICK UP CNG	5	5
JJ	3/4 TON 4WD, FORD EXTENDED CAB, SHORT BED, PICK UP	5	5
	CNG		
KK	34 TON 4WD, FORD CREW CAB, LONG BED, PICK UP CNG	5	5
LL	1 TON 2WD FORD REGULAR CAB, SHORT BED PICK UP CNG	5	5
MM	1 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG	5	5
NN	1 TON 2WD FORD EXTENDED CAB, SHORT BED PICK UP CNG	5	5
00	1 TON 4WD FORD REGULAR CAB, LONG BED PICK UP CNG	5	5
PP	1 TON 4WD FORD EXTENDED CAB, SHORT BED PICK UP CNG	5	5
QQ	1 TON 4WD FORD CREW CAB, SHORT BED PICK UP CNG	5	5
RR	1 TON 4WD FORD CREW CAB, LONG BED PICK UP CNG	5	5
SS	3/4 TON FORD REGULAR CAB SERVICE BED TRUCK CNG	10	10
TT	3/4 TON FORD EXTENDED CAB SERVICE BED TRUCK CNG	5	5
UU	3/4 TON FORD CREW CAB SERVICE BED TRUCK CNG	5	5
W	1 TON FORD REGULAR CAB SERVICE BED TRUCK CNG	2	3
WW	1 TON FORD EXTENDED CAB SERVICE BED TRUCK CNG	5	5
XX	1 TON FORD CREW CAB SERVICE BED TRUCK CNG	5	5
YY	2WD, LARGE SUV	5	5
ZZ	4WD, LARGE, SUV	5	5
A1	2WD, EXTRA LARGE, SUV	5	5
A2	4WD, EXTRA LARGE, SUV	5	5
A3	FORD, POLICE PURSUIT CERTIFIED SEDAN, SOLID COLOR	5	5
A4	FORD, POLICE PURSUIT CERTIFIED SEDAN, BLACK & WHITE	5	5
A5	FORD, POLICE PURSUIT CERTIFIED SOLID COLOR SUV, AWD	20	20
A6	FORD, POLICE PURSUIT CERTIFIED SOLID BLACK AND WHITE SUV, AWD	40	40



Appendix A SPECIFICATION – EXCEPTIONS & COMMENTS

[Must be included with bid response]

ITEM A - Specifications

4 DOOR, COMPACT, HYBRID SEDAN

COMPLY YES NO

Vehicle Classification	4 Door, sub compact, hybrid, sedan			
Trim level	Standard baseline			
Wheelbase	104 in.			
Engine	4 cylinder, gasoline			
Electric motor	Permanent magnet			
Power Output Net	141 HP			
EPA Mileage (City/Highway)	42 city / 50 highway			
Emissions Rating	AT-PZEV			
Transmission	Electronic variable control			
Brakes	Power assist, w/ 4 wheel antilock			
Wheels & Tires	5, P225/50R17 BWS	*		
Fuel Tank Capacity	12 gallons			
Alternator	Factory standard			
Battery (Vehicle system)	12V Maintenance Free			
Rear View Camera and Monitor	Manufacturers standard			
Air Conditioning	Baseline standard			
Radio	AM/FM / Stereo / Clock / Aux input			
Restraint System	3 Point belts, W/ airbags			
Windows	Solar tinted, electric control			
Mirrors	Remote control side view			
Seats	Cloth cover, medium gray color			
Flooring	Carpeted, medium gray color			
Paint	Exterior, standard White			

ITEM B - Specifications

4 DOOR, COMPACT, GASOLINE SEDAN

COMPLY YES NO

Vehicle Classification	4 Door Compact Gasoline Sedan			_
Engine	2.0 liter Gasoline			
Emissions	California emissions package			
Power	160 HP			
Transmission	5 speed automatic overdrive	100		
Steering	Factory Power			
Axle Ratio,	2.73			
Brakes	Power 4 wheel disk/ 4 wheel antilock			
Wheels & Tires	5, P225/50R1 BSW			
Fuel Tank Capacity	12 gal.			
Alternator	90 AMP			
Battery	12V 650 CCA, Maintenance Free			
Rear Camera and Monitor	Model Standard		·	
Air Conditioning	Factory manual control			
Radio	AM/FM / Stereo / Clock /Aux input			
Restraint System	3 Point belts w/ airbags		-	
Windows	Electric control	-		
Mirrors	Electric control			
Seats	Standard seating / medium gray vinyl			
Flooring	Carpeted medium gray	***************************************		
Paint	Standard White			

ITEM C - Specifications

4 DOOR, COMPACT, PLUG IN HYBRID

COMPLY YES NO

YES NO COMMENTS

Vehicle Classification	Plug in Hybrid Compact Sedan				
Wheelbase	114 in.			· · · · · · · · · · · · · · · · · · ·	
Engine	1.0 liter 4 cylinder Minimum				
Power	141 HP net				
Transmission	Electronically Controlled Continuously Variable Transmission				
Brakes	Power 4 wheel disk				
Wheels & Tires	5, P225/50R17 BSW		 		
Fuel Tank Capacity	12 gal.				
Alternator	90 AMP	-	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		
Battery	12V Maintenance Free				
Bumpers, Front & Rear	Standard Equipment				
Air Conditioning	Manual control		 		
Radio	AM/FM / Stereo / Clock			<u> </u>	
Restraint System	3 point belts w/ airbags				
Windows	Tinted, electric control				
Mirrors	Manual side view				-
Seats	Bucket type, medium gray cloth				
Flooring	Gray carpet				
Paint	Standard White				

ITEM D - Specifications

4 DOOR, MIDSIZE, HYBRID SEDAN

COMPLY YES NO

Vehicle Classification	Midsize Hybrid Sedan			
Engine	2.0 liter minimum			 <u></u>
Power	140 HP.		 	
Transmission	Electronically Controlled Continuously Variable Transmission		 	
Brakes	Power assist, w/ 4 wheel antilock			
Wheels & Tires	5, steel wheel, P225/50R18 BSW			
Fuel Tank Capacity	17 gal.			
Alternator	110 AMP		 	
Battery	12V, Maintenance Free			
Bumpers, Front & Rear	Factory Standard			
Trailer Tow Package	Class II, w/ 4 wire connector		 	
Air Conditioning	Manual Control	-	 	 ·
Radio	AM/FM/ Stereo / Clock		 	
Restraint System	3 Point belt w, air bags	-	 	
Windows	Tinted, manual control			
Mirrors	Standard side view			 <u>-</u>
Seats	Bucket type, gray cloth		 w/	
Flooring	Black carpet			
Paint	Standard White		 VIII.	

ITEM E - Specifications

4 DOOR, MIDSIZE, PLUG IN HYBRID

COMPLY YES NO

Vehicle Classification	Midsize Hybrid Plug In Sedan	,		 7
Engine	2.0 liter minimum			
Power	140 HP.	 		
Transmission	Electronically Controlled Continuously Variable Transmission			
Brakes	Power assist, w/ 4 wheel antilock			
Wheels & Tires	5, steel wheel, P225/50R18 BSW			
Fuel Tank Capacity	17 gal.			
Alternator	110 AMP			
Battery	12V, Maintenance Free	 		
Bumpers, Front & Rear	Factory Standard			
Trailer Tow Package	Class II, w/ 4 wire connector			
Air Conditioning	Manual Control			
Radio	AM/FM/ Stereo / Clock			
Restraint System	3 Point belt w, air bags			
Windows	Tinted, manual control	-		
Mirrors	Standard side view	-		 1
Seats	Bucket type, gray cloth	-	 Page 1	 _
Flooring	Black carpet			
Paint	Standard White			

ITEM F - Specifications

FORD MINI CARGO VAN

COMPLY YES NO

Vehicle Classification	MINI CARGO VAN	·
GVWR	5270 lbs.	
Payload	1620 lbs.	
Wheelbase	118 in.	
Engine	2.5 Liter	
Power	169 HP	
Transmission	6 spd. Automatic overdrive	
Brakes	Power assist, 4 whl antilock	
Wheels & Tires	5, P215/55R16, BSW	
Fuel Tank Capacity	16 gal.	
Alternator	150 AMP	
Battery	12V, Maintenance Free	
Bumpers, Front & Rear	Factory Standard	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 point belts, w/ air bags	
Windows	Tinted, electric control	
Mirrors	Factory Standard, side view	
Seats	Bucket, gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM G - Specifications

CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP

COMPLY YES NO COMMENTS

		YES	NO_	COMMENTS	
Vehicle Classification	Extended cab, 2WD compact				
GVWR ·	5900 lbs.				
Payload	1260 lbs.				
Bed Size	5.0 ft		7.0		
Wheelbase	128 in.				
Engine	2.5 Liter				
Power	148 HP			/	
Transmission	5 speed. Automatic overdrive				
Axle Ratio, Rear	4.10				
Brakes	Power assist, 4 wheel antilock				
Wheels & Tires	5, P265/70R16 BSW				
Fuel Tank Capacity	19gal.				
Alternator	120 AMP				
Battery	12V, Maintenance Free				
Bumpers, Front & Rear	Factory Standard				
Trailer Tow Package	Class II. W/ 4 wire connector				
Air Conditioning	Manual control				
Radio	AM/FM / Stereo / Clock				
Restraint System	3 point belts, w/ airbags				
Windows	Tinted ELECTRIC control				
Mirrors	Factory standard side view				
Seats	Bench, gray vinyl				
Flooring	Black vinyl				
Paint	Standard White	1			
	<u> </u>				

ITEM H – Specifications

CHEVY COLORADO, 4WD COMPACT EXTENDED CAB PICK UP

COMPLY YES NO

S NO COMMENTS

Vehicle Classification	4X4. compact P/U, extended cab	·
GVWR	5900 lbs.	
Payload	1260 lbs.	
Bed Size	5.0 ft.	
Wheelbase	128 in.	
Engine	2.5 liter	
Power	148 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	4.10	
Brakes	Power assist, 4 wheel antilock	
Wheels & Tires	5, P265/70R16 BSW	
Fuel Tank Capacity	15 gal.	
Alternator	115 AMP	
Battery	12V, Maintenance Free	
Bumpers, Front & Rear	Factory Standard	
Trailer Tow Package	Class II. W/ 4 wire connector	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 point belts, w/ air bags	
Windows	Tinted electric control	
Mirrors	Factory standard side view	
Seats	Bench, gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM I – Specifications

CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED PICK UP

COMPLY YES NO

		COM YES	PLY NO	COMMENTS
Vehicle Classification	2WD. compact P/U, Crew	153	T NO	COMMENTS
Vericle Classification	cab			
GVWR	5900 lbs.		 	
	0000 lb3.			
Payload	1260 lbs.			
D - 1 0:	500		-	
Bed Size	5.0 ft.			
Wheelbase	128 in.	1		
Engine	2.5 liter			
Dawan	148 HP		-	
Power	140 ПР			
Transmission	6 speed automatic			
	overdrive			
Axle Ratio, Rear	4.10			
Brakes	Power assist, 4 wheel	+-	-	-
brakes	antilock			
Wheels & Tires	5, P265/70R16 BSW		 	
Villeels & Tiles	3, F 203/701(10 B3VV			·
Fuel Tank Capacity	15 gal.			
Alternator	115 AMP	_		
Alternator	TTO AIMP			
Battery	12V, Maintenance Free			
Bumpers, Front & Rear	Factory Standard			
Trailer Tow Package	Class II, W/ 4 wire	<u> </u>	 -	
Hallet Tow Fackage	connector			
Air Conditioning	Manual control	_	 	
All Conditioning	Wariaa control			
Radio	AM/FM / Stereo / Clock	1		
Destroint Custom	2 maint halta wil air haga		-	
Restraint System	3 point belts, w/ air bags			
Windows	Tinted, electric control			-
		\bot		
Mirrors	Factory standard side view			
Seats	Bench, gray vinyl		 	
			<u> </u>	
Flooring	Black vinyl			
Paint	Standard White	_	-	
raiiil	Standard vyinte			

ITEM J - Specifications

CHEVY COLORADO, 4WD COMPACT CREW CAB SHORT BED PICK UP

COMPLY YES NO

		11.0	INO	COMMENTO	
Vehicle Classification	4X4. compact P/U, Crew cab				
GVWR ·	5900 lbs.		-	•	
Payload	1260 lbs.				
Bed Size	5.0 ft.				
Wheelbase	128 in.				-
Engine	2.5 liter				
Power	148 HP				
Transmission	6 speed automatic overdrive				
Axle Ratio, Rear	4.10				
Brakes	Power assist, 4 wheel antilock				
Wheels & Tires	5, P265/70R16 BSW				
Fuel Tank Capacity	15 gal.				
Alternator	115 AMP				
Battery	12V, Maintenance Free				
Bumpers, Front & Rear	Factory Standard				
Trailer Tow Package	Class II. W/ 4 wire connector				
Air Conditioning	Manual control				
Radio	AM/FM / Stereo / Clock				
Restraint System	3 point belts, w/ air bags				
Windows	Tinted electric control		•		
Mirrors	Factory standard side view	4444			
Seats	Bench, gray vinyl				
Flooring	Black vinyl			· · · · · · · · · · · · · · · · · · ·	
Paint	Standard White			THAT I SHALL	

ITEM K - Specifications

CHEVY COLORADO, 2WD COMPACT CREW CAB LONG BED PICK UP

COMPLY YES NO

	COMPLY YES NO COMMENTS						
Vehicle Classification	4X4. compact P/U,	TEO IV	-	COMMENTS			
Venicle Classification	extended cab						
O) AA/D		ļ					
GVWR	5900 lbs.		-	·			
Devlacal	4000 II	\vdash					
Payload	1260 lbs.						
Bed Size	6.0 ft.		+-				
Ded Size	0.0 IL.			•			
Wheelbase	140 in.						
VVIICOISAGE	140 111.		ŀ				
Engine	2.5 liter						
	=: 00 :						
Power	148 HP						
Fower	14011						
Transmission	6 speed automatic						
Transmission:	overdrive						
Aylo Botio Boor	4.10						
Axle Ratio, Rear	4.10						
Brakes	Power assist, 4 wheel.						
Diakes	antilock	1 1					
344 L C T							
Wheels & Tires	5, P265/70R16 BSW						
Evel Took Conseits	15 401		_				
Fuel Tank Capacity	15 gal.		ĺ				
Alternator	115 AMP						
Alternator	1 13 Alvii						
Battery	12V, Maintenance Free						
Battory	12V, Walltonando i 100						
Bumpers, Front & Rear	Factory Standard						
Trailer Tow Package	Class II. W/ 4 wire						
Tranci Tow Lackage	connector						
Air Conditioning	Manual control	 					
Air Conditioning	Manual Control						
Radio	AM/FM / Stereo / Clock	 					
Naulo	Alvi/Fivi / Stereo / Clock						
Restraint System	3 point belts, w/ air bags						
Nestraint System	o point beits, wi all bags						
Windows	Tinted, electric control						
11maovio	in nod, produte demand						
Mirrors	Factory standard side view						
Seats	Bench, gray vinyl						
Flooring	Black vinyl						
The state of the s							
Paint	Standard White						

ITEM L - Specifications

CHEVY COLORADO, 4WD COMPACT CREW CAB LONG BED PICK UP

		-		
	ή '	ļ		
		_		

utomatic overdrive				
sist, 4 wheel antilock				
0R16 BSW				
		-		
itenance Free				
tandard				
W 4 wire connector				
ontrol				
Stereo / Clock				<u>.</u>
lts, w/ air bags				***************************************
ectric control				
andard side view			- Angles - A	
ay vinyl				
/				
White		,	And the same of th	***************************************
	automatic overdrive sist, 4 wheel antilock OR16 BSW Intenance Free Itandard Itandard side view	sist, 4 wheel antilock OR16 BSW Intenance Free Itandard Intenance Fre	sist, 4 wheel antilock OR16 BSW Intenance Free Itandard Intenance Fre	sist, 4 wheel antilock OR16 BSW Intenance Free Intenance Free Itandard Intenance Free Itandar

ITEM M - Specifications

FORD ESCAPE, 2WD FWD COMPACT 4 DOOR SUV

COMPLY YES NO

Vehicle Classification	FWD, Compact SUV		*******				
GVWR	4700 lbs.			 	•		
Payload	1000 lbs						
Wheelbase	103 in.			 			_
Engine	4 cylinder AT-PZEV Rating			 			
Power	150 HP						
Transmission	5 speed automatic overdrive						
Brakes	Power assist, 4 wheel antilock			 			
Wheels & Tires	5, P235/70R16 BSW			 			
Fuel Tank Capacity	15 gal.			 			-
Battery	12V, Maintenance Free						_
Bumpers, Front & Rear	Factory Standard			 			
Air Conditioning	Manual Control			 			_
Radio	AM/FM / Stereo / Single CD			 		·	
Restraint System	3 point belts, w/ airbags						_
Windows	Tinted w/ power control						_
Mirrors	Black, power adjust, side view						
Seats	Manual cloth, medium gray						***************************************
Flooring	Carpeted, medium gray			 			
Paint	Standard White						_
	The state of the s						

ITEM N - Specifications

FORD ESCAPE, 4WD COMPACT 4 DOOR SUV

COMPLY YES NO

Vehicle Classification	AWD, Compact SUV			·····		
GVWR	4700 lbs.		-			
Payload	1000 lbs					
Wheelbase	103 in.					
Engine	4 cylinder, AT-PZEV Rating				· · · · · · · · · · · · · · · · · · ·	
Power	150 HP				<u></u>	
Transmission	5 speed automatic overdrive		1, <u>1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1</u>			
Brakes	Power assist, 4 wheel antilock					
Wheels & Tires	5, P235/70R16 BSW			-		
Fuel Tank Capacity	15 gal.					
Battery	12V, Maintenance Free					
Bumpers, Front & Rear	Factory Standard					
Air Conditioning	Manual Control					
Radio	AM/FM / Stereo / Single CD					
Restraint System	3 point belts, w/ airbags					
Windows	Tinted w/ power control					
Mirrors	Black, power adjust, side view					-
Seats	Manual cloth, medium gray			····		
Flooring	Carpeted, medium gray					
Paint	Standard White				<u> </u>	

ITEM O - Specifications

2WD TOYOTA RAV4 HYBRID MID SIZE 4 DOOR SUV

COMPLY YES NO

		YEŞ	NO NO	COMMENTO
Vehicle classification	2WD Sport utility medium	1 5	140	COMMENTS
Verlicie classification	size			
180				
Wheelbase	104 in.		ľ	·
Engine	2.5 L	-		
Engine	2.5 L			
	470 (15)			
Power	176 HP			
Cusinaiana nagleogo	California aminaiana	+		
Emissions package	California, emissions			
	package			
Transmission	6 speed automatic			
•	overdrive			
Axle Ratio, Rear	3.55			
Brakes	Power 4 wheel. Disk, 4			
	wheel. antilock			
Wheels & Tires	P225/65R17Owl		-	
Fuel Tank Capacity	15.9 gal.			
Alternator	90 Amp			
Battery	12V, Maintenance Free			
Bumpers, Front & Rear	Standard equipment			
		1		
Trailer Tow Package	Class II, 4 wire harness			
				•
Air Conditioning	Manual control			
Radio	AM/FM / Stereo / Clock			
	w/single CD			• •
Restraint System	3 point belts, w/ airbags			
Windows	Electric remote control			
Mirrors	Black remote control, side			
	view			
Seats	Gray cloth			
Flooring	Black			
-				
Paint	Standard White			
	· .			

ITEM P – Specifications

4WD TOYOTA RAV4 HYBRID MID SIZE 4 DOOR SUV

COMPLY YES NO

AMD Sport utility medium	1	1 1	COMMINICATIO	
104 III.		\		
2.5 L			·····	
176 HP				
	ļ			
	<u> </u>			
6 speed automatic overdrive				
	-			
3.55				
Power 4 wheel Disk 4				
,				
		 		
1 220/00/(1/ 0 1/1				
15.9 gal.				
90 Amp				
12V. Maintenance Free	\dagger			
Standard equipment				
Class II, 4 wire harness				
Monuel central				
Manual Control				
AM/FM / Stereo / Clock				
Electric remote control				
Black remote control side	+			
	<u> </u>			
Black				
	 			
Standard White	1	1 1		
	California, emissions package 6 speed automatic overdrive 3.55 Power 4 wheel. Disk, 4 wheel antilock P225/65R17Owl 15.9 gal. 90 Amp 12V, Maintenance Free Standard equipment Class II, 4 wire harness Manual control AM/FM / Stereo / Clock w/single CD 3 point belts, w/ airbags Electric remote control Black remote control, side view Black with Stone Black	size 104 in. 2.5 L 176 HP California, emissions package 6 speed automatic overdrive 3.55 Power 4 wheel. Disk, 4 wheel antilock P225/65R17Owl 15.9 gal. 90 Amp 12V, Maintenance Free Standard equipment Class II, 4 wire harness Manual control AM/FM / Stereo / Clock w/single CD 3 point belts, w/ airbags Electric remote control Black remote control, side view Black with Stone	4WD Sport utility medium size 104 in. 2.5 L 176 HP California, emissions package 6 speed automatic overdrive 3.55 Power 4 wheel. Disk, 4 wheel antilock P225/65R17Owl 15.9 gal. 90 Amp 12V, Maintenance Free Standard equipment Class II, 4 wire harness Manual control AM/FM / Stereo / Clock w/single CD 3 point belts, w/ airbags Electric remote control Black remote control, side view Black with Stone Black	4WD Sport utility medium size 104 in. 2.5 L 176 HP California, emissions package 6 speed automatic overdrive 3.55 Power 4 wheel. Disk, 4 wheel antilock P225/65R17Owl 15.9 gal. 90 Amp 12V, Maintenance Free Standard equipment Class II, 4 wire harness Manual control AM/FM / Stereo / Clock w/single CD 3 point belts, w/ airbags Electric remote control Black remote control, side view Black with Stone Black

ITEM Q - Specifications

1/2 TON CARGO VAN CNG

gas*****

COMPLY YES NO

		COM YES		COMMENTS
Vehicle Classification	½ Ton Cargo Van	150	NO	
				sliding side door
GVWR	8200 lbs.			·
Payload	3000 lbs.			
Wheelbase	135 in.		-	
Engine	3.7 liter minimum			
Power	250 Hp min.		-	
Transmission	6 speed automatic overdrive			
Axle Ratio, Rear	3.55			
Brakes	Power 4 wheel disk /4 wheel antilock		_	
Wheels & Tires	5, LT225/75R16 BSW		-	
Fuel Tank Capacity	20 gal. min.		_	gas
Alternator	150 AMP			
Battery	12V 650CCA Maintenance Free		-	
Bumpers, Front & Rear	Standard			
Trailer Tow Package	Class IV		_	
Air Conditioning	Front manual control			
Radio	AM/FM / Stereo / Clock			
Restraint System	3 point belts, w/ airbags			
Windows	Tinted electric control			
Mirrors	Standard side view			
Seats	2, bucket type, medium gray vinyl			
Flooring	Front black vinyl			
Paint	Standard White			

ITEM R - Specifications

1/2 TON PASSENGER VAN - 10 PASSENGER CNG

COMPLY YES NO

Vehicle Classification	½ Ton Passenger van				
GVWR	8600 lbs.			·	
Payload	2900 lbs.		······	- *************************************	**************************************
Passenger seating	10 passenger				
Wheelbase	138 in		-		
Engine	3.7 liter minimum				
Power	255 HP	-			
Transmission	6 speed automatic overdrive				
Axle Ratio, Rear	3.55		···		
Brakes	Power 4 wheel disk /4 wheel antilock				
Wheels & Tires	LT225/75R X 16E BSW		-		
Fuel Tank Capacity	20 gal. minimum				
Alternator	115 AMP				
Battery	12V, 650CCA, Maintenance Free				
Bumpers, Front & Rear	Standard				
Trailer Tow Package	Class IV				
Air Conditioning	Front, and Rear Manual control				
Radio	AM/FM / Stereo / Clock				
Restraint System	3 point belts w/ air bags				
Windows	Tinted electric control				A Physical Company of the Company of
Mirrors	Standard side view				
Seats	Standard seating, medium gray vinyl				
Flooring	Black vinyl			•	
Side door	Hinged, swing out		14HL4	<u>.</u>	
Paint	Standard White				

ITEM S – Specifications

3/4 TON CARGO VAN CNG

COMPLY YES NO

		COM			
		YES	NO	COMMENTS	
Vehicle Classification	3/4 Ton Cargo van CNG				
GVWR	8600 lbs.			•	
Payload	2900 lbs.				
Fuel package	Below body rear 12 gal				
Wheelbase	minimum. 138 in				
Engine	3.7 liter				
Power	225 HP				
Transmission	6 speed automatic overdrive				
Axle Ratio, Rear	3.55	1			·
Brakes	Power 4 wheel disk /4 wheel antilock				
Wheels & Tires	LT225/75R X 16E BSW				
Alternator	150 AMP				
Battery	12V, 650CCA, Maintenance Free				•
Bumpers, Front & Rear	Standard				
Trailer Tow Package	Class IV				
Air Conditioning	Front, Manual control				
Radio	AM/FM / Stereo / Clock				
Restraint System	3 point belts w/ air bags				
Windows	Tinted electric control				
Mirrors	Remote side view				
Seats	Standard seating, medium gray vinyl				
Flooring	Black vinyl				
Side door	Hinged, swing out				
Paint	Standard White				

ITEM T - Specifications

34 TON PASSENGER VAN CNG

COMPLY YES NO

Vehicle Classification	3/4 Ton Passenger van CNG	
GVWR	8600 lbs.	
Payload	2900 lbs.	
Passenger seating	10 passenger	
Wheelbase	138 in	
Engine	3.7 liter	
Power	225 HP	
Transmission	6 speed automatic overdrive	
Fuel Package	Below body rear 12 gal minimum.	
Axle Ratio, Rear	3.55	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	LT225/75R X 16E BSW	
Alternator	150 AMP	
Battery	12V, 650CCA, Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Front, Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 point belts w/ air bags	
Windows	Tinted electric control	
Mirrors	Remote side view	
Seats	Standard seating, medium gray vinyl	
Flooring	Black vinyl	
Side door	Hinged, swing out	
Paint	Standard White	

ITEM U - Specifications

1 TON CARGO VAN CNG

COMPLY YES NO

Vehicle Classification	Rear wheel drive Cargo Van I Ton CNG					
GVWR .	9500#			-		
Wheelbase	138 in.		•			
Engine	5.3 Liter V8 EFI					
Power	255 HP @ 4500 RPM					
Transmission	4 speed automatic overdrive					
Axle Ratio, Rear	3.73	 				
Brakes	Power assist disk, w/ antilock			-		
Wheels & Tires	5, LT245/75R16					
Fuel Tank Capacity	15 gallons minimum, below body.				,,,,,,,,	
Alternator	150 AMP					
Battery	12V maintenance free				-	
Bumpers, Front & Rear	Standard					
Trailer Tow Package	Class IV		· · · · · · · · · · · · · · · · · · ·			
Air Conditioning	Front manual control		-			
Radio	AM/FM stereo radio w/ Clock		'			
Restraint System	3 point belts w/ airbags					
Windows	Tinted / electric control				A 10 T	
Mirrors	Remote side Mirrors					
Seats	2, Bucket type, medium gray	-				
Flooring	Black vinyl		-			
Paint	Standard White				***	
Side door	Sliding side door			·		
Rear doors	Swing out w/ fixed glass			Plant State No.		

ITEM V - Specifications

FORD 1 TON PASSENGER VAN - 10 PASSENGER

COMPLY YES NO

	11.5	NO	
Rear wheel drive 1 Ton Passenger Van			
9500#			
138 in.			
5.4 Liter V8 EFI			
255 HP @ 4500 RPM			***************************************
6 speed automatic overdrive			
3.73			
Power assist disk, w/ antilock			
5, LT245/75R16			
35 gallons			
115 AMP			
12V maintenance free			
Standard			
Class IV			
Front manual control			
AM/FM stereo radio w/ Clock	_		
3 point belts w/ airbags			***************************************
Tinted / manual control			
Mfg Std Mirrors			
10 passenger, medium gray			
Black vinyl	_		
Standard White			
Sliding side door			
Swing out w/ fixed glass			<u> </u>
	Passenger Van 9500 # 138 in. 5.4 Liter V8 EFI 255 HP @ 4500 RPM 6 speed automatic overdrive 3.73 Power assist disk, w/ antilock 5, LT245/75R16 35 gallons 115 AMP 12V maintenance free Standard Class IV Front manual control AM/FM stereo radio w/ Clock 3 point belts w/ airbags Tinted / manual control Mfg Std Mirrors 10 passenger, medium gray Black vinyl Standard White Sliding side door	Rear wheel drive 1 Ton Passenger Van 9500 # 138 in. 5.4 Liter V8 EFI 255 HP @ 4500 RPM 6 speed automatic overdrive 3.73 Power assist disk, w/ antilock 5, LT245/75R16 35 gallons 115 AMP 12V maintenance free Standard Class IV Front manual control AM/FM stereo radio w/ Clock 3 point belts w/ airbags Tinted / manual control Mfg Std Mirrors 10 passenger, medium gray Black vinyl Standard White Sliding side door	Rear wheel drive 1 Ton Passenger Van 9500 # 138 in. 5.4 Liter V8 EFI 255 HP @ 4500 RPM 6 speed automatic overdrive 3.73 Power assist disk, w/ antilock 5, LT245/75R16 35 gallons 115 AMP 12V maintenance free Standard Class IV Front manual control AM/FM stereo radio w/ Clock 3 point belts w/ airbags Tinted / manual control Mfg Std Mirrors 10 passenger, medium gray Black vinyl Standard White Sliding side door

ITEM W - Specifications

1 TON CNG VAN - 10 PASSENGER

		YES	NO	COMMENTS	\
Vehicle Classification	Rear wheel drive 1 Ton Passenger Van	-			
GVWR	9500 #				
Wheelbase	138 in.				
Engine	5.4 Liter V8 EFI				
Power	255 HP @ 4500 RPM			}	
Transmission	6 speed automatic overdrive				
Axle Ratio, Rear	3.73				
Brakes	Power assist disk, w/ antilock				
Wheels & Tires	5, LT245/75R16				
Fuel Tank Capacity	Minimum 20 GGE CNG below bed.				
Alternator	115 AMP				
Battery	12V maintenance free				
Bumpers, Front & Rear	Standard				
Trailer Tow Package	Class IV				
Air Conditioning	Front manual control				
Radio	AM/FM stereo radio w/ Clock				
Restraint System	3 point belts w/ airbags				
Windows	Tinted / manual control				
Mirrors	Mfg Std Mirrors				,
Seating	10 passenger, medium gray				
Flooring	Black vinyl				
Paint	Standard White				
Side door	Sliding side door				
Rear doors	Swing out w/ fixed glass				

ITEM X – Specifications

FORD 1/2 TON 2WD REGULAR CAB, LONG BED PICK UP GASOLINE

COMPLY YES NO

Vehicle Classification	2WD Regular cab pick up	Wa .		
GVWR	7000 lbs. Min.	W.		
Payload	2000 lbs min.	W		
Bed Size	8.0 ft.	V		
Wheelbase	145 in.		V	141
Engine	3.7 liter minimum	W		
Power	225 HP	W		
Transmission	6 speed automatic overdrive	W		
Axle Ratio, Rear	3.55		The state of the s	3.73 elock required for GVW
Brakes	Power 4 wheel disk /4 wheel antilock	V		
Wheels & Tires	P235/70 x 17 BSW		V	LT245/70R17E
Fuel Tank Capacity	27 gal.	W		
Alternator	110 AMP min.	Was .		
Battery	12V, 650CCA Maintenance Free	V		
Bumpers, Front & Rear	Standard	V		
Trailer Tow Package	Class IV	W		
Air Conditioning	Manual control	W		
Radio	AM/FM / Stereo / Clock	W		
Restraint System	3 Point belts w/ airbags	W.		
Windows	Tinted, manual control	W.		
Mirrors	Standard side view	-		
Seats	Split bench / medium gray vinyl	V		
Flooring	Black vinyl	V		
Paint	Standard White	W		

ITEM Y - Specifications

FORD 1/2 TON 2WD REGULAR CAB, LONG BED PICK UP CNG

Vehicle Classification	2WD Regular cab pick up CNG	Quanta .		and the second s
GVWR	7000 lbs. Min.	W		
Payload	2000 lbs min.	V		
Bed Size	8.0 ft.	W		
Wheelbase	145 in.		W	141
Engine	5.0 liter minimum	V		
Power	225 HP	W		· ·
Transmission	6 speed automatic overdrive	W.		
Axle Ratio, Rear	3.55		W	3.73 elock required for GVW
Brakes	Power 4 wheel disk /4 wheel antilock	V		
Wheels & Tires	P235/70 x 17 BSW		W	LT245/70R17E
Fuel Tank Capacity	15 GGE minimum, below bed.		Value	CNG Prep PKG No CNG
Alternator	110 AMP min.			
Battery	12V, 650CCA Maintenance Free	W		
Bumpers, Front & Rear	Standard	Van		
Trailer Tow Package	Class IV	W.		
Air Conditioning	Manual control	V		
Radio	AM/FM / Stereo / Clock	W		
Restraint System	3 Point belts w/ airbags	W		
Windows	Tinted, electric control	W		
Mirrors	Standard side view	V	† †	
Seats	Split bench / medium gray vinyl	W/A		
Flooring	Black vinyl	V		
Paint	Standard White	V		

ITEM Z - Specifications

FORD ½ TON 2WD EXTENDED CAB, SHORT BED PICK UP

Vehicle Classification	2WD Extended cab pick up, short bed	V		
GVWR	7000 lbs. Min.		V	6900
Payload	2000 lbs min.	W.		
Bed Size	5.5 ft.	Wa		·
Wheelbase	145 in.	W.		
Engine	5.0 liter min.	W		
Power	225 HP	W.		
Transmission	6 speed automatic overdrive	The same of the sa		
Axle Ratio, Rear	3.55		₩ ^A	3.31
Brakes	Power 4 wheel disk /4 wheel antilock	W.		
Wheels & Tires	P235/70 x 17 BSW		V	245/70R-17 A/S
Fuel Tank Capacity	16 GGE, below bed.		V	CNG Prep PKG No CNG
Alternator	110 AMP min.	Varia		
Battery	12V, 650CCA Maintenance Free	Li-		
Bumpers, Front & Rear	Standard	V		
Trailer Tow Package	Class IV	W		
Air Conditioning	Manual control	V		
Radio	AM/FM / Stereo / Clock	V		·
Restraint System	3 Point belts w/ airbags	W		
Windows	Tinted, electric control	₩.		
Mirrors	Standard side view	W		
Seats	Split bench / medium gray vinyl	V		
Flooring	Black vinyl	W.		
Paint	Standard White	W		

ITEM AA - Specifications

FORD ½ TON 2WD EXTENDED CAB, SHORT BED PICK UP GASOLINE

Vehicle Classification	2WD Extended cab pick up, short bed	WA.		
GVWR	7000 lbs. Min.		W.	6900
Payload	2000 lbs min.	V		
Bed Size	5.5 ft.	W		
Wheelbase	145 in.	W		
Engine	3.7 liter minimum			
Power	225 HP	W		
Transmission	6 speed automatic overdrive	W		,
Axle Ratio, Rear	3.55		V	3.31
Brakes	Power 4 wheel disk /4 wheel antilock	V	-	
Wheels & Tires	P235/70 x 17 BSW		V	245/70R-17 A/S
Fuel Tank Capacity	27 gal.	V		
Alternator	110 AMP min.	W		
Battery	12V, 650CCA Maintenance Free	V		
Bumpers, Front & Rear	Standard	W	'Apprilation and the Control of the	
Trailer Tow Package	Class IV	V		
Air Conditioning	Manual control	V		·
Radio	AM/FM / Stereo / Clock	V		
Restraint System	3 Point belts w/ airbags	W		
Windows	Tinted, electric control	W		·
Mirrors	Standard side view	W		
Seats	Split bench / medium gray vinyl	V		
Flooring	Black vinyl	W		
Paint	Standard White	W		

ITEM BB - Specifications

FORD ½ TON 2WD CREW CAB, PICK UP CNG

COMPLY YES NO

Vehicle Classification	2WD Crew cab pick up, short bed	W		
GVWR	7000 lbs. Min.		W.	6950
Payload	2000 lbs min.	V		· . ·
Bed Size	5.5 ft.	W		
Wheelbase	145 in.	W		
Engine	5.0 liter minimum	W.		
Power	225 HP	V		
Transmission	6 speed automatic overdrive	W.		
Axle Ratio, Rear	3.55		W.	3.31
Brakes	Power 4 wheel disk /4 wheel antilock	Value 1		
Wheels & Tires	P235/70 x 17 BSW		V	245/70R-17 A/S
Fuel Tank Capacity	16 GGE, below bed.		Was .	CNG Prep PKG No CNG
Alternator	110 AMP min.	V		
Battery	12V, 650CCA Maintenance Free	Was		
Bumpers, Front & Rear	Standard	W		
Trailer Tow Package	Class IV	V		
Air Conditioning	Manual control	W		
Radio	AM/FM / Stereo / Clock	W		
Restraint System	3 Point belts w/ airbags	W		
Windows	Tinted, electric control	W		
Mirrors	Standard side view	W		-
Seats	Split bench / medium gray vinyl	V		
Flooring	Black vinyl	V		
Paint	Standard White	Was a		

ITEM CC - Specifications

FORD 1/2 TON 2WD CREW CAB, PICK UP GASOLINE

T				· · · · · · · · · · · · · · · · · · ·
Vehicle Classification	2WD Extended cab pick up, short bed	V		
GVWR	7000 lbs. Min.		V	6950
Payload	2000 lbs min.	V		
Bed Size	5.5 ft.	W		
Wheelbase	145 in.	V		
Engine	3.7 liter minimum	W		
Power	225 HP	W		
Transmission	6 speed automatic overdrive	V		
Axle Ratio, Rear	3.55		W	3.31
Brakes	Power 4 wheel disk /4 wheel antilock	W		
Wheels & Tires	P235/70 x 17 BSW		4	245/70R-17 A/S
Fuel Tank Capacity	27 gal.	V		
Alternator	110 AMP min.	W		
Battery	12V, 650CCA Maintenance Free	V		
Bumpers, Front & Rear	Standard	V		
Trailer Tow Package	Class IV	W		
Air Conditioning	Manual control	V		
Radio	AM/FM / Stereo / Clock	*		
Restraint System	3 Point belts w/ airbags	W.		
Windows	Tinted, electric control	NAME OF THE PARTY		
Mirrors	Standard side view	Table 1	_	
Seats	Split bench / medium gray vinyl	W		
Flooring	Black vinyl	W		·
Paint	Standard White	V		·

ITEM DD - Specifications

FORD ½ TON 4WD, 4 DOOR, SHORT BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	4WD Extended cab pick up, short bed	WS			
GVWR	7000 lbs. minimum	V			
Payload	2000 lbs minimum	Water			A
Bed Size	5.5 ft.	R/m			A A A A A A A A A A A A A A A A A A A
Wheelbase	145 in.	W.			
Engine	5.0 liter minimum	N/A			
Power	225 HP	W			
Transmission	6 spd automatic overdrive	V			
Axle Ratio, Rear	3.55		W	3.31	
Brakes	Power 4 wheel disk /4 wheel antilock	V			
Wheels & Tires	P235/70 x 17 BSW		V	265/70R-17	
Fuel Tank Capacity	16 GGE, below bed.		W	CNG Prep PKG No CNG	;
Alternator	110 AMP min.	Was			
Battery	12V, 650CCA Maintenance Free	W			
Bumpers, Front & Rear	Standard	V			
Trailer Tow Package	Class IV	W			
Air Conditioning	Manual control	V			,
Radio	AM/FM / Stereo / Clock	V			
Restraint System	3 Point belts w/ airbags	W		**************************************	
Windows	Tinted, electric control	Was			
Mirrors	Standard side view	W			
Seats	Split bench / medium gray vinyl	Was .			14/ ¹⁴ l
Flooring	Black vinyl	W			······································
Paint	Standard White	V			

<u>ITEM EE – Specifications</u>

FORD $\frac{1}{2}$ TON 4WD, 4 DOOR, LONG BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	4WD Extended cab pick up, short bed	W		·
GVWR	7000 lbs. minimum	W		
Payload	2000 lbs minimum	W		
Bed Size	5.5 ft.	W		
Wheelbase	145 in.	V		
Engine	5.0 liter minimum	V		
Power	225 HP	V		
Transmission	6 speed automatic overdrive	W		
Axle Ratio, Rear	3.55		V	3.31
Brakes	Power 4 wheel disk /4 wheel antilock	W		
Wheels & Tires	P235/70 x 17 BSW		V	265/70R-17
Fuel Tank Capacity	16 GGE, below bed.		V	CNG Prep PKG No CNG
Alternator	110 AMP min.	W		
Battery	12V, 650CCA Maintenance Free	V		
Bumpers, Front & Rear	Standard	V		
Trailer Tow Package	Class IV	W		
Air Conditioning	Manual control	V		
Radio	AM/FM / Stereo / Clock	W		
Restraint System	3 Point belts w/ airbags	V		
Windows	Tinted, electric control	W		
Mirrors	Standard side view	W		
Seats	Split bench / medium gray vinyl	V		
Flooring	Black vinyl	W/A		
Paint	Standard White	V		

ITEM FF - Specifications

FORD 3/4 TON 2WD REGULAR CAB, LONG BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	2WD Regular cab pick up, long bed entry level.	V		
GVWR	8600 lbs. minimum	Was		
Bed Size	8.0 ft.	W		
Wheelbase	137 in.	W		
Engine	6.0 liter minimum	V		
Power	316 HP	W		
Transmission	6 speed automatic overdrive	V		
Axle Ratio, Rear	3.73	W		
Brakes	Power 4 wheel disk /4 wheel antilock	W		
Wheels & Tires	P245/75 x 17 BSW	W		
Fuel Tank Capacity	20 GGE, below bed.	-	W	CNG Prep PKG No CNG
Alternator	157 AMP min.	W	· · ·	
Battery	12V, 650CCA Maintenance Free	W		
Bumpers, Front & Rear	Standard	W		
Trailer Tow Package	Class IV	W		
Air Conditioning	Manual control	W		
Radio	AM/FM / Stereo / Clock	W]	
Restraint System	3 Point belts w/ airbags	W		
Windows	Tinted, electric control	W.		
Mirrors	Standard side view	W		
Seats	Split bench / medium gray vinyl	W		
Flooring	Black vinyl	V		
Paint	Standard White	V		

ITEM GG - Specifications

FORD ¾ TON 2WD EXTENDED CAB, SHORT BED PICK UP CNG

Vehicle Classification	2WD Extended cab pick up,	W		
GVWR	short bed entry level. 8600 lbs. minimum		\vdash	•
		Was		
Bed Size	6.5 ft.	Walk		
Wheelbase	142 in.		W	148
Engine	6.0 liter minimum	W		
Power	316 HP	W		
Transmission	6 speed automatic overdrive	W		·
Axle Ratio, Rear	3.73	W		
Brakes	Power 4 wheel disk /4 wheel antilock	W		
Wheels & Tires	P245/75 x 17 BSW	W		
Fuel Tank Capacity	20 GGE, below bed.		Was	CNG Prep PKG No CNG
Alternator	157 AMP min.	W		
Battery	12V, 650CCA Maintenance Free	W		
Bumpers, Front & Rear	Standard	V		
Trailer Tow Package	Class IV	W		
Air Conditioning	Manual control	W		
Radio	AM/FM / Stereo / Clock	V		
Restraint System	3 Point belts w/ airbags	V		
Windows	Tinted, electric control	W		
Mirrors	Standard side view	W		
Seats	Split bench / medium gray vinyl	W		
Flooring	Black vinyl	W		
Paint	Standard White	W		

ITEM HH – Specifications

FORD ¾ TON 2WD CREW CAB, LONG BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	2WD Crew cab pick up, long bed entry level.	W		
GVWR	8600 lbs. minimum	W		
Bed Size	8.0 ft.	W		
Wheelbase	158 in.		W	176
Engine	6.0 liter minimum	W		
Power	316 HP	W		
Transmission	6 speed automatic overdrive	W		
Axle Ratio, Rear	3.73	W		
Brakes	Power 4 wheel disk /4 wheel antilock	Vale		
Wheels & Tires	P245/75 x 17 BSW	W		
Fuel Tank Capacity	20 gal. Underbody mount.		W	CNG Prep PKG No CNG
Alternator	157 AMP min.	V		
Battery	12V, 650CCA Maintenance Free	Type .		
Bumpers, Front & Rear	Standard	W		
Trailer Tow Package	Class IV	W		
Air Conditioning	Manual control	W		
Radio	AM/FM / Stereo / Clock	W		
Restraint System	3 Point belts w/ airbags	Was		
Windows	Tinted, electric control	W		
Mirrors	Standard side view	W		
Seats	Split bench / medium gray vinyl	V		
Flooring	Black vinyl	W		
Paint	Standard White	W		

ITEM II - Specifications

FORD 3/4 TON 4WD REGULAR CAB, LONG BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	4WD Regular cab pick up, long bed entry level.	V		
GVWR	8600 lbs. minimum	W		
Bed Size	8.0 ft.	V		
Wheelbase	137 in.		W	142
Engine	6.0 liter minimum	W		
Power	316 HP	W		
Transmission	6 speed automatic overdrive	V		
Axle Ratio, Rear	3.73	V		
Brakes	Power 4 wheel disk /4 wheel antilock	V		
Wheels & Tires	P245/75 x 17 BSW	Will		
Fuel Tank Capacity	20 gal. Under body mount.		W	CNG Prep PKG No CNG
Alternator	157 AMP min.	W		
Battery	12V, 650CCA Maintenance Free	W		·.
Bumpers, Front & Rear	Standard	W		
Trailer Tow Package	Class IV	Was		
Air Conditioning	Manual control	W		
Radio	AM/FM / Stereo / Clock	W		
Restraint System	3 Point belts w/ airbags	W		
Windows	Tinted, electric control	W		
Mirrors	Standard side view	W		
Seats	Split bench / medium gray vinyl	V		
Flooring	Black vinyl	V		
Paint	Standard White	W		

ITEM JJ - Specifications

FORD 3/4 TON 4WD EXTENDED CAB, SHORT BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	4WD Extended cab pick up, short bed entry level.	W		***************************************		
GVWR	8600 lbs. minimum	W				
Bed Size	6.5 ft.	V				,
Wheelbase	142 in.		W	148		
Engine	6.0 liter minimum	W				
Power	316 HP	W				
Transmission	6 speed automatic overdrive	W			•	
Axle Ratio, Rear	3.73	W				
Brakes	Power 4 wheel disk /4 wheel antilock	W.				
Wheels & Tires	P245/75 x 17 BSW	W				
Fuel Tank Capacity	20 gal. Under body mount.		W	CNG	Prep PK	3 No CNG
Alternator	157 AMP min.	W			· · · · ·	
Battery	12V, 650CCA Maintenance Free	V				
Bumpers, Front & Rear	Standard	V				
Trailer Tow Package	Class IV	V				
Air Conditioning	Manual control	W			•	
Radio	AM/FM / Stereo / Clock	V				
Restraint System	3 Point belts w/ airbags	W				
Windows	Tinted, electric control	W/				
Mirrors	Standard side view	W				
Seats	Split bench / medium gray vinyl	W				
Flooring	Black vinyl	V				
Paint	Standard White	W			*	

ITEM KK - Specifications

FORD ¾ TON 4WD CREW CAB, LONG BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	4WD crew cab pick up, long bed entry level.	W				
GVWR	8600 lbs. minimum	W				
Bed Size	8.0 ft.	N/A		•		·
Wheelbase	172 in.	-	V	176		
Engine	6.0 liter minimum	V				
Power	316 HP	V				
Transmission	6 speed automatic overdrive	V				
Axle Ratio, Rear	3.73					
Brakes	Power 4 wheel disk /4 wheel antilock	V				
Wheels & Tires	P245/75 x 17 BSW	W				
Fuel Tank Capacity	20 gal. Under body mount.			CNG Prep	PKG	No CNG
Alternator	157 AMP min.	W/2	.			
Battery	12V, 650CCA Maintenance Free	V				
Bumpers, Front & Rear	Standard	V				
Trailer Tow Package	Class IV	W				
Air Conditioning	Manual control	W/P				
Radio	AM/FM / Stereo / Clock	V				
Restraint System	3 Point belts w/ airbags	W				
Windows	Tinted, electric control	V				
Mirrors	Standard side view	V				
Seats	Split bench / medium gray vinyl	V				
Flooring	Black vinyl	W				
Paint	Standard White	W				

ITEM LL - Specifications

FORD 1 TON 2WD REGULAR CAB, SHORT BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	2WD Regular cab pick up, short bed entry level.	V		
GVWR	10,000 lbs. minimum	W		
Bed Size	8.0 ft.	W		
Wheelbase	137 in.		V	142
Engine	6.0 liter minimum	W		
Power	316 HP	W		
Transmission	6 speed automatic overdrive	W.		
Axle Ratio, Rear	3.73	William		
Brakes	Power 4 wheel disk /4 wheel antilock	W		
Wheels & Tires	P245/75 x 17 BSW	V		
Fuel Tank Capacity	20 gal. Under body mount.		W	CNG Prep PKG No CNG
Alternator	157 AMP min.	W		
Battery	12V, 650CCA Maintenance Free	W		
Bumpers, Front & Rear	Standard	W		
Trailer Tow Package	Class IV	W		
Air Conditioning	Manual control	The state of the s		
Radio	AM/FM / Stereo / Clock	V		
Restraint System	3 Point belts w/ airbags	W		
Windows	Tinted, electric control	W		
Mirrors	Standard side view	V		
Seats	Split bench / medium gray vinyl	W		
Flooring	Black vinyl	War.		
Paint	Standard White	W		

ITEM MM - Specifications

FORD 1 TON 2WD REGULAR CAB, LONG BED PICK UP GASOLINE

		,		COMMENTS	
Vehicle Classification	2WD Regular cab pick up, long bed entry level.	W.			
GVWR	8600 lbs. minimum	V			
Bed Size	8.0 ft.	W			
Wheelbase	137 in.		W.	142	
Engine	6.0 liter minimum	V			
Power	316 HP	Was a			
Transmission	6 speed automatic overdrive	V			
Axle Ratio, Rear	3.73	₩.			
Brakes	Power 4 wheel disk /4 wheel antilock	V			
Wheels & Tires	P245/75 x 17 BSW	V			
Fuel Tank Capacity	35 gal.	V			
Alternator	157 AMP min.	V			
Battery	12V, 650CCA Maintenance Free	V			
Bumpers, Front & Rear	Standard	V			
Trailer Tow Package	Class IV	V			
Air Conditioning	Manual control	V			
Radio	AM/FM / Stereo / Clock	V			
Restraint System	3 Point belts w/ airbags	V			
Windows	Tinted, electric control	W			
Mirrors	Standard side view	W			
Seats	Split bench / medium gray vinyl	W			
Flooring	Black vinyl	W		**************************************	
Paint	Standard White	W			

ITEM NN – Specifications

FORD 1 TON 2WD EXTENDED CAB, SHORT BED PICK UP CNG

Vehicle Classification	2WD Extended cab pick up, short bed entry level.	W.		
O) (M/D)		W		
GVWR	10,0000 lbs. minimum	W		
Bed Size	6.0 ft.	W		
Wheelbase	142 in.		W	148
Engine	6.0 liter min.	W		
Power	316 HP	V		
Transmission	6 spd automatic overdrive	V		
Axle Ratio, Rear	3.73	W/A		
Brakes	Power 4 wheel disk /4 wheel antilock	W		
Wheels & Tires	P245/75 x 17 BSW	W.		
Fuel Tank Capacity	20 gal. Under body mount.	7	W	CNG Prep PKG No CNG
Alternator	157 AMP min.	V		
Battery	12V, 650CCA Maintenance Free	W		·
Bumpers, Front & Rear	Standard	W		
Trailer Tow Package	Class IV	1		
Air Conditioning	Manual control	V		
Radio	AM/FM / Stereo / Clock			
Restraint System	3 Point belts w/ airbags	V		
Windows	Tinted, electric control	W		
Mirrors	Standard side view	V	l I	
Seats	Split bench / medium gray vinyl	V		
Flooring	Black vinyl	V		
Paint	Standard White	W		

ITEM OO - Specifications

FORD 1 TON 4WD REGULAR CAB, LONG BED PICK UP CNG

Vehicle Classification	AMD Dogular calculation	1	I	,
	4WD Regular cab pick up, long bed entry level.	V		
GVWR	8600 lbs. minimum	V		
Bed Size	8.0 ft.	W		
Wheelbase	137 in.		W	142
Engine	6.0 liter minimum	W		
Power	316 HP	W		
Transmission	6 speed automatic overdrive	V		
Axle Ratio, Rear	3.73	W		
Brakes	Power 4 wheel disk /4 wheel antilock	V		
Wheels & Tires	P245/75 x 17 BSW	W		
Fuel Tank Capacity	20 gal. Under body mount.		Was	CNG Prep PKG No CNG
Alternator	157 AMP min.	V		
Battery	12V, 650CCA Maintenance Free	V		
Bumpers, Front & Rear	Standard	W		
Trailer Tow Package	Class IV	W		
Air Conditioning	Manual control	V		
Radio	AM/FM / Stereo / Clock	W		
Restraint System	3 Point belts w/ airbags	V		
Windows	Tinted, electric control	V		
Mirrors	Standard side view	V		
Seats	Split bench / medium gray vinyl	V		·
Flooring	Black vinyl	W		
Paint	Standard White	W		

<u>ITEM PP – Specifications</u>

FORD 1 TON 4WD EXTENDED CAB, SHORT BED PICK UP CNG

Vehicle Classification	4WD Extended cab pick up, short bed entry level.	W		
GVWR	8600 lbs. minimum	W		
Bed Size	6.0 ft.	W		
Wheelbase	142 in.		W	148
Engine	6.0 liter minimum	V		
Power	316 HP	W		
Transmission	6 speed automatic overdrive	V		
Axle Ratio, Rear	3.73	W		
Brakes	Power 4 wheel disk /4 wheel antilock	W.		
Wheels & Tires	P245/75 x 17 BSW	V		
Fuel Tank Capacity	20 GGE, below bed.		V	CNG Prep PKG No CNG
Alternator	157 AMP min.	W.		
Battery	12V, 650CCA Maintenance Free	V		
Bumpers, Front & Rear	Standard	W		
Trailer Tow Package	Class IV	V		·
Air Conditioning	Manual control	1		
Radio	AM/FM / Stereo / Clock	W		
Restraint System	3 Point belts w/ airbags	W		
Windows	Tinted, electric control	V		
Mirrors	Standard side view	V		
Seats	Split bench / medium gray vinyl	W		
Flooring	Black vinyl	V		
Paint	Standard White	V		

ITEM QQ - Specifications

FORD 1 TON 4WD CREW CAB, SHORT BED PICK UP CNG

Vehicle Classification	4WD Crew cab pick up, short bed entry level.	W		
GVWR	10,000 lbs. minimum	W		
Bed Size	6.0 ft.	V		
Wheelbase	156 in.		W	160
Engine	6.0 liter minimum	W	<u> </u>	
Power	316 HP	V		
Transmission	6 speed automatic overdrive	W		
Axle Ratio, Rear	3.73	W	,	
Brakes	Power 4 wheel disk /4 wheel antilock	Wa		
Wheels & Tires	P245/75 x 17 BSW	Wa		
Fuel Tank Capacity	20 gal. Under body mount.		V	CNG Prep PKG No CNG
Alternator	157 AMP min.	W		
Battery	12V, 650CCA Maintenance Free	V		
Bumpers, Front & Rear	Standard	W		
Trailer Tow Package	Class IV	V		
Air Conditioning	Manual control	V		
Radio	AM/FM / Stereo / Clock	W		
Restraint System	3 Point belts w/ airbags	W		
Windows	Tinted, electric control	W		
Mirrors	Standard side view	V		
Seats	Split bench / medium gray vinyl	Was		
Flooring	Black vinyl	V		
Paint	Standard White	W		

ITEM RR - Specifications

FORD 1 TON 4WD CREW CAB, LONG BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	4WD Crew cab pick up, long bed entry level.	W.				
GVWR	10,000 lbs. minimum	W.				
Bed Size	8.0 ft.	Type .				
Wheelbase	172 in.	V				
Engine	6.0 liter minimum	W				
Power	316 HP	W/A				
Transmission	6 speed automatic overdrive	W				
Axle Ratio, Rear	3.73	W				
Brakes	Power 4 wheel disk /4 wheel antilock	V				
Wheels & Tires	P245/75 x 17 BSW	W				
Fuel Tank Capacity	20 gal. Under body mount.		W	CNG Prep PK	G NO CNG	
Alternator	157 AMP min.	W				
Battery	12V, 650CCA Maintenance Free	V				
Bumpers, Front & Rear	Standard	V				
Trailer Tow Package	Class IV	W				
Air Conditioning	Manual control	Wa				
Radio	AM/FM / Stereo / Clock	W		***************************************		
Restraint System	3 Point belts w/ airbags	V				
Windows	Tinted, electric control	W				
Mirrors	Standard side view	W				
Seats	Split bench / medium gray vinyl	W				
Flooring	Black vinyl	The said				
Paint	Standard White	W				

ITEM SS - Specifications

FORD 34 TON REGULAR CAB CNG SERVICE BED TRUCK

COMPLY

YES NO COMMENTS General: Shall be current Ford F-250 XL, 4X2, single rear wheel, CNG powered, cab, & chassis, with service body. Engine must be at least LEV rated. **GVWR:** Shall be at least 9,900 pounds Wheelbase: 142 Shall be at least 137 inches. Cab Axle: Shall be 56 inches. Engine: Shall be a 6.2 SOHC, CNG powered V-8. CARB CNG Prep PKG No CNG Certified. Shall have harden valves and seats. Cooling: Shall be largest, heaviest duty, increased capacity system available for size of engine/transmission offered. Transmission: Shall be an automatic, torque converter type with at least six (6) speeds forward and one (1) reverse. Heaviest duty option offered for engine size. Axles: Rear: Shall have standard single rear wheel rating for this type, and size truck. Ratio: Shall have 3.73 gear ratio, with non-limited slip traction. **Shock Absorbers:** Shall be heavy-duty type. Stabilizer Bar/Anti Roll: Shall be heavy-duty type. Suspension: Capacities shall equal axle ratings. Appendix A

ITEM SS - Specifications

FORD 34 TON REGULAR CAB CNG SERVICE BED TRUCK

COMPLY

COMMENTS YES NO Frame: Shall be compatible to GVWR. 37,000-PSI minimum frame yield strength. Welding or cutting of truck frame is unacceptable unless company is a certified body builder for the OEM manufacture. No Exceptions. Shall have two front tow hooks attached to the frame. Steering: Shall be factory power. Wheels: Manufacturer shall provide five (5) painted wheels at least seven and one-half inches (7.5") wide. Tires: Manufacturer shall provide five (5) BSW LT245/75 R x 17E A/S tires. All wheels and tires shall be statically and dynamically balanced tubeless type. Electrical: Shall be twelve (12) volt, negative ground system. Wire piercing connectors are unacceptable. Alternator: Shall be not less than one hundred and fifty seven (157) amp manufacturer's rated capacity. Battery(s): Shall be a minimum of dual 650 CCA, maintenance free type. Fuel Tank: Shall have a minimum capacity of 20 gallons. Shall be installed below bed parallel to frame rails. Necessary hose, elbows and/or adapters shall be supplied to adapt to service body. Body (Cab): Shall be Regular Cab production and include at least all of the following: 1. Front seat shall be 40-20-40 bench. Shall have darker shade gray vinyl material upholstery, with three (3) seat belts.

Appendix A

ITEM SS - Specifications

FORD ¾ TON REGULAR CAB CNG SERVICE BED TRUCK

	COM		
	YES	NO	COMMENTS
2. Floor covering shall be black rubber			
3. All glass shall be factory solar tint.			·
4. Doors shall provide automatic illumination when	1		·
opened.			
5. An integral heater, defroster.			
6. Windshield wipers, two-speed with intermittent			
wipe and washers.			
7. Inside center rear view mirror shall have			
day/night adjustment feature.			·
8. Cab dome light.	-		
9. Tachometer, factory installed.			
10. All instruments, controls, indicators, lights and			
switches shall be factory standard unless			
otherwise specified.			
11. Glove box.			
12. 12-volt power outlet.			
13 Sun visors and armrests shall be provided on			
both sides of cab.			
14. Factory installed air conditioning.			
15. Dual electric horns.			
16. Unit shall have 5 matched keys per lock.			
17. Factory installed AM/FM CD radio.			
18. Backup alarm, OSHA approved.			
19. One (1) Rear view camera, with rearview mirror			
monitor. Camera shall be installed on the center			
of body not on the license plate frame.			
20. Power door locks. Power windows.			
21. Color to be Oxford White.		1	,
			·
Service Body General:			
1. Constructed of 2-sided galvannealed steel 14-			
gauge (A40 or 60) galvannealed steel shall be			
the material for body sides, front panels, front			
· · · · · · · · · · · · · · · · · · ·			
bulkhead compartment bases, rear panels,	۾ ا		
interior partitions and roof panels.	V		·
2. All electric welds with permanently sealed joints	'	}	
3. All dissimilar metals to be primed before joining			
4. Floor is to be 3/16 inch galvannealed tread plate			
5. Shelving is to be 18 gauge spangle galvanized			
steel, 250# rated load.			
Service Body Specific:			
1. Body to have (1) aluminum diamond plate	V	1	·
covered flip top section per side.		<u></u>	

Appendix A

ITEM SS - Specifications

FORD 34 TON REGULAR CAB CNG SERVICE BED TRUCK

COMPLY YES NO COMMENTS 2. C.S. #1 to be 34" wide, and have (3) adjustable shelves. Vertical double doors. 3. C.S. #2 to be 40" wide, and have (1) adjustable shelf. Horizontal door over wheel span. 4. C.S. #3 to be 22", and be a vertical compartment and have (3) adjustable shelves. 5. S.S. #1 to be 34" wide and have (3) adjustable shelves. Vertical double doors. 6. S.S. #2 to be 40" wide, and have (1) adjustable shelf. Horizontal door over wheel span. 7. S.S. #3 to be 22", and be a vertical compartment and have (3) adjustable shelves. 8. Integral HD step bumper. 9. Class IV- trailer hitch receiver. 10. Line-X interior of service bed to include floor. compartment sides, and interior tailgate surfaces. Manuals/Operating Service: Successful bidder shall provide a full set of Operating Manual provided operating/service manuals (CD if available) for with each Vehicle every major component installed in truck including cab and chassis, electrical schematics, hydraulic ONE CD / Sevice Manual provided schematics, and a complete parts manual. All per product Line If addition manuals and schematics shall be delivered with Manuals Required add \$170per cd each unit. Acceptable Cab and Chassis Make. Ford F-250 Bed Delete Service bed should be built by Pacific Truck Equipment of Whittier, CA.

ITEM TT - Specifications

FORD ¾ TON EXTENDED CAB CNG SERVICE BED

	COMI YES	PLY NO	COMMENTS
General: Shall be current Ford F-250 XL, Extended cab, 4X2, single rear wheel, CNG powered, cab, & chassis, with service body. Engine must be at least LEV rated.		-	
GVWR: Shall be at least 9,900 pounds	W.		
Wheelbase: Shall be at least 158 inches.		W	164
Cab Axle: Shall be 56 inches.	V		
Engine: Shall be a 6.2 SOHC, CNG powered V-8. CARB Certified. Shall have harden valves and seats.		V	CNG Prep PKG No CNG
Cooling: Shall be largest, heaviest duty, increased capacity system available for size of engine/transmission offered.	V		
Transmission: Shall be an automatic, torque converter type with at least six (6) speeds forward and one (1) reverse. Heaviest duty option offered for engine size.	W.		
Axles:			
Rear: Shall have standard single rear wheel rating for this type, and size truck.	V		
Ratio: Shall have 3.73 gear ratio, with non-limited slip traction.	V	-	
Shock Absorbers: Shall be heavy-duty type.			e e
Stabilizer Bar/Anti Roll: Shall be heavy-duty type.	V		

Appendix A

ITEM TT - Specifications

FORD 34 TON EXTENDED CAB CNG SERVICE BED

COMPLY YES NO

COMMENTS

Appendix A

Suspension: Capacities shall equal axle ratings. Frame: Shall be compatible to GVWR. 37,000-PSI minimum frame yield strength. Welding or cutting of truck frame is unacceptable unless company is a certified body builder for the OEM manufacture. No Exceptions. Shall have two front tow hooks attached to the frame. Steering: Shall be factory power. Wheels: Manufacturer shall provide five (5) painted wheels at least seven and one-half inches (7.5") wide. Tires: Manufacturer shall provide five (5) BSW LT245/75 R x 17E A/S tires. All wheels and tires shall be statically and dynamically balanced tubeless type. Electrical: Shall be twelve (12) volt, negative ground system. Wire piercing connectors are unacceptable. **Alternator:** Shall be not less than one hundred and fifty seven (157) amp manufacturer's rated capacity. Battery(s): Shall be a minimum of dual 650 CCA, maintenance free type. **Fuel Tank:** Shall have a minimum capacity of 20 gallons. Shall be installed below bed parallel to frame rails. Necessary hose, elbows and/or adapters shall be supplied to adapt to service body.

ITEM TT - Specifications

FORD 3/4 TON EXTENDED CAB CNG SERVICE BED

COMPLY COMMENTS YES NO Body (Cab): Shall be Regular Cab production and include at least all of the following: 1. Front seat shall be 40-20-40 bench. Shall have darker shade gray vinyl material upholstery, with three (3) seat belts. 2. Floor covering shall be black rubber 3. All glass shall be factory solar tint. 4. Doors shall provide automatic illumination when opened. 5. An integral heater, defroster. 6. Windshield wipers, two-speed with intermittent wipe and washers. 7. Inside center rear view mirror shall have day/night adjustment feature. 8. Cab dome light. 9. All instruments, controls, indicators, lights and switches shall be factory standard unless otherwise specified. 10. Glove box. 11. 12-volt power outlet. 12. Sun visors and armrests shall be provided on both sides of cab. 13. Factory installed air conditioning. 14. Dual electric horns. 15. Unit shall have 5 matched keys per lock. 16. Factory installed AM/FM CD radio. 17. Backup alarm, OSHA approved. 18. One (1) Rear view camera, with rearview mirror monitor. Camera shall be installed on the center of body not on the license plate frame. Power door locks. Power windows. Color: Oxford White. Service Body General: 1. Constructed of 2-sided galvannealed steel 2. 14-gauge (A40 or 60) galvannealed steel shall be the material for body sides, front panels, front bulkhead compartment bases, rear panels, interior partitions and roof panels. 3. All electric welds with permanently sealed joints 4. All dissimilar metals to be primed before joining

Appendix A

ITEM TT - Specifications

FORD ¾ TON EXTENDED CAB CNG SERVICE BED

COMPLY

	YES	NO	COMMENTS
 Floor is to be 3/16 inch galvannealed tread plate Shelving is to be 18-gauge spangle galvanized steel, 250# rated load. Service Body Specific: Body to have (1) aluminum diamond plate covered flip top section per side. C.S. #1 to be 34" wide, and have three (3) 	¥		·
 adjustable shelves. Vertical double doors. C.S. #2 to be 40" wide, and have one (1) adjustable shelf. Horizontal door over wheel span. C.S. #3 to be 22", and be a vertical compartment and have (3) adjustable shelves. S.S. #1 to be 34" wide and have three (3) adjustable shelves. Vertical double doors. S.S. #2 to be 40" wide, and have one (1) adjustable shelf. Horizontal door over wheel span. S.S. #3 to be 22", and be a vertical compartment and have (3) adjustable shelves. Integral HD step bumper. Class IV- trailer hitch receiver. Line-X interior of service bed to include floor, compartment sides, and interior tailgate surfaces. 			
Manuals/Operating Service: Successful bidder shall provide a full set of operating/service manuals (CD if available) for every major component installed in truck including cab and chassis, electrical schematics, hydraulic schematics, and a complete parts manual. All manuals and schematics shall be delivered with each unit. Acceptable Cab and Chassis Make Ford F-250 Bed Delete Service bed should be built by Pacific Truck Equipment of Whittier, CA.			Operating Manual provided with each Vehicle ONE CD / Sevice Manual provided per product Line If addition Manuals Required add \$170per cd

ITEM UU - Specifications

FORD % TON CREW CAB CNG SERVICE BED TRUCK

COMPLY

	YES		COMMENTS
General: Shall be current Ford F-250 XL, Crew cab, 4X2, single rear wheel, CNG powered, cab, & chassis, with service body. Engine must be at least LEV rated.			· .
GVWR: Shall be at least 9,900 pounds	W.	-	
Wheelbase: Shall be at least 158 inches.	V		
Cab Axle: Shall be 56 inches.	V		
Engine: Shall be a 6.2 SOHC, CNG powered V-8. CARB Certified. Shall have harden valves and seats.			CNG Prep PKG No CNG
Cooling: Shall be largest, heaviest duty, increased capacity system available for size of engine/transmission offered.	V	7	
Transmission: Shall be an automatic, torque converter type with at least six (6) speeds forward and one (1) reverse. Heaviest duty option offered for engine size.	V		
Axles: Rear: Shall have standard single rear wheel rating for this type, and size truck.			
Ratio: Shall have 3.73 gear ratio, with non-limited slip traction.			
Shock Absorbers: Shall be heavy-duty type.	V		
Stabilizer Bar/Anti Roll: Shall be heavy-duty type.			

Appendix A

ITEM UU - Specifications

FORD ¾ TON CREW CAB CNG SERVICE BED TRUCK

	COMPLY YES NO	COMMENTS
Suspension:		
Capacities shall equal axle ratings.		
Frame: Shall be compatible to GVWR. 37,000-PSI minimum frame yield strength. Welding or cutting of truck frame is unacceptable unless company is a certified body builder for the OEM manufacture. No Exceptions. Shall have two front tow hooks attached to the frame.		
Steering: Shall be factory power.		
Wheels: Manufacturer shall provide five (5) painted wheels at least seven and one-half inches (7.5") wide.		
Tires: Manufacturer shall provide five (5) BSW LT245/75 R x 17E A/S tires. All wheels and tires shall be statically and dynamically balanced tubeless type.		
Electrical: Shall be twelve (12) volt, negative ground system. Wire piercing connectors are unacceptable.		
Alternator: Shall be not less than one hundred and fifty seven (157) amp manufacturer's rated capacity.	V	
Battery(s): Shall be a minimum of dual 650 CCA, maintenance free type.	V	
Fuel Tank: Shall have a minimum capacity of 20 gallons. Shall be installed below bed parallel to frame rails. Necessary hose, elbows and/or adapters shall be supplied to adapt to service body.		·
Body (Cab): Shall be Regular Cab production and include at least all of the following:		Appendix A

ITEM UU – Specifications

FORD ¾ TON CREW CAB CNG SERVICE BED TRUCK

	COMPLY YES NO	COMMENTS	
 Front seat shall be 40-20-40 bench. Shall have darker shade gray vinyl material upholstery, with (3) three seat belts. Rear seat shall be bench style. Floor covering shall be black rubber All glass shall be factory solar tint. Doors shall provide automatic illumination when opened. An integral heater, defroster. Windshield wipers, two-speed with intermittent wipe and washers. Inside center rear view mirror shall have day/night adjustment feature. Cab dome light. All instruments, controls, indicators, lights and switches shall be factory standard unless otherwise specified. Glove box. 12-volt power outlet. Sun visors and armrests shall be provided on both sides of cab. Factory installed air conditioning. Dual electric horns. Unit shall have 5 matched keys per lock. Factory installed AM/FM CD radio. Backup alarm, OSHA approved. One (1) Rear view camera, with rearview mirror monitor. Camera shall be installed on the center of body not on the license plate frame. Power door locks. Power windows. Color to be Oxford White			
 Service Body General: 1. Constructed of 2-sided galvannealed steel 2. 14-gauge (A40 or 60) galvannealed steel shall be the material for body sides, front panels, front bulkhead compartment bases.rear panels, interior partitions and roof panels. 3. All electric welds with permanently sealed joints 4. All dissimilar metals to be primed before joining 			Appendix A

ITEM UU - Specifications

FORD ¾ TON CREW CAB CNG SERVICE BED TRUCK

COMPLY

	YES	 COMMENTS
5. Floor is to be 3/16 inch galvannealed tread plate6. Shelving is to be 18 gauge spangle galvanized steel, 250# rated load.	V	
 Service Body Specific: Body to have (1) aluminum diamond plate covered flip top section per side. C.S. #1 to be 34" wide, and have (3) adjustable shelves. Vertical double doors. C.S. #2 to be 40" wide, and have (1) adjustable shelf. Horizontal door over wheel span. C.S. #3 to be 22", and be a vertical compartment and have (3) adjustable shelves. S.S. #1 to be 34" wide and have (3) adjustable shelves. S.S. #2 to be 40" wide, and have (1) adjustable shelf. Horizontal door over wheel span. S.S. #3 to be 22", and be a vertical compartment and have (3) adjustable shelves. Integral HD step bumper. Class IV- trailer hitch receiver. Line-X interior of service bed to include floor, compartment sides, and interior tailgate surfaces. 		
Manuals/Operating Service: Successful bidder shall provide a full set of operating/service manuals (CD if available) for every major component installed in truck including cab and chassis, electrical schematics, hydraulic schematics, and a complete parts manual. All manuals and schematics shall be delivered with each unit. Acceptable Cab and Chassis Make:		Operating Manual provided with each Vehicle ONE CD / Sevice Manual provided per product Line If addition Manuals Required add \$170per cd
Ford F-250 Bed Delete Service bed should be built by: Pacific Truck Equipment Inc. 11655 E. Washington Blvd. Whittier Ca. 90606		

ITEM VV - Specifications

1 TON FORD REGULAR CAB SERVICE BED TRUCK CNG

COMPLY

COMMENTS YES NO Shock Absorbers: V Shall be heavy-duty option. Brakes: Shall be the largest, heavy-duty option, power brake package available for vehicles/axles offered. Frame: Shall be compatible to GVWR. Steering: Shall be factory power. Wheels: Manufacturer shall provide seven (7) wheels at least six (6") inches wide, minimum. Tires: Manufacturer shall provide seven (7) LT 245/75R x 17E tires with highway tread, minimum. Wheels and tires to be statically and dynamically balanced. Electrical: Shall be a twelve (12) volt, negative ground piercing connectors system. Wire unacceptable, all wiring to be enclosed in nonmetallic, flexible loom, well supported.) Alternator: Shall be not less than one hundred fifty seven (157) amp manufacturer's rated capacity.

Battery:

Fuel Tank:

configurations.

Shall have 650 CCA.

Shall be minimum (20) CNG GGE installed

below bed parallel to the frame rails, and include necessary hardware for retrofit to body

CNG Prep PKG No CNG

ITEM VV - Specifications

1 TON FORD REGULAR CAB SERVICE BED TRUCK CNG

COMPLY YES NO

		
 Body (Cab): Shall be standard production and include at least all of the following: Seats shall be bench type, darker shade gray vinyl. Floor covering shall be rubber. All glass to be tinted. Doors shall provide automatic illumination when opened. An integral heater, defroster, and air conditioner, factory installed. Two speed windshield wipers and washers. Inside center rear view mirror to have day/night adjustment feature. A cab dome light. All instruments, controls, indicators, lights and switches to be factory standard unless otherwise specified. Glove box, lockable if available. Sun visors and armrests shall be provided on both sides of cab. Factory installed AM/FM/CD radio/clock. Keys, five (5) keys for each lock. Right and left outside rear view; low profile type mirrors with fold back capability, 6" x 		
 9" minimum size. Mirrors must be useable with body configuration. 15. One (1) Rear vision camera, which includes, camera monitor, and cables. Camera shall be located on rear of bed. 		Option Power Windows / Door Locks \$841 per vehicle
Sorvice Rody Conoral:	1	
 Service Body General: Constructed of 2-sided galvannealed steel 14-gauge (A40 or 60) galvannealed steel shall be the material for body sides, front panels, front bulkhead compartment bases rear panels, interior partitions and roof panels. 	V	
3. All electric welds with permanently sealed joints4. All dissimilar metals to be primed before		
joining		 ADDENDUMA
		ADDENDUM 2

<u>ITEM VV – Specifications</u>

	COM		
E Flooris to be 2000 inch as becaused	YES	NO	COMMENTS
5. Floor is to be 3/16 inch galvannealed tread plate			
6. Shelving is to be 18 gauge spangle	V		
galvanized steel, 250# rated load.	$ \Psi $		
gaivanized steet, 250# rated load.			
Service Body Specific:			
Shall have a see through bulkhead			
protector, with a Whelen L31HAF LED			
beacon mounted center.			
2. Body to have (2) aluminum diamond plate			
covered flip top sections per side.			
3. Body to be 132" in length, 40" high, and			
90" wide.			
4. C.S. #1 to be 38" wide, and have (3)			
adjustable shelves. Vertical double doors.		,	
5. C.S. #2 to be 24" wide, and have (3)			
adjustable shelf. Vertical single door.			
6. C.S. #3 to be 40", and have (1) adjustable			
shelf. Horizontal door over wheel span.			
7. C.S. #4 to be 30", and have (3) adjustable			
shelves. Vertical single door			
8. S.S. #1 to be 38" wide and have (3)			
adjustable shelves. Vertical double doors.			
9. S.S. #2 to be 24" wide, and have (3)			
adjustable shelf. Vertical single door.			
10. S.S. #3 to be 40", and have (1) adjustable			
shelf. Horizontal door over wheel span.			
11. S.S. #4 to be 30", and have (3) adjustable			
12. shelves. Vertical single door.			
13. Rear tail gate.			,
14. Rear lift gate with a 30" platform, 1200#			
15. Class VI trailer receiver.			
16. Slide out vise bracket mounted rear curd			
side. 17.Line-X interior of service bed to include			
floor, compartment sides, and interior tailgate surfaces.			
ialiyale sullaces.			
Paint:		***	
Standard manufacturer's "White".			Operating Manual provided
Canadia manadadio o villo.			with each Vehicle
Manuals/Operating Service:			ONE CD / Sevice Manual provided
Successful bidder shall provide a full set of			per product Line If addition
operating/service manuals (CD if available) for	*		Manuals Required add \$170per cd
			ADDENDUM 2

ITEM VV - Specifications

	CON YES	IPLY NO	COMMENTS
every major component installed in truck including cab and chassis, electrical schematics, hydraulic schematics, and a complete parts manual. All manuals and schematics shall be delivered with each unit.	V		
Acceptable Cab and Chassis Make: Ford F-350 cab-chassis	V		
Service bed should be built by Pacific Truck Equipment Inc. of Whittier, CA.	V		

ITEM WW - Specifications

1 TON FORD EXTENDED CAB SERVICE BED CNG

COMPLY YES NO

General: Current model, one (1) ton, extended cab, CNG powered, dual rear wheel, with service bed as specified.	W			
GVWR: Shall be at least 13,700 pounds.	V	1		
Wheel Base: Shall be 162 inches.	V			
Cab Axle: Shall be 60 inches.	V			
Engine: Shall be V8 type with at least 6.0 liters of displacement. Shall have harden valves and seats.	1000		CNG Prep PKG No CNG	
Cooling: Shall be largest, heaviest duty, increased capacity system available for size of engine/transmission offered.	- Simo			
Exhaust System: Shall be of a quiet design type with minimum backpressure restriction. Muffler(s) to be of an aluminized coating or stainless steel construction.				
Transmission: Shall be an automatic torque converter type with at least six (6) speeds forward and one (1) reverse.	V			
Axles: GVWR minimum.	V			
Stabilizer Bar/Anti-Roll: Shall be heavy-duty option.	V			
Shock Absorbers: Shall be heavy-duty option.	V			

ITEM WW - Specifications

1 TON FORD EXTENDED CAB SERVICE BED CNG

COMPLY YES NO

Brakes: Shall be the largest, heavy-duty option, power brake package available for vehicles/axles offered.	V		
Frame: Shall be compatible to GVWR.	V		
Steering: Shall be factory power.	V		
Wheels: Manufacturer shall provide seven (7) wheels at least six inches (6") wide, minimum.	V.		
Tires: Manufacturer shall provide seven (7) LT 245/75R x 17E tires with highway tread, minimum. Wheels and tires to be statically and dynamically balanced.	V		
Electrical: Shall be a twelve (12) volt, negative ground system. Wire piercing connectors unacceptable, all wiring to be enclosed in nonmetallic, flexible loom, well supported.)	V		
Alternator: Shall be not less than one hundred fifty seven (157) amp manufacturer's rated capacity.			
Battery: Shall have 650 CCA.	V		
Fuel Tank: Shall be minimum (20) CNG GGE installed below bed parallel to the frame rails, and include necessary hardware for retrofit to body configurations.		V	CNG Prep PKG No CNG

ITEM WW - Specifications

1 TON FORD EXTENDED CAB SERVICE BED CNG

COMPLY YES NO

COMMENTS

Appendix A

·	TEO I	NO.	COMINENTS
 Body (Cab): Shall be standard production and include at least all of the following: Seats shall be bench type, darker shade gray vinyl. Floor covering shall be rubber. All glass to be tinted. Doors shall provide automatic illumination when opened. An integral heater, defroster, and air conditioner, factory installed. Two speed windshield wipers and washers. Inside center rear view mirror to have day/night adjustment feature. A cab dome light. All instruments, controls, indicators, lights and switches to be factory standard unless otherwise specified. Glove box, lockable if available. Sun visors and armrests shall be provided on both sides of cab. Factory installed AM/FM/CD radio/clock. Keys, five (5) keys for each lock. Right and left outside rear view; low profile type mirrors with fold back capability, 6" x 9" minimum size. Mirrors must be useable with body configuration. One (1) Rear vision camera, which includes, camera monitor, and cables. Camera shall be located on rear of bed. 		CNG P	rep PKG No CNG
 Service Body General: Constructed of 2-sided galvannealed steel 14-gauge (A40 or 60) galvannealed steel shall be the material for body sides, front panels, front bulkhead compartment bases.rear panels, interior partitions and roof panels. All electric welds with permanently sealed joints All dissimilar metals to be primed before joining Floor is to be 3/16 inch galvannealed tread plate 	₩		

ITEM WW - Specifications

1 TON FORD EXTENDED CAB SERVICE BED CNG

COMPLY YES NO

COMMENTS

Appendix A

	•	reo	NU	COMMENTS
6.	Shelving is to be 18 gauge spangle galvanized steel, 250# rated load.	N/		
		V		
Se	ervice Body Specific:			
	Shall have a see through bulkhead			
••	protector, with a Whelen L31HAF LED			
	beacon mounted center.			
2	Body to have (2) aluminum diamond plate			
۷.	covered flip top sections per side.			
,	Body to be 108" in length, 40" high, and 90"			
٥,	wide.			
1				
4.	C.S. #1 to be 38" wide, and have (3)			
_	adjustable shelves. Vertical double doors.			
5.	C.S. #2 to be 24" wide, and have (3)			
	adjustable shelf. Vertical single door.	V	ľ	· ·
6.	C.S. #3 to be 40", and have (1) adjustable	'		
1_	shelf. Horizontal door over wheel span.			
1.	C.S. #4 to be 30", and have (3) adjustable			
	shelves. Vertical single door			
8.	S.S. #1 to be 38" wide and have (3)			
1	adjustable shelves. Vertical double doors.			
9.	S.S. #2 to be 24" wide, and have (3)			
	adjustable shelf. Vertical single door.			
10	S.S. #3 to be 40", and have (1) adjustable			
	shelf. Horizontal door over wheel span.			
11	.S.S. #4 to be 30", and have (3) adjustable			
12	. shelves. Vertical single door.			·
13	.Rear tail gate.			
14	Rear lift gate with a 30" platform.			· ·
15	i. Class VI trailer receiver.			
16	Solide out vise bracket mounted rear curd			
	side.			
17	Line-X interior of service bed to include floor,			·
	compartment sides, and interior tailgate			
	surfaces.			
Pa	int:	_		Operating Manual provided
	andard manufacturer's "White".	V		with each Vehicle
	•			
Ma	anuals/Operating Service:			ONE CD / Sevice Manual provided
_	iccessful bidder shall provide a full set of			per product Line If addition
	erating/service manuals (CD if available) for			Manuals Required add \$170per cd
	ery major component installed in truck	V		
3	cluding cab and chassis, electrical			
1	hematics, hydraulic schematics, and a			

ITEM WW - Specifications

1 TON FORD EXTENDED CAB SERVICE BED CNG

COMPLY YES NO

complete parts manual. All manuals and schematics shall be delivered with each unit.	V		
Acceptable Cab and Chassis Make. Ford F-250 Bed Delete	Þ	F350 Chassis	
Service bed should be built by Pacific Truck Equipment Inc., of Whittier, CA.	W.		

ITEM XX - Specifications

	COM YES	PLY NO	COMMENTS
General: Current model, one (1) ton, crew cab, CNG powered, dual rear wheel, with service bed as specified.	V		·
GVWR: Shall be at least 13,700 pounds.	V		
Wheel Base: Shall be 162 inches.		V	203
Cab Axle: Shall be 60 inches.		V	84
Engine: Shall be V8 type with at least 6.0 liters of displacement. Shall have harden valves and seats.		V	CNG Prep PKG No CNG
Cooling: Shall be largest, heaviest duty, increased capacity system available for size of engine/transmission offered.			
Exhaust System: Shall be of a quiet design type with minimum backpressure restriction. Muffler(s) to be of an aluminized coating or stainless steel construction.			
Transmission: Shall be an automatic torque converter type with at least six (6) speeds forward and one (1) reverse.			
Axles: GVWR minimum.	V		
Stabilizer Bar/Anti-Roll: Shall be heavy-duty option.	V	>	

ITEM XX - Specifications

1 TON FORD CREW CAB SERVICE BED TRUCK CNG

COMPLY

	YES	NO	COMMENTS
Shock Absorbers:			
Shall be heavy-duty option.	V		
Brakes: Shall be the largest, heavy-duty option, power brake package available for vehicles/axles offered.	V		
Frame: Shall be compatible to GVWR.	V		
Steering: Shall be factory power.	V		
Wheels: Manufacturer shall provide seven (7) wheels at least six inches (6") wide, minimum.	V		
Tires: Manufacturer shall provide seven (7) LT 245/75R x 17E tires with highway tread, minimum. Wheels and tires to be statically and dynamically balanced.		V	19.5
Electrical: Shall be a twelve (12) volt, negative ground system. Wire piercing connectors unacceptable, all wiring to be enclosed in nonmetallic, flexible loom, well supported.)	V		
Alternator: Shall be not less than one hundred fifty seven (157) amp manufacturer's rated capacity.	V		
Battery: Shall have 650 CCA.	V		
Fuel Tank: Shall be minimum (20) CNG GGE installed below bed parallel to the frame rails, and include necessary hardware for retrofit to body configurations.		V	CNG Prep PKG No CNG

ITEM XX - Specifications

	COMI YES	PLY NO	COMMENTS
 Body (Cab): Shall be standard production and include at least all of the following: 1. Seats shall be bench type, darker shade gray vinyl. 2. Floor covering shall be rubber. 3. All glass to be tinted. 4. Doors shall provide automatic illumination when opened. 5. An integral heater, defroster, and air conditioner, factory installed. 6. Two speed windshield wipers and washers. 7. Inside center rear view mirror to have day/night adjustment feature. 8. A cab dome light. 9. All instruments, controls, indicators, lights and switches to be factory standard unless otherwise specified. 10. Glove box, lockable if available. 11. Sun visors and armrests shall be provided on both sides of cab. 12. Factory installed AM/FM/CD radio/clock. 13. Keys, five (5) keys for each lock. 14. Right and left outside rear view; low profile type mirrors with fold back capability, 6" x 9" minimum size. Mirrors must be useable with body configuration. 15. One (1) Rear vision camera, which includes, camera monitor, and cables. Camera shall be located on rear of bed. 			
 Service Body General: Constructed of 2-sided galvannealed steel 14-gauge (A40 or 60) galvannealed steel shall be the material for body sides, front panels, front bulkhead compartment bases.rear panels, interior partitions and roof panels. All electric welds with permanently sealed joints All dissimilar metals to be primed before 	V		ADDENDUM 2

ITEM XX - Specifications

	COM YES	PLY NO	COMMENTS
joining 5. Floor is to be 3/16 inch galvannealed tread plate 6. Shelving is to be 18 gauge spangle galvanized steel, 250# rated load.	V		
 Service Body Specific: 			

ITEM XX - Specifications

	COM YES	PLY NO	COMMENTS
Paint: Standard manufacturer's "White". Manuals/Operating Service: Successful bidder shall provide a full set of operating/service manuals (CD if available) for every major component installed in truck including cab and chassis, electrical schematics, hydraulic schematics, and a complete parts manual. All manuals and schematics shall be delivered with each unit.	·		Operating Manual provided with each Vehicle ONE CD / Sevice Manual provided per product Line If addition Manuals Required add \$170per cd
Acceptable Cab and Chassis Make. Ford F-350 Bed Delete Service bed should be built by Pacific Truck Equipment Inc., of Whittier, CA.	Total Control of the		

ITEM YY - Specifications

2WD, LARGE SUV PURSUIT RATED

COMPLY YES NO

	· · · · · · · · · · · · · · · · · · ·	YES	NO	COMMENTS
Vehicle classification	2WD Sport utility large size, Pursuit Rated			
Wheelbase	114 in.			
Engine	5.3 L			
Power	355 HP			
Emissions package	California, emissions package			
Transmission	6 speed automatic overdrive			
Axle Ratio, Rear	3.08			
Brakes	Power 4 wheel. Disk, 4 wheel. antilock		1	
Wheels & Tires	P265/60R76 AS			
Fuel Tank Capacity	26 gal.			
Alternator	170 Amp			
Battery	12V, Maintenance Free			
Bumpers, Front & Rear	Standard equipment			
Air Conditioning	Manual control			
Radio	AM/FM / Stereo / Clock w/single CD			
Restraint System	3 point belts, w/ airbags			
Windows	Electric remote control			
Mirrors	Black remote control, side view			
Seats	Black with Stone			
Flooring	Black			
Paint	Standard White			

ITEM ZZ - Specifications

4WD, LARGE SUV PURSUIT RATED

COMPLY YES NO

		YES	NO.	COMMENTS
Vehicle classification	4WD Sport utility large size, Pursuit Rated			
Wheelbase	116 in.			•
Engine	5.3 L			
Power	355 HP		-	
Emissions package	California, emissions package			
Transmission	6 spd automatic overdrive			
Axle Ratio, Rear	3.08			
Brakes	Power 4 whl. Disk, 4 whl. antilock			·
Wheels & Tires	P265/60R17 AS	,		
Fuel Tank Capacity	26 gal.			
Alternator	170 Amp			
Battery	12V, Maintenance Free			
Bumpers, Front & Rear	Standard equipment			
Air Conditioning	Manual control			
Radio	AM/FM / Stereo / Clock w/single CD			
Restraint System	3 point belts, w/ airbags			
Windows	Electric remote control			
Mirrors	Black remote control, side view			
Seats	Black with Stone			
Flooring	Black			· · · · · · · · · · · · · · · · · · ·
Paint	Standard White			

ITEM A1 - Specifications

2WD, EXTRA LARGE SUV

COMPLY YES NO

		123 10	COMMENTS
Vehicle classification	2WD Sport utility extra large size,		
Wheelbase	· 130 in.		
Engine	5.3 L		
Power	355 HP		
Emissions package	California, emissions package		
Transmission	6 speed automatic overdrive		
Axle Ratio, Rear	3.08		The state of the s
Brakes	Power 4 wheel. Disk, 4 wheel. antilock		
Wheels & Tires	P265/65R17 Owl		
Fuel Tank Capacity	26 gal.		
Alternator	150 Amp		
Battery	12V, Maintenance Free		
Bumpers, Front & Rear	Standard equipment		
Trailer Tow Package	Class IV, 6 wire harness		
Air Conditioning	Manual control, dual zone.		
Radio	AM/FM / Stereo / Clock w/single CD		
Restraint System	3 point belts, w/ airbags		
Windows	Electric remote control		
Mirrors	Black remote control, side view		
Seats	Black, delete 3 rd . row.		
Flooring	Black		
Paint	Standard White		
		<u> </u>	

ITEM A2 - Specifications

4WD, EXTRA LARGE SUV

COMPLY YES NO

		ILS	 COMMENTS
Vehicle classification	4WD Sport utility extra large size,		
Wheelbase	130 in.		
Engine	5.3 L		
Power	355 HP		
Emissions package	California, emissions package		
Transmission	6 speed automatic overdrive		
Axle Ratio, Rear	3.08		
Brakes	Power 4 wheel. Disk, 4 wheel. antilock		
Wheels & Tires	P265/65R17 Owl		
Fuel Tank Capacity	26 gal.		
Alternator	150 Amp		
Battery	12V, Maintenance Free		
Bumpers, Front & Rear	Standard equipment		!
Trailer Tow Package	Class IV, 6 wire harness		:
Air Conditioning	Manual control, dual zone.		
Radio	AM/FM / Stereo / Clock w/single CD		
Restraint System	3 point belts, w/ airbags		
Windows	Electric remote control		
Mirrors	Black remote control, side view		
Seats	Black, delete 3 rd . row.		
Flooring	Black		
Paint	Standard White		

ITEM A3 - Specifications

FORD, POLICE PURSUIT CERTIFIED SEDAN, SOLID COLOR

COMPLY YES NO

	YES	NO	COMMENTS
General: Full size, current model gasoline powered, AWD wheel drive, certified police pursuit rated, 4-door sedan.	V		
Engine: Shall be a V-6 configuration, fuel injected, with a 3.7 displacement and 305 horsepower, normally aspirated.	V		
Transmission: Minimum, six (6) speed automatic.	V		
Cooling: Shall be largest, heaviest duty, increased capacity system available for size of engine specified. Option code: PCD, silicone hoses and aircraft-type clamps.	₩.		
Suspension: Shall be heavy-duty Police option.	V		·
Shock Absorbers: Heavy-duty option, front and rear.	V		
Axles: Ratio 3.16	V		
Brakes: Front and rear power ABS disc.			
Wheels and Tires: Five (5) steel 18" X 7" wheels with center cover hub caps, and five (5) radial ply, black wall tires, minimum size P245/55R18 BSW speed rated. (All tire and wheel assemblies to be balanced statically and dynamically.)	W.		
Electrical: 12-volt negative ground system.	V		

ITEM A3 – Specifications

FORD, POLICE PURSUIT CERTIFIED SEDAN, SOLID COLOR

COMPLY YES NO

	YES	NO	COMMENTS
Alternator: Largest factory option available. Not less than 220 amp.	V		
Battery: 750 CCA	V		
Interior: Shall be color-coded as requested. Front seats shall be bucket type. Driver's seat shall be power.	V		
Steering: Factory Power	V		
 Additional Equipment: Shall have all standard equipment as listed in factory brochure in the Police Package option. If not listed as standard equipment the following shall be furnished and installed: Front heavy-duty cloth driver's seat shall be bucket type, with gray cloth trim. Driver's seat shall be 6-way power with lumbar support. Passenger seat shall be manual. 2nd row seat(s), shall be heavy-duty vinyl, medium gray. Front drivers and passenger and 2nd row windows solar tint. 1st-and 2nd -row floor vinyl material. Dark car feature. (43D). Integral heater and defroster shall be provided. Factory installed single zone manual air conditioning. Ballistic panels in front driver and passenger doors. Windshield wipers provided shall have an intermittent wipe feature. Inside center mirror shall have day/night adjustment feature, with back up monitor. (87R) Rear factory back up camera. Reverse sensing system 			13C

ITEM A3 - Specifications

FORD, POLICE PURSUIT CERTIFIED SEDAN, SOLID COLOR

COMPLY YES NO

		YES	NO		COMMENTS	
12.	Five standard 1284X keys per vehicle. (63V)			43B		
13.	Headlamps-projector-beam halogen	İ	1			
1	No day time running lamps.					
1	Red/White Dome lamp (cargo)					
1	Glove compartment shall be lockable.				•	
	Sun visors and arm rests on both sides.	<u> </u>			•	
1	Engine-hour meter	ĺ				
1	Dual horns.					
20.	Body side moldings, as applicable					
	Side view mirror with LED side marker					
	lamps					
22.	Dash pass-through for aftermarket wiring					
Ł	Factory installed AM-FM-CD Radio.					
24.	Tilt steering column.					
25.	Remappable switches on steering wheel.					
	(61R).					
l .	Cruise control					
	Column shifter.					
1	Power Door locks]]		
	Rear door handles inoperable. (68G)					
30.	Power Windows with one touch-up/down					
	driver and passenger side with disable					
24	feature					
	Inside hood release.		1	1		
1	Under body deflector plate					
1	Rear console plate. Noise suppression bonds					
1	Heated side view mirror.					
l .	Front license plate.		,			
	Black Unity LED spotlights mounted in the					
37.	A pillar, driver and passenger sides.					
38	Front headlight prep. (86P).					
1	Rear tail light prep. (86T).					;
	Grill light pre-wire prep. (60A).					
1	Badge delete. (16D).					
1	Cargo storage vault. (63V).					
1	Noise suppression bond. (60R)				4	
1	100 watt siren/speaker. (18X)	1		1		
	Go Rhino Push Bumper (part number					
	5340)					
46.	Vendor shall provide recommended stock					
	part list			,		
			1			

ITEM A3 – Specifications

FORD, POLICE PURSUIT CERTIFIED SEDAN, SOLID COLOR

COMPLY

YES COMMENTS Vendor shall provide information on all S/N of the vehicle to include engine, transmission, axles, chassis, etc. Warranty: 1. Manufacturer shall identify a single point warranty, and repair facility approved by the City of Long Beach within a 25-mile radius of Long Beach City Hall. 2. The Contractor offer shall the manufacturers standard warrantv protection against defects in material and workmanship for a period of 3 years from date unit is placed in service, or 36,000 miles. 3. The Contractor shall repair or replace any item(s) necessary during the such warranty period at its own cost and expense, without cost to the City 4. Warranty shall begin when the City of Long Beach places the unit in service. 5. All transportation of vehicles for warranty repairs shall be at the expense of the manufacturer unless prior agreement is approved for each instance with the City of Long Beach. Warranty Performance: 1. The contractor shall be required to provide service within one (1) working day after notification by telephone. 2. If the contractor does not acknowledge after two (2) working days, it shall be assumed as approval for the City to repair the vehicle or obtain warranty outside vendor repair facility. 3. The City shall be paid an area average hourly rate for labor inclusive transportation and parts replaced one for repairs from component one manufacturers. 4. The vehicle manufacturer shall furnish all warranty documentation to the City upon delivery. Appendix A

ITEM A3 – Specifications

FORD, POLICE PURSUIT CERTIFIED SEDAN, SOLID COLOR

COMPLY
YES NO COMMENTS

	YES	NO	COMMENTS
 5. Defective parts shall be labeled and retained by the City until parts are replaced. 6. Contractor shall take full responsibility for returning any defective parts to his supplier. 7. Outside vendor repair facility parts and labor billing to go directly to manufacturer. 	1		
Emission Rating: Vehicles shall meet the minimum emission requirements set forth by the SCAQMD and be rated at LEV, ULEV, or SULEV emission standards. (if available)	1		
Manuals/Operating Service: Successful bidder shall provide a full set of operating/service manuals (CD if available) for every major component installed in truck including cab and chassis, electrical schematics, hydraulic schematics, and a complete parts manual. All manuals and schematics shall be delivered with each unit.			Operating Manual provided with each Vehicle ONE CD / Sevice Manual provided per product Line If addition Manuals Required add \$170per cd
Acceptable Makes and Models: Ford Police Interceptor Sedan	V		

ITEM A4 - Specifications

FORD, POLICE PURSUIT CERTIFIED SEDAN, BLACK & WHITE

COMPLY YES NO COMMENTS Instructions: State comments and or exceptions in the blank spaces provided for each section regarding the vehicle or equipment offered corresponding to the FAILURE specifications set forth. COMPLETE ALL BLANK SPACES WILL OTHERWISE BE DETERMINED AS VENDOR MEETING SPECIFICATIONS MINIMUMS. General: Full size, gasoline powered, all-wheel drive, police certified, 4-door sedan. Wheelbase: Shall be at least 113 inches. **Overall Length:** Shall be 203 inches. Engine: Shall be a V-6 configuration, fuel injected, with at least 3.7L of displacement and 305 horsepower. **Transmission:** Minimum, six (6) speed automatic. Cooling: Shall be largest, heaviest duty, increased capacity system available for size of engine specified. Option code: PCD, silicone hoses and aircrafttype clamps. Suspension: Shall be heavy-duty Police option. Shock Absorbers: Heavy-duty option, front and rear. **Drive Axle Ratio:** Shall be 3.55:1 Brakes:

Front and rear power ABS disc.

ITEM A4 - Specifications

FORD, POLICE PURSUIT CERTIFIED SEDAN, BLACK & WHITE

COMPLY

YES NO COMMENTS Wheels and Tires: Five (5) steel 18" X 7" wheels with small cover hub caps, and five (5) radial ply, black wall tires, minimum size P245/55VR18-100V BSW speed (All tire and wheel assemblies to be rated balanced statically and dynamically.) Electrical: 12-volt negative ground system. Alternator: Largest factory option available. Not less than 130 amp. 750ah Battery Battery: 780 amp hr, extra heavy duty. Interior: Shall be heavy-duty cloth front buckets/ no rear seat, with power drivers' seat (Code 21A), dark Black Seats blue color. Steering: Factory Power Additional Equipment: Shall have all standard equipment as listed in factory brochure in the Police Package option. If not listed as standard equipment the following shall be furnished and installed: 1. Factory installed air conditioning. 2. Power (electric) rear view mirrors, left and right outside mirrors to be remote controlled from driver's seat. 3. Tinted glass - all windows. 4. Sun Visors and arm rests, right and left sides. 5. Keys - single locking, fleet keyed alike, Key Code 1284X, two keys per unit, all units. 6. Power port. 7. Body and side molding. 8. Heavy-duty rubber floor covering. 9. Under hood and trunk lights. 10. Rear trunk lid

ITEM A4 - Specifications

FORD, POLICE PURSUIT CERTIFIED SEDAN, BLACK & WHITE

COMPLY

	YES	NO	COMMENTS
 Inside hood and trunk release on instrument panel (Code 614). Dual horns. Electric rear window defogger. Power door locks, rear handles inoperative. Power windows; option code "PW4" driver operated. Tilt steering wheel. Windshield wipers, 2 speed with washer minimum. Left and Right spotlights, Unity only, 6" black housing windshield pillar mounted. Delete radio option. Radio interference suppression and option (Code 53M). Push bumpers, Go-Rino, Model 5036, 18" buddy bumper or approved equal. Trunk air circulation fan. Permanent rubber tie-down. Skid plates on front suspension/steering (Go-Rino). License plate bracket, front. Factory side impact air bags. 			no option code PW4 No Radio Delete option No rubber tie down option No longer available
Paint: Two tone, black and white, body shall be painted black, doors and top shall be white.	V		
Acceptable Makes and Models: Ford Interceptor Sedan	V		

ITEM A5 – Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, SOLID COLOR, AWD

COMPLY YES NO

COMMENTS

	YES	NO	COMMENTS
Instructions: State comments and or exceptions in the blank spaces provided for each section regarding the vehicle or equipment offered corresponding to the specifications set forth. FAILURE TO COMPLETE ALL BLANK SPACES WILL OTHERWISE BE DETERMINED AS VENDOR MEETING SPECIFICATIONS MINIMUMS.	*		
General: All wheel drive (AWD), 4 door, Police Interceptor Pursuit Certified, utility vehicle, in base trim.			
GVWR: Shall be at least 6,300 pounds.	V		
Wheelbase: Shall be a minimum of 112.6 inches.	V		
Overall Length: Shall be at least 197 inches.	V		
Engine: Shall be gasoline, naturally aspirated V6 type with a minimum of 3.75L displacement.	V		
Cooling: Shall be largest, heaviest duty, increased capacity system available for size of engine/transmission offered including engine oil and transmission cooler.	V		
Exhaust System: Shall be of a quiet design type with minimum backpressure restriction. Muffler shall be of an aluminized coating construction.	*		,
Transmission: Shall be an automatic, torque converter type with at least six (6) speeds forward and one (1) reverse with factory-installed cooler. (Police-Calibrated)	V		

ITEM A5 - Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, SOLID COLOR, AWD

COMPLY YES NO

COMMENTS

·	IEO	NO	COMINENTS
Transfer Case Electronically controlled 4-wheel drive.	V.		
Axles: Front: Shall have a rating of at least 3,000 pounds.	V		
Rear: Shall have a rating of at least 3,500 pounds.			
Suspension/Springs: Shall be factory pursuit rated.	V		
Stabilizer Bar/Anti-Roll: Shall be factory standard.	V		·
Shock Absorbers: Shall be factory standard.	V		
Brakes: Shall be factory standard.	V		
Frame: Shall be compatible to GVWR.	V		
Steering: Shall be factory power. Electric power –assisted steering (heavy duty)	V		
Wheels: Manufacturer shall provide five (5) 18" inch painted heavy-duty steel, with full wheel covers. Spare shall be full size.	V		
Tires: Manufacturer shall provide five (5) tubeless tires P245/55Rx18 all season tread. All wheels and tires to be statically and dynamically balanced.	V		
Electrical System: Shall be a twelve (12) volt negative ground system.	V		

ITEM A5 - Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, SOLID COLOR, AWD

COMPLY YES NO

COMMENTS

Appendix A

Alternator:	<u> </u>	T	
Factory 220 AMP heavy-duty.			
. actory 220 ram mounty daty.			
Batteries:	V		
Heavy duty, largest capacity factory option.			
Fuel Tank:			
Minimum of eighteen (18) gallons.	V		
Body (Cab):			
Shall be standard production, base level of trim			
and include at least all of the following:			
1. Front heavy-duty cloth driver's seat shall be			
bucket type, with gray cloth trim/flint inserts.			Black Interior
Drivers seat shall be 6 way power with lumbar			
support. Passenger seat shall be manual.	 	}	
2. 2 nd . row seat(s), shall be heavy-duty cloth			Black Interior
medium gray with flint inserts.			District The Control of the Control
3. Front drivers and passenger windows 55%		V	unclear percent of front tint
tint, 2 nd , and 3 rd row privacy tint.	ļ]	different of front tint
4. 1st-and 2nd –row carpeting			
5. All doors to provide automatic illumination			
when opened.			
6. Front driver and passenger doors to have			Balistic installed on only one Vehicle
ballistic protection on one of the black units.	ĺ	ĺ	all other non Ballistic
7. Integral heater and defroster shall be			
provided. Factory installed single zone manual air conditioning.			
8. Climate control Auxiliary air conditioning			
9. Windshield wipers provided shall have an	ļ. 1		
intermittent wipe feature.			
10. Inside center mirror shall have day/night			·
adjustment feature, with back up monitor.			·
11. Rear factory back up camera.			
12. Reverse sensing system			
13. Remote Keyless Entry (key fob)	i i		
14. Anti-theft alarm			
15. Headlamps-projector-beam halogen			
16. Day time running lamps			
17. Auto headlamps			
18. Red/White Dome lamp (cargo)			
19. Glove compartment shall be lockable.			
20. Sun visors and arm rests on both sides.			
21. Engine-hour meter			

ITEM A5 – Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, SOLID COLOR, AWD COMPLY YES NO COMMENTS

	YES	NO	COMMENTS	
22. Dual horns. 23. Body side moldings, as applicable 24.9" space between driver's seat and front passenger seat. 25. Side view mirror with LED side marker lamps 26. Dash pass-through for aftermarket wiring 27. Factory installed AM-FM-CD Radio 28. My Ford with 4.2" color LCD display in police instrument cluster and center stack "smart display" 29. Ford SYNC 30. Tilt steering column. 31. Cruise control 32. Column shifter. 33. Steering wheel up to 4 remappable configurations w/Sync 34. Power Door locks 35. Power Windows with one touch-up/down driver' side. 36. Inside hood release. 37. Under body deflector plate 38. Rear console plate. 39. Noise suppression bonds 40. Headed side view mirror. 41. Front license plate 42. Headlight Assembly 86P				
Paint: Shall be determined at order.	V			
Interior Color: Interior color shall be black/gray cloth.	V			
 Warranty: Manufacturer shall identify a single point warranty, and repair facility approved by the City of Long Beach within a 25-mile radius of Long Beach City Hall. The Contractor shall offer the manufacturers standard warranty protection against defects in material and workmanship for a period of 3 years from date unit is placed in service, or 36,000 miles. 	V			

ITEM A5 - Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, SOLID COLOR, AWD

COMPLY YES NO

	YES	NO	COMMENTS
 The Contractor shall repair or replace any such item(s) necessary during the warranty period at its own cost and expense, without cost to the City Warranty shall begin when the City of Long Beach places the unit in service. All transportation of vehicles for warranty repairs shall be at the expense of the manufacturer unless prior agreement is approved for each instance with the City of Long Beach. 	V		
 Warranty Performance: The contractor shall be required to provide service within one (1) working day after notification by telephone. If the contractor does not acknowledge after two (2) working days, it shall be assumed as approval for the City to repair the vehicle or obtain warranty outside vendor repair facility. The City shall be paid an area average hourly rate for labor inclusive of transportation and parts replaced one for one repairs from component manufacturers. The vehicle manufacturer shall furnish all warranty documentation to the City upon delivery. Defective parts shall be labeled and retained by the City until parts are replaced. Contractor shall take full responsibility for returning any defective parts to his supplier. Outside vendor repair facility parts and labor billing to go directly to manufacturer. 			
Emission Rating: Vehicles shall meet the minimum emission requirements set forth by the SCAQMD and be rated at LEV, ULEV, or SULEV emission standards. (if available)	V		Operating Manual provided
Manuals/Operating Service: Successful bidder shall provide a full set of operating/service manuals (CD if available) for every major component installed in truck	V	•	with each Vehicle ONE CD / Sevice Manual provided per product Line If addition Manuals Required add \$170per cd Appendix A

ITEM A5 - Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, SOLID COLOR, AWD

COMPLY YES NO

ES	NO	COMMENT

	i LO	NO	COMMILIAIS
including cab and chassis, electrical schematics, hydraulic schematics, and a complete parts manual. All manuals and schematics shall be delivered with each unit.	V		·
Acceptable Makes and Models: Ford Utility Police Interceptor	V		

ITEM A6 – Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, BLACK AND WHITE, AWD

COMPLY YES NO COMMENTS Instructions: State comments and or exceptions in the blank spaces provided for each section regarding the vehicle or equipment offered corresponding to the specifications set forth. FAILURE TO COMPLETE ALL BLANK SPACES WILL **OTHERWISE** DETERMINED AS VENDOR MEETING SPECIFICATIONS MINIMUMS. General: All-wheel drive (AWD), 4 door, Police Interceptor Pursuit Certified, utility vehicles, in base trim. **GVWR:** Shall be at least 6,300 pounds. Wheelbase: Shall be a minimum of 112.6 inches. Overall Length: Shall be at least 197 inches. Engine: Gasoline, V6 type with a minimum of 3.7L normally aspirated. Gasoline, V6 type with a minimum of 3.5L ECO-boost turbo aspirated. Cooling: Shall be largest, heaviest duty, increased system available for size capacity engine/transmission offered including engine oil and transmission cooler. **Exhaust System:** Shall be of a quiet design type with minimum backpressure restriction. Muffler shall be of an aluminized coating construction. Transmission: Shall be an automatic, torque converter type

with at least six (6) speeds forward and one (1)

ITEM A6 - Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, BLACK AND WHITE, AWD

COMPLY YES NO

COMMENTS

	YES	NO	COMMENTS
reverse with factory-installed cooler. (Police-Calibrated)	V		
<u>Transfer Case</u> Electronically controlled 4-wheel drive.	V		
Axles: Front: Shall have a rating of at least 3,000 pounds. Rear: Shall have a rating of at least 3,500 pounds.	V	100	
Suspension/Springs: Shall be factory pursuit rated.	V		
Stabilizer Bar/Anti-Roll: Shall be factory standard.	V		
Shock Absorbers: Shall be factory standard.	V		
Brakes: Shall be factory standard.	W		
Frame: Shall be compatible to GVWR.	V		
Steering: Shall be factory power. Electric power – assisted steering (heavy duty)	V		
Wheels: Manufacturer shall provide five (5) 18" inch painted heavy-duty steel. Spare shall be full size.		THE WORLD	
Tires: Manufacturer shall provide five (5) tubeless tires P245/55Rx18 all season tread. All wheels and tires to be statically and dynamically balanced.	V	The state of the s	

ITEM A6 – Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, BLACK AND WHITE, AWD

COMPLY YES NO

COMMENTS

		110	
Electrical System: Shall be a twelve (12) volt negative ground system.			
Alternator: Factory 220 AMP heavy-duty.	W.		
Batteries: Heavy duty, largest capacity factory option.			
Fuel Tank: Minimum of eighteen (18) gallons.	V		
Body (Cab):			
Shall be standard production, base level of trim and include at least all of the following:			
1. Front heavy-duty cloth driver's seat shall be			Black Cloth
bucket type, with gray cloth trim. Driver's seat shall be 6-way power with lumbar			
support. Passenger seat shall be manual.		, and a second	
2. 2 nd row seat(s), shall be heavy-duty vinyl, medium gray.			Black Cloth
3. Front drivers and passenger and 2 nd row			
windows solar tint, and 3 rd row and rear window privacy tint.			
4. 1st and 2nd row floor vinyl material.		V	
5. Dark car feature (43D).			
6. Integral heater and defroster shall be provided. Factory installed single zone	1		
manual air conditioning.			
7. Climate control Auxiliary air conditioning 8. Ballistic panels in front driver and			
passenger doors.9. Windshield wipers provided shall have an intermittent wipe feature.			
10. Inside center mirror shall have day/night			
adjustment feature, with back up monitor. (87R)			
11. Rear factory back up camera.			
12. Reverse sensing system 13. Five standard 1284X keys per vehicle.			
(63V)			
14. Headlamps-projector-beam halogen			
15. No day time running lamps.	<u> </u>		Appendix A

ITEM A6 - Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, BLACK AND WHITE, AWD

	COMP YES	LY NO	COMMENTS
16. Red/White Dome lamp (cargo)			
17. Glove compartment shall be lockable.			
18. Sun visors and arm rests on both sides.			·
19. Engine-hour meter		İ	
20. Dual horns.		ļ	
21. Body side moldings, as applicable			·
22.9" space between driver's seat and front			
passenger seat.			
23. Side view mirror with LED side marker			
lamps			
24. Dash pass-through for aftermarket wiring			
25. Factory installed AM-FM-CD Radio.			
26. HAVIS Intergraded Control System # CS-B-			
F02-101 Installed in the instrument center console stack.			
27. Tilt steering column.			
28. Remappable switches on steering wheel.			
(61R).			
29. Cruise control			
30. Column shifter.			
31. Power Door locks			
32. Rear door handles inoperable. (68G)			
33. Power Windows with one touch-up/down	V		·
driver and passenger side with disable			·
feature			
34. Inside hood release.			
35. Under body deflector plate			
36. Rear console plate.			
37. Noise suppression bonds			·
38. Heated side view mirror.			
39. Front license plate.			
40. Black Unity LED spotlights mounted in the			
A pillar, driver and passenger sides. 41. Front headlight prep. (86P).			
42. Rear tail light prep. (86T).			
43. Grill light pre-wire prep. (60A).			·
44. Badge delete. (16D).			
45. Cargo storage vault. (63V).			
46. Noise suppression bond. (60R)			
47.100-watt siren/speaker. (18X)		ļ	
48. Go Rhino Push Bumper (part number 5340)			
49 Vendor shall provide recommended stock			
part list	<u> </u>		

ITEM A6 - Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, BLACK AND WHITE, AWD

COMPLY

YES **COMMENTS** 50. Vendor shall provide information on all S/N of the vehicle to include, engine, transmission, axles, chassis, etc. Paint: Black with white side doors up to beltline, A, B, and C pillars are to be black. White inner roof panel. (91A). Interior Color: Interior color shall be black/gray cloth. Warranty: 1. Manufacturer shall identify a single point warranty, and repair facility approved by the City of Long Beach within a 25-mile radius of Long Beach City Hall. 2. The Contractor shall offer the manufacturers standard warrantv protection against defects in material and workmanship for a period of 3 years from date unit is placed in service, or 36,000 miles. 3. The Contractor shall repair or replace any such item(s) necessary during the warranty period at its own cost and expense, without cost to the City. 4. Warranty shall begin when the City of Long Beach places the unit in service. 5. All transportation of vehicles for warranty repairs shall be at the expense of the manufacturer unless prior agreement is approved for each instance with the City of Long Beach. **Warranty Performance:** 1. The contractor shall be required to provide service within one (1) working day after notification by telephone. 2. If the contractor does not acknowledge after two (2) working days, it shall be assumed as approval for the City to repair the vehicle or obtain warranty outside vendor repair facility.

Appendix A

ITEM A6 - Specifications

FORD, POLICE PURSUIT CERTIFIED SUV, BLACK AND WHITE, AWD

COMPLY YES NO

COMMENTS

	ILO	NO	COMMENTS
 The City shall be paid an area average hourly rate for labor inclusive of transportation and parts replaced one for one repairs from component manufacturers. The vehicle manufacturer shall furnish all warranty documentation to the City upon delivery. Defective parts shall be labeled and retained by the City until parts are replaced. Contractor shall take full responsibility for returning any defective parts to his supplier. Outside vendor repair facility parts and labor billing to go directly to manufacturer. 			
Emission Rating: Vehicles shall meet the minimum emission requirements set forth by the SCAQMD and be rated at LEV, ULEV, or SULEV emission standards. (if available)	*		
Manuals/Operating Service: Successful bidder shall provide a full set of operating/service manuals (CD if available) for every major component installed in truck including cab and chassis, electrical schematics, hydraulic schematics, and a complete parts manual. All manuals and schematics shall be delivered with each unit.			Operating Manual provided with each Vehicle ONE CD / Sevice Manual provided per product Line If addition Manuals Required add \$170per cd
Acceptable Makes and Models: Ford Utility Police Interceptor Utility	V		

	·	:		·
THIS PAGE INTEN	TIONALLY LEFT E	BLANK	÷	

ATTACHMENT A

Debarment, Suspension, Ineligibility and Voluntary Exclusion Certification

Debarment, Suspension, Ineligibility and Voluntary Exclusion Certification

Please read Acceptance of Certification and Instructions for Certification before completing

As a current or potential vendor for the City of Long Beach (City) your firm, through its business relationship with the City, may be the recipient of federal grant funds. As such, the City is required to document that neither your business entity or organization, nor any of your principals are debarred, suspended, ineligible, or have voluntarily been excluded from receiving federal grant funds. Consistent with Executive Order No. 12549 Title 2 CFR Part 18 Subpart C, all potential recipients of federal grant funds are required to comply with the requirements specified below. By submission of proposal/bid/agreement, the undersigned, under penalty of perjury, certifies that the participant, nor any of its principals in the capacity of owner, director, partner, officer, manager, or other person with substantial influence in the development or outcome of a covered transaction, whether or not employed by the participant:

- Are not currently under suspension, debarment, voluntary exclusion, or determination of ineligibility by any Federal department or agency;
- Have not, within a three (3) year period preceding this bid/agreement/proposal, been suspended, debarred, voluntarily excluded or declared ineligible by a federal agency;
- Do not presently have a proposed debarment proceeding pending;
- Have not, within a three (3) year period preceding this bid/agreement/proposal, been indicted
 or convicted, or had a civil judgment rendered against it by a court of competent jurisdiction
 in any matter involving fraud or official misconduct;
- Have not, within a three (3) year period preceding this bid/agreement/proposal, had one or more public transactions (Federal, State, or local) terminated for cause or default.

If reorganization, management turnover, or a shift or change of principals' status occurs, written notice must be submitted within 21 days. Subsequent disclosure of unfavorable information will be subject to thorough review and remedial action. Updated versions of this certification may be requested on a routine basis.

Where the potential prospective recipient of Federal assistance funds is unable to certify to any of the statement in this certification, such prospective participant shall attach an explanation to the applicable bid/agreement/proposal.

Business/Contractor/Agency		
Greg Place	Gov Sales	
Name of Authorized Representative	Title of Authorized Representative	
	10-25-16	
Signature of Authorized Representative	Date	

Acceptance of Certification

- This bid/agreement/proposal or like document has the potential to be a recipient of Federal funds.
 In order to be in compliance with Code of Federal Regulations, the City requires this completed
 form. By signing and submitting this document, the prospective bidder/proposer is providing the
 certification and acknowledgement as follows:
- 2. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549.
- 3. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective recipient of Federal assistance funds knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.
- 4. The potential recipient of Federal assistance funds agrees by submitting this bid/agreement/proposal or like document that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.

Instructions for completing the form, Attachment – Debarment Certification

- 1. The City of Long Beach sometimes receives Federal funding on certain purchases/projects. To ensure that the City is in compliance with Federal regulations we require this form to be completed.
- The City of Long Beach checks the <u>System for Award Management</u> at <u>www.sam.gov</u> to make sure that Contractors who are awarded City contracts and/or purchase orders are not debarred or suspended. Prospective contractors should perform a search on this website for your company and or persons associated with your business.
- 3. If your business is in compliance with the conditions in the form, please have the appropriate person complete and sign this form and return with your bid/proposal/agreement.
- 4. If at any time, your business or persons associated with your business become debarred or suspended, we require that you inform us of this change in status.
- 5. If there are any exceptions to the certification, please include an attachment. Exceptions will not necessarily result in denial of award, but will be considered in determining bidder responsibility. For any exception, indicate to whom it applies, initiating agency and dates of action.
- 6. Note: Providing false information may result in criminal prosecution or administrative sanctions.

If you have any questions on how to complete this form, please contact the Purchasing Division in the City of Long Beach Business Relations Bureau at 562-57-6200

ATTACHMENT B

REFERENCE LIST

REMOVED

ATTACHMENT C

W-9 Request for Taxpayer Identification Number and Certification

Form-Fillable PDF available at http://www.irs.gov/pub/irs-pdf/fw9.pdf

(Rev. December 2014) Department of the Treasury

Request for Taxpayer **Identification Number and Certification**

Give Form to the requester. Do not send to the IRS.

Gen	eral Instructions • Form 1098 (home more that tion)	rtgage int	terest), 1098	3-E (studei	nt Ioan in	terest), 1098	8-T
Sign Here	Signature of U.S. person ▶ Da	ite ►	11-26-	16				
becau interes genera instruc	ication instructions. You must cross out item 2 above if you have been notified by the IRS the se you have failed to report all interest and dividends on your tax return. For real estate transations acquisition or abandonment of secured property, cancellation of debt, contributions to ally, payments other than interest and dividends, you are not required to sign the certification, octions on page 3.	actions, o an indi	item 2 doe ividual reti	es not ap rement a	pły. For rrangen	mort ent (i	gage IRA),	and
	FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting	_				_		
	m a U.S. citizen or other U.S. person (defined below); and							
Se no	n not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) rvice (IRS) that I am subject to backup withholding as a result of a failure to report all interest of longer subject to backup withholding; and) I have or divide	not been r ends, or (c)	notified b) the IRS	y the In has not	ternal ified r	Reve	enue at I am
	e number shown on this form is my correct taxpayer identification number (or I am waiting for				**			
	penalties of perjury, I certify that:							
Par				<u> </u>				
guidel	If the account is in more than one name, see the instructions for line 1 and the chart on page ines on whose number to enter.	4 for		Identifica			I I	
entitie TIN or	nt alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other s, it is your employer identification number (EIN). If you do not have a number, see <i>How to get</i> a page 3.	1	or Employer	- L	tion num	- L		
backu	p withholding. For individuals, this is generally your social security number (SSN). However, for				<u> </u>		T	T
Par	Taxpayer Identification Number (TIN) your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avo	oid	Social sec	curity num	ber			,
240	The state of the s							
	7 List account number(s) here (optional)							
See	Long Beach CA 90807							
Э	6 City, state, and ZIP code							
)ec	3500 Cherry Ave	,		,		•		
Fific	5 Address (number, street, and apt. or suite no.)	Request	ter's name a				(
Print or type Specific Instructions on	Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the tax classification of the single-member owner. ☐ Other (see instructions) ▶	the line a	above for	Exemption code (if a (Applies to a	any)	•	`	
typ	Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partners)			Exempt p	•			din a
e ns on pa	3 Check appropriate box for federal tax classification; check only one of the following seven boxes: Individual/sole proprietor or X C Corporation S Corporation Partnership single-member LLC	Tru	st/estate	4 Exemp certain er instruction	ntities,`n ons on pa	ot indi: ige 3):	vidúal	
page 2.	2 Business name/disregarded entity name, if different from above Caruso Ford							
	1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank. Long Beach Lincoln Mercury Inc							
IIILEITIAI	Hevenue Service							

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/fw9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- . Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- · Form 1099-K (merchant card and third party network transactions)

- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding? on page 2.

By signing the filled-out form, you:

- 1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
 - 2. Certify that you are not subject to backup withholding, or
- 3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
- 4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See What is FATCA reporting? on page 2 for further information.

ATTACHMENT D

EQUAL BENEFITS ORDINANCE (EBO) FORM

EQUAL BENEFITS ORDINANCE DISCLOSURE FORM

As a condition of being awarded a contract with the City of Long Beach ("City"), the selected Contractor/Vendor ("Contractor") may be required during the performance of the Contract, to comply with the City's nondiscrimination provisions of the Equal Benefits Ordinance ("EBO") set forth in the Long Beach Municipal Code section 2.73 et seq. The EBO requires that during the performance of the contract, the Contractor shall provide equal benefits to its employees with spouses and employees with domestic partners. Benefits include but are not limited to, health benefits, bereavement leave, family medical leave, member ship and membership discounts, moving expenses, retirement benefits and travel benefits. A cash equivalent payment is permitted if an employer has made all reasonable efforts to provide domestic partners with access to benefits but is unable to do so. A situation in which a cash equivalent payment might be used if where the employer has difficulty finding an insurance provider that is willing to provide domestic partner benefits.

The EBO is applicable to the following employers:

- For-profit employers that have a contract with the City for the purchase of goods, services, public works or improvements and other construction projects in the amount of \$100,000 or more
- For-profit entities that generate \$350,000 or more in annual gross receipts leasing City property pursuant to a written agreement for a term exceeding 29 days in any calendar year

Contractors who are subject to the EBO must certify to the City before execution of the contract that they are in compliance with the EBO by completing the EBO Certification Form, attached, or that they have been issued a waiver by the City. Contractors must also allow authorized City representatives access to records so the City can verify compliance with the EBO.

The EBO includes provisions that address difficulties associated with implementing procedures to comply with the EBO. Contractors can delay implementation of procedures to comply with the EBO in the following circumstances

- 1) By the first effective date after the first open enrollment process following the contract start date, not to exceed two years, if the Contractor/vendor submits evidence of taking reasonable measures to comply with the EBO; or
- 2) At such time that the administrative steps can be taken to incorporate nondiscrimination in benefits in the Contractor/vendor's infrastructure, not to exceed three months: or
- 3) Upon expiration of the contractor's current collective bargaining agreement(s).

Compliance with the EBO

If a contractor has not received a waiver from complying with the EBO and the timeframe within which it can delay implementation has expired but it has failed to comply with the EBO, the

Contractor may be deemed to be in material breach of the Contract. In the event of a material breach, the City may cancel, terminate or suspend the City agreement, in whole or in part. The City also may deem the Contractor an irresponsible bidder and disqualify the Contractor from contracting with the City for a period of three years. In addition, the City may assess liquidated damages against the Contractor which may be deducted from money otherwise due the Contractor. The City may also pursue any other remedies available at law or in equity.

By my signature below, I acknowledge that the Contractor understands that to the extent it is subject to the provisions of the Long Beach Municipal Code section 2.73, the Contractor shall comply with this provision.

Printed Name: Greg F	lace	Title: ^{Gov_Sales}	
Signature:	9	Date: 10-25-16	
Business Entity Name:_	Caruso Ford		

CERTIFICATION OF COMPLIANCE WITH THE EQUAL BENEFITS ORDINANCE

Section 1. CONTRACTOR/VENDOR INFORMATION

	Caruso Ford	Federal Tax ID No
Address:	3500 Cherry Ave, Long Beach, CA	90807
City: Lo		State: CA ZIP: 90807
Contact F	erson: Greg Place	Telephone: 714-655-4992
Email: _f	ordbids@gmail.com	_Fax:
Section 2	. COMPLIANCE QUESTIONS	
A.	The EBO is inapplicable to this employeesYesNo	Contract because the Contractor/Vendor has no
B.	Does your company provide (or employee benefits? Yes	make available at the employees' expense) any No If "no," proceed to section 5, as the EBO does not
	(If "yes," proceed to Question C. apply to you.)	If "no," proceed to section 5, as the EBO does not
C.	Does your company provide (or benefits to the spouse of an employeesNo	make available at the employees' expense) any oyee?
D.	Does your company provide (or benefits to the domestic partner or	
	section 5, as the EBO is not app	swered "no" to both questions C and D, proceed to blicable to this contract. If you answered "yes" to continue to Question E. If you answered "yes" to D, please continue to section 3.)
E.	Are the benefits that are availab	le to the spouse of an employee identical to the e domestic partner of an employee? Yes
		as you are in compliance with the EBO. If "no,"
Section 3	PROVISIONAL COMPLIANCE	
Α.	Contractor/vendor is not in compollowing date:	oliance with the EBO now but will comply by the
	contract start date, not to exce	after the first open enrollment process following the eed two years, if the Contractor/vendor submits easures to comply with the EBO; or
		administrative steps can be taken to incorporate e Contractor/vendor's infrastructure, not to exceed

	Upon agreement(s).	expiration	of t	the	contractor's	current	collective	bargaining
B.	If you have taken do so, do you a equivalent is the unavailable for do Yes N	gree to pro amount of r omestic part	vide noney	emp y you	loyees with a	a cash e	quivalent?	(The cash
Section 4	. REQUIRED DO	CUMENTA	ΓΙΟΝ					
provide d	f issuance of purc ocumentation (co provider stateme	py of emplo	yee	hand	lbook, eligibi	lity stater	ment from	your plans,
Section 5	. <u>CERTIFICATIO</u>	<u>N</u>						
true and certification	under penalty of p correct and that I on, I further agree that are set forth se order with the C	am author to comply in the Long	ized t with	to bi all	nd this entity additional ob	contract	ually. By a	signing this al Benefits
Executed	this 25 day of _	Oct .	, 20	<u>) 16,</u> ;	at Long Beach	<u>1</u> ,	CA	
Name Ca	ruso Ford / Greg	Place	Sign	ature	e			\
Title Gov	Sales		Fede	eral 7	ax ID No.			

<u>ATTACHMENT E</u>


INSURANCE REQUIREMENT



INSURANCE REQUIREMENTS

Contractor shall submit proof of insurability from an insurance company with an: 8 rating {as specified in City AR 8-27} from AM Best Company with bid. Successful bidder shall be required to submit proof of insurance if award is made and notice given by the City. Failure to submit this proof within ten (10) calendar days after notice of award may disqualify the bid.

- Successful bidder shall obtain and maintain at its expense until completion of performance and acceptance by the City, from an insurer:
 - Admitted (Licensed) in the State of California with a current financial responsibility rating of an Excellent or better and a current financial size category (FSC) of V (Capital Surplus and Conditional Surplus Funds of greater than \$10 million) or greater rating as reported by AM Best Company or equivalent, unless waived in writing by the City's Risk Manager, or
 - Non-admitted in the State of California with a current financial responsibility rating of an Excellent or better and a current financial size category (FSC) of VIII (Capital Surplus Funds or greater than \$100 million) or greater rating as reported by AM Best Company or equivalent, unless waived in writing by City's Risk Manager.
 - Comprehensive General Liability naming City, its Officials, Employees, and Agents as additional insureds for injury to or death of persons or damage to or loss of property arising from or connected to vendor's performance here-under \$1,000,000 combined single limit for each occurrence and \$2,000,000 General Aggregate.
 - Automobile Liability: \$500,000 combined single limit per accident for bodily injury and property damage covering owned, non-owned and hired vehicles.
 - Worker's Compensation: As required by California Labor Code.
- Self-insurance of self-insured retention much be approved in writing by City and protect City in same manner and extent as if policies had not contained retention. Each policy must be endorsed to state that coverage shall not be cancelled by either party of reduced in coverage except after 30 days prior written notice to City. Vendor must furnish to City before performance certificates of insurance and original endorsements, with the original signature of one authorized by the insurer to bind coverage on its behalf, for approval as to sufficiency and form. This insurance shall not be deemed to limit vendor's liability hereunder.
- Contractor shall maintain at its expense, until completion of performance and acceptance by City, from an insurer:



- o Admitted (licensed) in the State of California with a current financial responsibility rating of A (Excellent) or better and a current financial size category (FSC) of V (capital surplus and conditional surplus funds of greater than \$10 million) or greater rating as reported by A.M. Best Company or equivalent, unless waived in writing by City's Risk Manager, or
- O Non-admitted in the State of California with a current financial responsibility rating of A (Excellent) or better and a current financial size category (FSC) of VIII (capital surplus and conditional surplus funds of greater than \$100 million) or greater rating as reported by A.M. Best Company or equivalent, unless waived in writing by the City's Risk Manager.
- All coverages for Subcontractors shall be subject to the requirements stated herein and shall be maintained at no expense to the City.
- Contractor shall furnish the City with certificates of insurance and original endorsements providing coverage as required above. The certificates and endorsements for each insurance policy are to be signed by a person authorized by that insurer to bind coverage on its behalf.
- Before any of Contractor's or Subcontractor's employees shall do any work on the City's property, Contractor shall furnish the City with the required certificates evidencing that such insurance is being maintained. Such certificates shall specify the date when such insurance expires. Such insurance shall be maintained until after the Work under the Contract has been completed and accepted.
- Such insurance as required herein or in any other documents to be considered a part hereof shall not be deemed to limit Contractor's liability under this Contract.
- Contractor shall defend, indemnify and hold harmless the City, its officials and employees from and against any and all liability for claims for bodily injury and property damage arising out of negligent acts, omissions or errors of any employee of Contractor at the Site.
- Contractor shall list the name and location of the place of business of each Subcontractor who
 will perform work, labor or services for Contractor, or who specially fabricates and installs a
 portion of the Work or improvement in an amount in excess of one-half of one percent of
 Contractor's total contract cost. The Subcontractor list shall be submitted with Contractor's Bid.


By submitting a signature below, Bidder agrees that insurance requirements can be provided as requested.

Printed Name:	Greg Place	Title:	Gov Sales	
Signature:		Date:	10-25-16	
	/			

ATTACHMENT F

SECRETARY OF STATE CERTIFICATION PRINTOUT

http://kepler.sos.ca.gov/



Please include a printout from this website with your bid. Individual and Sole Proprietor businesses are exempt. Secretary of State Main Website

Business Programs

Notary & Authentications Elections

Campaign & Lobbying

Business Entities (BE)

Online Services

- E-File Statements of Information for Corporations
- Business Search
- Processina Times
- Disclosure Search

Main Page

Service Options

Name Availability

Forms, Samples & Fees

Statements of Information (annual/biennial reports)

Filing Tips

Information Requests

(certificates, copies & status reports)

Service of Process

FAQs

Contact Information

Resources

- Business Resources
- Tax Information
- Starting A Business

Customer Alerts

- Business Identity Theft
- Misleading Business Solicitations

Business Entity Detail

Data is updated to the California Business Search on Wednesday and Saturday mornings. Results reflect work processed through Tuesday, October 25, 2016. Please refer to Processing Times for the received dates of filings currently being processed. The data provided is not a complete or certified record of an entity.

Entity Name:

LONG BEACH LINCOLN MERCURY, INC.

Entity Number:

C1807761

Date Filed:

04/21/1992

Status:

ACTIVE

Jurisdiction:

DELAWARE

Entity Address:

3500 CHERRY AVE

Entity City, State, Zip:

LONG BEACH CA 90807

Agent for Service of Process: DAVID LISTON

Agent Address:

101 THE GROVE DR

Agent City, State, Zip:

LOS ANGELES CA 90036

- If the status of the corporation is "Surrender," the agent for service of process is automatically revoked. Please refer to California Corporations Code section 2114 for information relating to service upon corporations that have surrendered.
- · For information on checking or reserving a name, refer to Name Availability.
- For information on ordering certificates, copies of documents and/or status reports or to request a more extensive search, refer to Information Requests.
- For help with searching an entity name, refer to Search Tips.
- For descriptions of the various fields and status types, refer to Field Descriptions and Status Definitions.

Modify Search New Search Printer Friendly Back to Search Results

Privacy Statement | Free Document Readers

^{*} Indicates the information is not contained in the California Secretary of State's database.



City of Long Beach

Department of Financial Management Purchasing Division 333 W Ocean Blvd. 7th floor, Long Beach, California 90802 p 562.570.6200

September 19, 2016

NOTICE TO BIDDERS

ADDENDUM NO. 1 Q & A

ITB FS 16-126 Multi-Year Vehicle Purchase

This addendum changes and supersedes the language in the original Invitation to Bid. Please acknowledge receipt of this addendum by signing and submitting with your bid. Any bidder who fails to submit this addendum may be disqualified.

The City of Long Beach conducted a Non-Mandatory Pre-Bid Meeting on September 7, 2016. From that meeting there have been revisions made to the bid.

Please note the following changes and/or additional information:

- Replace page 22 and 23 of the bid document with the attached revised page 22 and 23.
- Item O 2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV shall be deleted from the ITB.
- The estimated quantities for Items A5 & A6 has changed.
- The Ballistic Door Panels for **Items A5 & A6** Ford Utility Police Interceptor shall be Level III Option code 90E.
- Where a back-up camera and monitor are requested, the monitor is to be contained in the interior rear view mirror or other factory offered location. Camera is to be mounted on the rear body. No license plate mount.
- Vendor shall supply a total of 5 (five) keys for each different type of lock.

The questions and answers are as follows:

1. Q: On the subject bid, are we allowed to bid GM equivalent for all the units that specify Ford or Toyota? Also, where you call for Chevrolet Colorado, we would like to bid the identical GMC Canyon.

A: The City will accept the GMC Canyon as an alternative to the Chevrolet Colorado. All other requests shall remain as they are.

- 2. Q: For ITEMS SS, TT, UU, VV, WW, and XX will the City of Long Beach accept a Royal Truck Body in lieu of a Pacific Truck Body?
 - a. We have over 45 years of expertise building utility truck beds
 - b. Royal has more CNG utility bodies than any other body builders in the country (We've built over 500 units for Sempra Energy utilities (SoCalGas and San Diego Gas & Electric), Culver City, City of Hermosa Beach, City of Santa Monica, City of Lakewood, and many more fleets)

A: The City will also accept bids with a Royal body. Pacific Truck Body must be bid on all specs; however, Royal body can also be bid as an option. Vendor shall provide body vendor names and pricing separate from truck chassis pricing. Additional line items have been added to Items SS, TT, UU, VV, WW, and XX on PlanetBids. The City may award to low bid for each body at their discretion.

- 3. Q: For ITEMS SS, TT, and UU will the City of Long Beach accept.
 - a. Curbside & Street Side Number 1 compartment of 32"
 - b. Curbside & Street Side Number 2 (over wheel well) compartment of 42"
 - c. Curbside & Street Side Number 3 compartment of 24"
 - d. All compartments are 15" deep
 - e. Ignition code-able locks (keyed the same as the trucks ignition key)
 - A: These dimensions are acceptable.
- 4. Q: For item VV, will the City of Long Beach accept
 - a. Curbside & Street Side Number 1 compartment of 32"
 - b. Curbside & Street Side Number 2 compartment of 24"
 - c. Curbside & Street Side Number 3 (over wheel well) compartment of 52"
 - d. Curbside & Street Side Number 4 compartment of 24"
 - e. Total width of 93"
 - f. All compartments are 22" deep
 - g. Ignition code-able locks (keyed the same as the trucks ignition key)

A: The overall length shall not exceed 132", and the height shall be 40", all other dimensions are acceptable.

- 5. Q: For items WW & XX will the City of Long Beach accept
 - a. Curbside & Street Side Number 1 compartment of 32"
 - b. Curbside & Street Side Number 2 (over wheel well) compartment of 52"
 - c. Curbside & Street Side Number 3 compartment of 24"
 - d. Total width of 93"
 - e. All compartments are 22" deep
 - f. Ignition code-able locks (keyed the same as the trucks ignition key)
 - A: These dimensions are acceptable.
- 6. Q: Can CNG conversion be done by a non-Qualified Vehicle Modifier?
 - A: No, installation and conversion must be done by Qualified Vehicle Modifier (QVM).

ITB FS 16-126 Addendum No. 1

- 7. Q: Item B Specifications calls for a 4-door Compact Sedan, Gasoline Engine. On the pricing sheet line item B is calls for a CNG Sedan. Please let us know which is correct.
 - A: Please price for a gasoline powered engine.
- 8. Can you have end user clarify whether they want the vans/wagons to come with either a **sliding side door or a hinged side door**. The door difference makes an impact on the total cost of the vehicles.

A: Item Q shall have a sliding side door. All other van specifications are listed.

PREPARED BY:	Sokunthea Kol, Buyer I		
ACKNOWLEDGED BY:	Caruso Ford	20000000	
	Company Name		
	Gregory Place	Dir Gov Sales	
	Print Name	Title	
		10-26-16	
	Signature /	Date	

SPECIFICATIONS

Product Availability:

The City of Long Beach understands that there is no current pricing for the CNG conversion products for the F-250, F-350, and F-450 Ford trucks. Cost of vehicles shall include engine prep packages and all other specification items, and the City will obtain the CNG conversion prices separately as they become available.

Summary of Bid Items & Estimated Quantities:

It is understood by the Vendor that the quantities given are estimates and that the City of Long Beach may purchase an amount above or below the estimate given according to the requirements and needs of the City. The amount of the orders may vary. Orders will be placed on an as-needed basis. The City does not guarantee that it will place a minimum quantity or dollar amount of orders.

ITEM	VEHICLE TYPE	Estimated	Estimated
		Quantity	Quantity
	4 DOOD COMPACT LIVERID OF DAN	(2017)	(2018)
Α	4 DOOR COMPACT HYBRID SEDAN	5	5
<u> </u>	4 DOOR COMPACT CNG SEDAN		5
В		5	
С	4 DOOR COMPACT PLUG IN HYBRID SEDAN	5	5
D	4 DOOR MID SIZE HYBRID SEDAN	5	5
E	4 DOOR MID SIZE PLUG IN HYBRID SEDAN	5	5
F	FORD MINI CARGO VAN	5	5
G	CHEVY COLORADO, 2WD COMPACT EXTENDED CAB PICK UP	5	5
Н	CHEVY COLORADO, 4WD COMPACT EXTENDED CAB PICK UP	5	5
	CHEVY COLORADO, 2WD COMPACT CREW CAB SHORT BED PICK UP	5	5
J	CHEVY COLORADO, 4WD COMPACT CREW CAB SHORT BED PICK UP	5	5
K	CHEVY COLORADO, 2WD CREW CAB LONG BED PICK UP	5	10
L	CHEVY COLORADO, 4WD CREW CAB LONG BED CAB-PICK UP	5	5
М	FORD ESCAPE, 2WD COMPACT 4 DOOR SUV	5	5
N	FORD ESCAPE, 4WD COMPACT 4 DOOR SUV	5	5
0	2WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV	5	10
Р	4WD MID SIZE 4 DOOR TOYOTA RAV4 HYBRID SUV	5	5
Q	½ TON CARGO VAN CNG	5	5
R	1/2 TON PASSENGER VAN - 10 PASSENGER CNG	5	5
S	3/4 TON CARGO VAN CNG	5	5
T	3/4 TON PASSENGER VAN CNG	5	2
Ų	1 TON CARGO VAN CNG	5	5
V	FORD 1 TON PASSENGER VAN – 10 PASSENGER	5	5
W	1 TON PASSENGER VAN – 10 PASSENGER CNG	5	5
X	1/2 TON 2WD FORD REGULAR CAB, LONG BED PICK UP	5	5
	GASOLINE		
Υ	1/2 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG	5	25
Z	1/2 TON 2WD FORD EXTENDED CAB, SHORT BED PICK UP CNG	5	5

BID NUMBER ITB FS 16-126

SPECIFICATIONS

AA	1/2 TON 2WD FORD EXTENDED CAB, SHORT BED PICK UP	5	5
BB	GASOLINE 1/2 TON 2WD FORD CREW CAB PICK UP CNG	5	5
CC	1/2 TON 2WD FORD CREW CAB PICK UP GASOLINE	5	5
DD	1/2 TON 4WD, FORD 4 DOOR, SHORT BED PICK UP CNG	5	5
EE	½ TON 4WD, FORD 4 DOOR, LONG BED PICK UP CNG	5	5
FF	34 TON 2WD, FORD REGULAR CAB, LONG BED, PICK UP CNG	5	5
GG	3/4 TON 2WD, FORD EXTENDED CAB, SHORT BED, PICK UP	5	5
	CNG		
HH	3/4 TON 2WD, FORD CREW CAB, LONG BED, PICK UP CNG	5	5
H	3/4 TON 4WD, FORD REGULAR CAB, LONG BED, PICK UP CNG	5	5
JJ	34 TON 4WD, FORD EXTENDED CAB, SHORT BED, PICK UP CNG	5	5
KK	3/4 TON 4WD, FORD CREW CAB, LONG BED, PICK UP CNG	5	5
LL	1 TON 2WD FORD REGULAR CAB, SHORT BED PICK UP CNG	5	5
MM	1 TON 2WD FORD REGULAR CAB, LONG BED PICK UP CNG	5	5
NN	1 TON 2WD FORD EXTENDED CAB, SHORT BED PICK UP CNG	5	5
00	1 TON 4WD FORD REGULAR CAB, LONG BED PICK UP CNG	5	5
PP	1 TON 4WD FORD EXTENDED CAB, SHORT BED PICK UP CNG	5	5
QQ	1 TON 4WD FORD CREW CAB, SHORT BED PICK UP CNG	5	5
RR	1 TON 4WD FORD CREW CAB, LONG BED PICK UP CNG	5	5
SS	3/4 TON FORD REGULAR CAB SERVICE BED TRUCK CNG	10	10
TT	3/4 TON FORD EXTENDED CAB SERVICE BED TRUCK CNG	5	5
UU	3/4 TON FORD CREW CAB SERVICE BED TRUCK CNG	5	5
VV	1 TON FORD REGULAR CAB SERVICE BED TRUCK CNG	2	3
WW	1 TON FORD EXTENDED CAB SERVICE BED TRUCK CNG	5	5
XX	1 TON FORD CREW CAB SERVICE BED TRUCK CNG	5	5
YY	2WD, LARGE SUV	5	5
ZZ	4WD, LARGE, SUV	5	5
A1	2WD, EXTRA LARGE, SUV	5	5
A2	4WD, EXTRA LARGE, SUV	5	5
A3	FORD, POLICE PURSUIT CERTIFIED SEDAN, SOLID COLOR	5	5
A4	FORD, POLICE PURSUIT CERTIFIED SEDAN, BLACK & WHITE	5	5
A5	FORD, POLICE PURSUIT CERTIFIED SOLID COLOR SUV, AWD	20	20
A6	FORD, POLICE PURSUIT CERTIFIED SOLID BLACK AND WHITE SUV, AWD	40	40



City of Long Beach

Department of Financial Management Purchasing Division 333 W Ocean Blvd. 7th floor, Long Beach, California 90802 p 562.570.6200

September 28, 2016

NOTICE TO BIDDERS

ADDENDUM NO. 2

ITB FS 16-126 Multi-Year Vehicle Purchase

This addendum changes and supersedes the language in the original Invitation to Bid. Please acknowledge receipt of this addendum by signing and submitting with your bid. Any bidder who fails to submit this addendum may be disqualified.

The bid due date has been extended to Thursday, October 13, 2016 by 11:00 AM, PST.

Since the bid has posted, there have been various questions. <u>The questions and answers</u> are as follows:

- 1. Q: Can you have end user clarify whether they want the vans/wagons to come with either a sliding side door or a hinged side door. The door difference makes an impact on the total cost of the vehicles.
 - A: Please bid with sliding door.
- 2. There are quite a few discrepancies on the truck section of this bid Appendix A, as follows:
 - a. Item DD Specifications Ford ½ Ton 4WD, 4 Door Short Bed Pick Up CNG Vehicle classification (line one of the specs) calls for a 2WD
 - b. Item EE Specifications Ford ½ ton 4WD, 4 door Long Bed Pick UP CNG - Vehicle classification (line one the specs) calls for a 2WD
 - c. Item FF Specifications Ford ½ ton 2WD Regular Cab Long Bed Pick Up CNG Under the GVWR 8600 lbs. Minimum it indicates this is a ¾ ton pickup (3/4 is annotated in price sheet)
 - d. Item GG Specifications Ford ¾ Ton 2WD Extended Cab, short Bed Pick Up CNG
 Under classification (line one of the specs) calls for a ¾ ton 2WD Regular Cab
 - e. Item HH Specifications Ford ¾ Ton 2WD Crew Cab Long Bed CNG Vehicle Classification is for a 2WD Regular Cab
 - f. Item II Specifications Ford ¾ ton 4WD Regular Cab, Long Bed CNG Vehicle Classification is f a 2WD Regular Cab

- g. Item JJ Specifications Ford ¾ Ton 4WD Extended Cab, Short Bed CNG Vehicle Classification is for a 2WD Regular Cab
- h. Item KK Specifications Ford ¾ Ton 4WD Crew Cab, Long Bed CNG Vehicle Classification is for a 2WD Regular Cab
- Item NN Specifications Ford 1 Ton 2WD Extended Cab, Short Bed CNG Vehicle Classification is for a 2WD Regular Cab Pick Up LONG WHEEL BASE
- j. Item OO Specifications Ford 1 ton 4WD Regular Cab, Long bed CNG Vehicle Classification is for a 2WD Regular Cab
- k. Item PP Specifications Ford 1 ton 4WD Extended Cab, Short Bed CNG Vehicle Classification is for a 2WD Regular Cab Pick-up LONG WHEEL BASE
- Item XX Specifications 1 Ton Ford Crew Cab Service Bed Truck CNG Under General it calls for an Extended Cab

Can we get corrections on all above? In addition, can the City extend the bid for another 10 days? Do to the massive amount of vehicles and the bid requirements, it would allow the Dealer to properly complete all of the requested items.

- A: Various corrections to specifications have been made and provided attached. Changes and/or new information in red fonts.
- 3. Q: On the full size Ford passenger wagon—¾ ton and 1 ton passenger van 10 passenger capacity regular length 130" CNG prep package is not available due to the limited space to install CNG tanks. If we go to a 1 ton Van extended length 148" wheelbase, the minimum seating capacity is a 12 passenger however, we can install the CNG prep package. Please refer to Item R, T, V, and W. Can you let us know what the City will accept?
 - A: Please bid a gasoline powered model of the requested size.
- 4. Q: On line item# 21 Go Rhino # 5036 CV should be a # 5039, Item # 22 Trunk Fan I don't think this is an option but we can put one in, Item # 23 I don't think they come with tie down put we can put some on, skid plate Setina sk0503its12, I looks like they are using Crown Vic. Spec. Can you clarify if these options are necessary for the Ford Taurus Police Interceptor Sedan.
 - A: This specification is for the Ford Interceptor sedan. Please bid accordingly.
- 5. Q: SS, TT, UU, VV, WW, & XX all call for floor to be 3/16" galvannealed tread plate. The thickest we can get for galvannealed coated floors such as these is 1/8" or 11 ga. Please let me know if this is acceptable.
 - A: The City will accept the 11ga flooring.
- 6. Q: WW spec calls for 60" CA but specification is contradicting because it is asking for a 4th compartment which a 60" cannot receive.

ITB FS 16-126 Addendum No. 2

- A: Please bid an 84" CA.
- 7. Q: VV, WW, & XX the specifications are asking for tailgates and lift gates which are not compatible with one another
 - a. Does the city want a liftgate or a tailgate?
 - b. If the city requires a liftgate what is the capacity?
 - A: Please bid the tailgate, and bid the lift-gate as an option. Lift-gate capacity shall be 1,200#. Additional line items have been added for the additional option.
- 8. Q: XX wheel base, cab to axle, and cab configuration is in question
 - a. Spec calls for 60" CA but specification is contradicting because it is asking for a 4th compartment which a 60" cannot receive.
 - b. Spec is calling for 162" wheel base, a Ford Crew Cab with 60" CA actually has a 1.76". However, if the agency really wants an extended cab instead of Crew Cab the wheel base is 162"
 - A: Please bid the Crew Cab with the appropriate wheel base, with an 84" cab to axle.
- 9. Q: Item MM Specifications 1 Ton 2WD Regular Cab Long Bed, gasoline Pricing Sheet calls for CNG.
 - A: Item MM is a gasoline spec. Line item has been updated on PlanetBids.
- 10.Q: Item VV specifications for 1 Ton Regular Cab Service Truck CNG with 13,700 lbs. GVWR minimum – (implies Ford F350 DRW Chassis Cab 84" ca) –on last page of the specs it states Acceptable cab & chassis make – Ford F250 Bed Delete – Note Ford F250 does not meet gywr or cab to axle dimensions
 - A: Corrections to specifications have been made and provided attached. Changes and/or new information in red fonts.

PREPARED BY:	Sokunthea Kol, Buyer I		
ACKNOWLEDGED BY:	Caruso Ford	·	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Company Name		
	Gregory Place	Dir Gov Sales	
	Print Name	Title	
		10-26-16	
	Signature /	Date	

<u>ITEM Y – Specifications</u>

FORD 1/2 TON 2WD REGULAR CAB, LONG BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	2WD Regular cab pick up CNG	
GVWR	7000 lbs. Min.	
Payload	2000 lbs min.	
Bed Size	8.0 ft.	
Wheelbase	145 in.	
Engine	5.0 liter minimum	
Power	225 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.55	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P235/70 x 17 BSW	
Fuel Tank Capacity	15 GGE minimum, below bed.	
Alternator	110 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM Z – Specifications

FORD ½ TON 2WD EXTENDED CAB, SHORT BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	2WD Extended cab pick up, short bed		
GVWR	7000 lbs. Min.		
	2000 lbs min.		
Payload			
Bed Size	5.5 ft.		
Wheelbase	145 in.		
Engine	5.0 liter min.		
Power	225 HP		
Transmission	6 speed automatic overdrive		
Axle Ratio, Rear	3.55	2	
Brakes	Power 4 wheel disk /4 wheel antilock		
Wheels & Tires	P235/70 x 17 BSW		
Fuel Tank Capacity	16 GGE, below bed.		
Alternator	110 AMP min.		
Battery	12V, 650CCA Maintenance Free		
Bumpers, Front & Rear	Standard		
Trailer Tow Package	Class IV		
Air Conditioning	Manual control		
Radio	AM/FM / Stereo / Clock		
Restraint System	3 Point belts w/ airbags		
Windows	Tinted, electric control		
Mirrors	Standard side view		
Seats	Split bench / medium gray vinyl		
Flooring	Black vinyl		
Paint	Standard White		

ITEM BB - Specifications

FORD ½ TON 2WD CREW CAB, PICK UP CNG

COMPLY YES NO

Vehicle Classification .	2WD Crew cab pick up, short bed	·
GVWR	7000 lbs. Min.	
Payload	2000 lbs min.	
Bed Size	5.5 ft.	
Wheelbase	145 in.	
Engine	5.0 liter minimum	
Power	225 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.55	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P235/70 x 17 BSW	
Fuel Tank Capacity	16 GGE, below bed.	
Alternator	110 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM DD - Specifications

FORD ½ TON 4WD, 4 DOOR, SHORT BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	4WD Extended cab pick up,	
GVWR	short bed 7000 lbs. minimum	
Payload	2000 lbs minimum	
Bed Size	5.5 ft.	
Wheelbase	145 in.	
Engine	5.0 liter minimum	
Power	225 HP	
Transmission	6 spd automatic overdrive	
Axle Ratio, Rear	3.55	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P235/70 x 17 BSW	
Fuel Tank Capacity	16 GGE, below bed.	
Alternator	110 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM EE - Specifications

FORD 1/2 TON 4WD, 4 DOOR, LONG BED PICK UP CNG

COMPLY YES NO COMMENTS

Vehicle Classification	4WD Extended cab pick up, short bed	
GVWR	7000 lbs. minimum	
Payload	2000 lbs minimum	
Bed Size	5.5 ft.	
Wheelbase	145 in.	
Engine	5.0 liter minimum	
Power	225 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.55	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P235/70 x 17 BSW	
Fuel Tank Capacity	16 GGE, below bed.	
Alternator	110 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM FF - Specifications

FORD 3/4 TON 2WD REGULAR CAB, LONG BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	2WD Regular cab pick up, long bed entry level.	
GVWR	8600 lbs. minimum	
Bed Size	8.0 ft.	
Wheelbase	137 in.	
Engine	6.0 liter minimum	
Power	316 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.73	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P245/75 x 17 BSW	
Fuel Tank Capacity	20 GGE, below bed.	
Alternator	157 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM GG - Specifications

FORD ¾ TON 2WD EXTENDED CAB, SHORT BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	2WD Extended cab pick up, short bed entry level.	
GVWR	8600 lbs. minimum	
Bed Size	6.5 ft.	
Wheelbase	142 in.	
Engine	6.0 liter minimum	
Power	316 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.73	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P245/75 x 17 BSW	
Fuel Tank Capacity	20 GGE, below bed.	
Alternator	157 AMP min.	
Battery	12V, 650CCA Maintenance Free	·
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM HH - Specifications

COMPLY YES NO

Vehicle Classification	2WD Crew cab pick up, long bed entry level.	
GVWR	8600 lbs. minimum	
Bed Size	8.0 ft.	
Wheelbase	158 in.	
Engine	6.0 liter minimum	
Power	316 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.73	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P245/75 x 17 BSW	
Fuel Tank Capacity	20 gal. Underbody mount.	
Alternator	157 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM II – Specifications

FORD ¾ TON 4WD REGULAR CAB, LONG BED PICK UP CNG

COMPLY YES NO COMMENTS

Vehicle Classification	4WD Regular cab pick up, long bed entry level.	
GVWR	8600 lbs. minimum	•
Bed Size	8.0 ft.	
Wheelbase	137 in.	
Engine	6.0 liter minimum	
Power	316 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.73	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P245/75 x 17 BSW	
Fuel Tank Capacity	20 gal. Under body mount.	
Alternator	157 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM JJ - Specifications

FORD 3/4 TON 4WD EXTENDED CAB, SHORT BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	4WD Extended cab pick up, short bed entry level.	
GVWR	8600 lbs. minimum	
Bed Size	6.5 ft.	
Wheelbase	142 in.	
Engine	6.0 liter minimum	
Power	316 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.73	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P245/75 x 17 BSW	
Fuel Tank Capacity	20 gal. Under body mount.	
Alternator	157 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM KK - Specifications

FORD 3/4 TON 4WD CREW CAB, LONG BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	4WD crew cab pick up,	
GVWR	long bed entry level. 8600 lbs. minimum	
Bed Size	8.0 ft.	
Wheelbase	172 in.	
Engine	6.0 liter minimum	
Power	316 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.73	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P245/75 x 17 BSW	
Fuel Tank Capacity	20 gal. Under body mount.	
Alternator	157 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	·
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM LL - Specifications

FORD 1 TON 2WD REGULAR CAB, SHORT BED PICK UP CNG

COMPLY
YES NO COMMENTS

Vehicle Classification	2WD Regular cab pick up, short bed entry level.	
GVWR	10,000 lbs. minimum	
Bed Size	8.0 ft.	
Wheelbase	137 in.	
Engine	6.0 liter minimum	
Power	316 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.73	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P245/75 x 17 BSW	
Fuel Tank Capacity	20 gal. Under body mount.	
Alternator	157 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	·
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM NN - Specifications

FORD 1 TON 2WD EXTENDED CAB, SHORT BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	2WD Extended cab pick up, short bed entry level.				
GVWR	10,0000 lbs. minimum				
Bed Size	6.0 ft.				
Wheelbase	142 in.				
Engine	6.0 liter min.				
Power	316 HP				
Transmission	6 spd automatic overdrive				-
Axle Ratio, Rear	3.73	····			
Brakes	Power 4 wheel disk /4 wheel antilock		•		
Wheels & Tires	P245/75 x 17 BSW				
Fuel Tank Capacity	20 gal. Under body mount.				
Alternator	157 AMP min.				
Battery	12V, 650CCA Maintenance Free		***************************************		
Bumpers, Front & Rear	Standard				
Trailer Tow Package	Class IV				_
Air Conditioning	Manual control				
Radio	AM/FM / Stereo / Clock				
Restraint System	3 Point belts w/ airbags				
Windows	Tinted, electric control				
Mirrors	Standard side view				_
Seats	Split bench / medium gray vinyl		······		
Flooring	Black vinyl				_
Paint	Standard White				

ITEM OO – Specifications

FORD 1 TON 4WD REGULAR CAB, LONG BED PICK UP CNG

COMPLY YES NO COMMENTS

Vehicle Classification	4WD Regular cab pick up,			
	long bed entry level.			
GVWR	8600 lbs. minimum			
Bed Size	8.0 ft.			
Wheelbase	137 in.			
Engine	6.0 liter minimum			
Power	316 HP		<u> </u>	
Transmission	6 speed automatic overdrive			
Axle Ratio, Rear	3.73			
Brakes	Power 4 wheel disk /4 wheel antilock			
Wheels & Tires	P245/75 x 17 BSW			
Fuel Tank Capacity	20 gal. Under body mount.			
Alternator	157 AMP min.			
Battery	12V, 650CCA Maintenance Free	!		
Bumpers, Front & Rear	Standard			
Trailer Tow Package	Class IV			
Air Conditioning	Manual control			
Radio	AM/FM / Stereo / Clock		11/1/4	
Restraint System	3 Point belts w/ airbags		-	
Windows	Tinted, electric control			
Mirrors	Standard side view			
Seats	Split bench / medium gray vinyl	·		
Flooring	Black vinyl			
Paint	Standard White		, _{, , , , , , , , , , , , , , , , , ,}	

ITEM PP - Specifications

FORD 1 TON 4WD EXTENDED CAB, SHORT BED PICK UP CNG

COMPLY YES NO

Vehicle Classification	4WD Extended cab pick up, short bed entry level.	
GVWR	8600 lbs. minimum	
Bed Size	6.0 ft.	
Wheelbase	142 in.	
Engine	6.0 liter minimum	
Power	316 HP	
Transmission	6 speed automatic overdrive	
Axle Ratio, Rear	3.73	
Brakes	Power 4 wheel disk /4 wheel antilock	
Wheels & Tires	P245/75 x 17 BSW	
Fuel Tank Capacity	20 GGE, below bed.	
Alternator	157 AMP min.	
Battery	12V, 650CCA Maintenance Free	
Bumpers, Front & Rear	Standard	
Trailer Tow Package	Class IV	
Air Conditioning	Manual control	
Radio	AM/FM / Stereo / Clock	
Restraint System	3 Point belts w/ airbags	
Windows	Tinted, electric control	
Mirrors	Standard side view	·
Seats	Split bench / medium gray vinyl	
Flooring	Black vinyl	
Paint	Standard White	

ITEM VV - Specifications

1 TON FORD REGULAR CAB SERVICE BED TRUCK CNG

COMPLY YES NO

<u> </u>	YES	NO	COMMENTS
General: Current model, one (1) ton, regular cab, CNG powered, dual rear wheel, with service body as specified.			
GVWR: Shall be at least 13,700 pounds.			
Wheel Base: Shall be 165 inches.			
Cab Axle: Shall be 84 inches.			
Engine: Shall be V8 type with at least 6.0 liters of displacement. Shall have harden valves and seats.			
Cooling: Shall be largest, heaviest duty, increased capacity system available for size of engine/transmission offered.			
Exhaust System: Shall be of a quiet design type with minimum backpressure restriction. Muffler(s) to be of an aluminized coating or stainless steel construction.			
Transmission: Shall be an automatic torque converter type with at least six (6) speeds forward and one (1) reverse.			
Axles: GVWR minimum.			
Stabilizer Bar/Anti-Roll: Shall be heavy-duty option.			

ITEM VV - Specifications

1 TON FORD REGULAR CAB SERVICE BED TRUCK CNG

COMPLY YES NO

	YES	NO	COMMENTS
Shock Absorbers:			
Shall be heavy-duty option.			
	İ		
Brakes:		T	
Shall be the largest, heavy-duty option, power			·
brake package available for vehicles/axles			
offered.			
Ollered.			
	ļ	-	
Frame:			
Shall be compatible to GVWR.			
Steering:			
Shall be factory power.			
Wheels:			
Manufacturer shall provide seven (7) wheels			
at least six (6") inches wide, minimum.			
Tires:			
Manufacturer shall provide seven (7) LT			
245/75R x 17E tires with highway tread,			
minimum. Wheels and tires to be statically			
and dynamically balanced.			
and dynamically balanced.			
Electrical:			'
Shall be a twelve (12) volt, negative ground			·
system. Wire piercing connectors			
unacceptable, all wiring to be enclosed in			
nonmetallic, flexible loom, well supported.)			
	ļ		
Alternator:			
Shall be not less than one hundred fifty seven		İ	
(157) amp manufacturer's rated capacity.			
	ļ		
Battery:			
Shall have 650 CCA.			
Fuel Tank:			
Shall be minimum (20) CNG GGE installed			
below bed parallel to the frame rails, and			
include necessary hardware for retrofit to body			
configurations.			
coringulations.	L	1	<u> </u>

ITEM VV - Specifications

1 TON FORD REGULAR CAB SERVICE BED TRUCK CNG

COMPLY YES NO

Body (Cab):	
Shall be standard production and include at	
least all of the following:	
1. Seats shall be bench type, darker shade	
gray vinyl.	
2. Floor covering shall be rubber.	
3. All glass to be tinted.	
4. Doors shall provide automatic illumination	ı
when opened.	
5. An integral heater, defroster, and air	
conditioner, factory installed.	
6. Two speed windshield wipers and	
washers.	
7. Inside center rear view mirror to have	
day/night adjustment feature.	
8. A cab dome light.	
9. All instruments, controls, indicators, lights	
and switches to be factory standard unless	
otherwise specified.	
10. Glove box, lockable if available.	
11. Sun visors and armrests shall be provided	
on both sides of cab.	·
12 Factory installed AM/FM/CD radio/clock.	
13. Keys, five (5) keys for each lock.	
14. Right and left outside rear view; low profile	
type mirrors with fold back capability, 6" x	
9" minimum size. Mirrors must be useable	
with body configuration.	
15. One (1) Rear vision camera, which	
includes, camera monitor, and cables.	
Camera shall be located on rear of bed.	
Service Body General:	
1. Constructed of 2-sided galvannealed steel	
2. 14-gauge (A40 or 60) galvannealed steel	
shall be the material for body sides, front	
panels, front bulkhead compartment	
bases rear panels, interior partitions and	
roof panels.	
3. All electric welds with permanently sealed	
joints	
4. All dissimilar metals to be primed before	
joining	
	ADDENDUM 2

ITEM VV - Specifications

1 TON FORD REGULAR CAB SERVICE BED TRUCK CNG

COMPLY

	COMPLY	COMMENTS
5 51 1 1 040 1 1 1 1 1	YES NO	COMMENTS
5. Floor is to be 3/16 inch galvannealed		
tread plate		
6. Shelving is to be 18 gauge spangle		•
galvanized steel, 250# rated load.		
·		•
Service Body Specific:		
Shall have a see through bulkhead]	
•		
protector, with a Whelen L31HAF LED		·
beacon mounted center.		
2. Body to have (2) aluminum diamond plate		
covered flip top sections per side.		
3. Body to be 132" in length, 40" high, and		
90" wide.	\ \	
4. C.S. #1 to be 38" wide, and have (3)		
adjustable shelves. Vertical double doors.		
5. C.S. #2 to be 24" wide, and have (3)		
adjustable shelf. Vertical single door.		
6. C.S. #3 to be 40", and have (1) adjustable		
shelf. Horizontal door over wheel span.		
7. C.S. #4 to be 30", and have (3) adjustable		·
shelves. Vertical single door		
8. S.S. #1 to be 38" wide and have (3)]]	
adjustable shelves. Vertical double doors.		
9. S.S. #2 to be 24" wide, and have (3)		·
adjustable shelf. Vertical single door.		·
10. S.S. #3 to be 40", and have (1) adjustable		
shelf. Horizontal door over wheel span.		
11. S.S. #4 to be 30", and have (3) adjustable		
12. shelves. Vertical single door.	ļ	
13. Rear tail gate.	1	
14. Rear lift gate with a 30" platform, 1200#		
15. Class VI trailer receiver.		
16 Slide out vise bracket mounted rear curd		
side.		
17. Line-X interior of service bed to include		
floor, compartment sides, and interior		
tailgate surfaces.		
Paint:		
Standard manufacturer's "White".		
Manuals/Operating Service:		
Successful bidder shall provide a full set of		
·		
operating/service manuals (CD if available) for		ADDENDUM 2
		ADDENDON Z

ITEM VV - Specifications

1 TON FORD REGULAR CAB SERVICE BED TRUCK CNG

	COMPLY		
	YES	NO	COMMENTS
every major component installed in truck including cab and chassis, electrical schematics, hydraulic schematics, and a complete parts manual. All manuals and schematics shall be delivered with each unit.			
Acceptable Cab and Chassis Make: Ford F-350 cab-chassis			
Service bed should be built by Pacific Truck Equipment Inc. of Whittier, CA.			

ITEM XX - Specifications

1 TON FORD CREW CAB SERVICE BED TRUCK CNG

COMPLY

YES NO COMMENTS General: Current model, one (1) ton, crew cab, CNG powered, dual rear wheel, with service bed as specified. **GVWR:** Shall be at least 13,700 pounds. Wheel Base: Shall be 162 inches. Cab Axle: Shall be 60 inches. Engine: Shall be V8 type with at least 6.0 liters of displacement. Shall have harden valves and seats. Cooling: Shall be largest, heaviest duty, increased capacity system available for size of engine/transmission offered. **Exhaust System:** Shall be of a quiet design type with minimum backpressure restriction. Muffler(s) to be of an aluminized coating or stainless steel construction. Transmission: Shall be an automatic torque converter type with at least six (6) speeds forward and one (1) reverse. Axles: GVWR minimum. Stabilizer Bar/Anti-Roll: Shall be heavy-duty option.

ITEM XX - Specifications

1 TON FORD CREW CAB SERVICE BED TRUCK CNG

COMPLY YES NO COMMENTS Shock Absorbers: Shall be heavy-duty option. Brakes: Shall be the largest, heavy-duty option, power brake package available for vehicles/axles offered. Frame: Shall be compatible to GVWR. Steering: Shall be factory power. Wheels: Manufacturer shall provide seven (7) wheels at least six inches (6") wide, minimum. Tires: Manufacturer shall provide seven (7) LT 245/75R x 17E tires with highway tread, minimum. Wheels and tires to be statically and dynamically balanced. Electrical: Shall be a twelve (12) volt, negative ground piercing connectors system. Wire unacceptable, all wiring to be enclosed in nonmetallic, flexible loom, well supported.) Alternator: Shall be not less than one hundred fifty seven (157) amp manufacturer's rated capacity. Battery: Shall have 650 CCA. **Fuel Tank:** Shall be minimum (20) CNG GGE installed below bed parallel to the frame rails, and include necessary hardware for retrofit to body configurations.

ITEM XX - Specifications

1 TON FORD CREW CAB SERVICE BED TRUCK CNG

	COMI YES	PLY NO	COMMENTS
Body (Cab):			
Shall be standard production and include at			
least all of the following:			
1. Seats shall be bench type, darker shade			
gray vinyl.			
2. Floor covering shall be rubber.			•
3. All glass to be tinted.			
4. Doors shall provide automatic illumination			
when opened.			
5. An integral heater, defroster, and air			
conditioner, factory installed.			
6. Two speed windshield wipers and			
washers.			
7. Inside center rear view mirror to have			1
day/night adjustment feature.			•
8. A cab dome light.			
9. All instruments, controls, indicators, lights			
and switches to be factory standard unless			
otherwise specified.			i
10. Glove box, lockable if available.			
11. Sun visors and armrests shall be provided			
on both sides of cab.			
12. Factory installed AM/FM/CD radio/clock.		İ	
13. Keys, five (5) keys for each lock.			
14. Right and left outside rear view; low profile			
type mirrors with fold back capability, 6" x	İ		
9" minimum size. Mirrors must be useable			
with body configuration.			
15. One (1) Rear vision camera, which			
includes, camera monitor, and cables.			
Camera shall be located on rear of bed.			
	ļ		·
Service Body General:			
Constructed of 2-sided galvannealed			
steel			
2. 14-gauge (A40 or 60) galvannealed steel			
shall be the material for body sides, front			
panels, front bulkhead compartment			
bases.rear panels, interior partitions and			
roof panels.			
3. All electric welds with permanently sealed			
joints 4. All dissimilar metals to be primed before			
4. All dissimilar metals to be primed before		<u> </u>	ADDENDUM 2

ITEM XX - Specifications

1 TON FORD CREW CAB SERVICE BED TRUCK CNG

	COM	PLY NO	COMMENTS	
joining 5. Floor is to be 3/16 inch galvannealed				
tread plate 6. Shelving is to be 18 gauge spangle				
galvanized steel, 250# rated load.				
Service Body Specific:				
Shall have a see through bulkhead protector, with a Whelen L31HAF LED beacon mounted center.				
2. Body to have (2) aluminum diamond plate				
covered flip top sections per side.				
3. Body to be 108" in length, 40" high, and 90" wide.				
4. C.S. #1 to be 38" wide, and have (3)	İ			
adjustable shelves. Vertical double doors.			·	
5. C.S. #2 to be 24" wide, and have (3)			·	
adjustable shelf. Vertical single door.				
6. C.S. #3 to be 40", and have (1)	}			
adjustable shelf. Horizontal door over				
wheel span. 7. C.S. #4 to be 30", and have (3)				
adjustable shelves. Vertical single door				
8. S.S. #1 to be 38" wide and have (3)				
adjustable shelves. Vertical double doors.				
9. S.S. #2 to be 24" wide, and have (3)				
adjustable shelf. Vertical single door.				
10. S.S. #3 to be 40", and have (1) adjustable				
shelf. Horizontal door over wheel span.				
11. S.S. #4 to be 30", and have (3) adjustable				
12. shelves. Vertical single door.				
13. Rear tail gate.			•	
14. Rear lift gate with a 30" platform. 1200#.	1			
15. Class VI trailer receiver.				
16. Slide out vise bracket mounted rear curd				
side.				
17. Line-X interior of service bed to include				
floor, compartment sides, and interior				
tailgate surfaces.				

ITEM XX - Specifications

1 TON FORD CREW CAB SERVICE BED TRUCK CNG

	COM YES	PLY NO	COMMENTS
Paint: Standard manufacturer's "White".			,
Manuals/Operating Service: Successful bidder shall provide a full set of operating/service manuals (CD if available) for every major component installed in truck including cab and chassis, electrical schematics, hydraulic schematics, and a complete parts manual. All manuals and schematics shall be delivered with each unit.			
Acceptable Cab and Chassis Make. Ford F-350 Bed Delete			
Service bed should be built by Pacific Truck Equipment Inc., of Whittier, CA.			



City of Long Beach

Department of Financial Management Purchasing Division 333 W Ocean Blvd. 7th floor, Long Beach, California 90802 p 562.570.6200

October 4, 2016

NOTICE TO BIDDERS

ADDENDUM NO. 3

ITB FS 16-126 Multi-Year Vehicle Purchase

This addendum changes and supersedes the language in the original Invitation to Bid. Please acknowledge receipt of this addendum by signing and submitting with your bid. Any bidder who fails to submit this addendum may be disqualified.

The questions and answers are as follows:

1. **Question**: We still have one discrepancy to get sorted out that the addendum 2 didn't provide clarity on.

Question 8 for item XX was answered as follows:

Please bid the Crew Cab with appropriate wheel base with an 84" cab to axle

Further down in the addendum at the revised specifications portion it states the following: **ITEM XX – Specifications**

1 TON FORD CREW CAB SERVICE BED TRUCK CNG

General: Current model, one (1) ton, crew cab, CNG powered, dual rear wheel, with service bed as specified.

Cab Axle: Shall be 60 inches.

Acceptable Cab and Chassis Make Ford F-350 Bed Delete **Service Body Specific:**

- 3. Body to be 108" in length, 40" high, and 90" wide.
- 4. C.S. #1 to be 38" wide, and have (3) adjustable shelves. Vertical double doors.
- 5. C.S. #2 to be 24" wide, and have (3) adjustable shelf. Vertical single door.
- 6. C.S. #3 to be 40", and have (1) adjustable shelf. Horizontal door over wheel span.
- 7. C.S. #4 to be 30", and have (3) adjustable shelves. Vertical single door
- 8. S.S. #1 to be 38" wide and have (3) adjustable shelves. Vertical double doors.
- 9. S.S. #2 to be 24" wide, and have (3) adjustable shelf. Vertical single door.
- 10. S.S. #3 to be 40", and have (1) adjustable shelf. Horizontal door over wheel span.
- 11. S.S. #4 to be 30", and have (3) adjustable shelves. Vertical single door.

Now my questions and comments to the city are as follows:

ITB FS 16-126 Addendum No. 3

- Ford doesn't make a one ton F-350 chassis with an 84" CA in a crew cab configuration. You'd have to move into an F-450 (1-1/4 ton) if you want a crew cab 84"CA with an 11 ft body. Is this what the city wants?
- Cab to axle in the revised specs stated 60"CA while in the Q & A portion of addendum question 8 was answered as 84" CA. What CA does the city actually need for either a 1 ton or 1-1/4 ton chassis crew cab?
- The body will be 108" if 60"CA and 132" if 84"CA. Which does the city want?
- If the city indeed wants an F-450 (1-1/4 ton) crew cab with 84" there will be 4 compartments per side. If the city is looking for an F-350 (1 ton) with 60" CA there will only be 3 compartments on each side. Ford doesn't make a 1 ton F-350 with 84" CA. Title of spec says 1 ton. The way the Q & A was answered looks like 1-1/4 ton. What is the city looking for?

I just want to make sure we quote this bid accurately. Kindly let me know if the city is sticking with an F-350 or F-450.

Sokunthea Kol. Buver I.

Answer:

PREPARED BY:

Please bid spec XX as a Ford F-450 to retain the cab to axle, and body with 4 compartments.

. , ,	
ACKNOWLEDGED BY:	Caruso Ford
MONITO VILLE OLD DI.	

Company Name

Gregory Place

Dir Gov Sales

Print Name

Title

10-26-16

Signature

Date

Printed 11/10/2016

Bid Results

Bidder Details

Vendor Name

Caruso Ford

3600 Cherry Ave Address

Long Beach, CA 90807

United States

Respondee

Greg Place

Respondee Title

Dir Gov Sales

Phone

714-655-4992 Ext.

Email

fordbids@gmail.com

Vendor Type

NONE,Local

Bid Detail

Bid Format

Electronic

Submitted

November 9, 2016 3:22:46 PM (Pacific)

Delivery Method

Bid Responsive

Bid Status Submitted

Confirmation # 91637

Ranking 0

Respondee Comment

Buyer Comment

Attachments

File	Title
_	

Specs

ITB FS 16-126 Addendum 1 QA

ITB FS 16-126 Addendum 2

ITB FS 16-126 Addendum 3

File Name

ITB FS 16-126 Multi-Year Vehicle Purchase.pdf

ITB FS 16-126 Addendum 1 QA.pdf

ITB FS 16-126 Addendum 2.pdf

ITB FS 16-126 Addendum 3.pdf

File Type

Complete Bid Package - all pages & sections required

General Attachment additional (if needed)

General Attachment additional (if needed)

General Attachment additional (if needed)

Line Items

Type	Item Code	UOM	Qty	Unit Price	Line Total	Discount Comment
	Item A					
1	4 Door Compact Hybrid S	edan per specification	ns			
	Vehicle	EA	5	no bid		
2	Tire Tax (per vehicle)					
	Fee	LT	5	no bid		
3	Delivery - nontaxable (per	vehicle)				·
	Fee	LT	5	no biđ		

Type 4	Item Code Sales Tax at 9% (pe	UOM r vehicle)	Qty	Unit Price	Line Total	Discount Comment	
	Fee	LT	5	no bid		•	
				Subtotal	0	0	
	Item B			oubtotui	· ·	v	
5	4 Door Compact CN	G Sedan per specific	cations				
	Vehicle	EA	5	no bid			
6	CNG fuel convertion	package					
	CNG	EA	5	no bid			
7	Tire Tax (per vehicle	· •)		•			
	Fee	LT	5	no bid			
8	Delivery - nontaxable	e (per vehicle)					
	Fee	LT	5	no bid			
9	Sales Tax at 9% (pe	r vehicle)					
Ü	Fee	LT	5	no bid			
				Subtotal	0	0	
	Item C			Subtotal	Ü		
10	4 Door Compact Plu	g In Hybrid Sedan p	er specifications				
	Vehicle	EA	5	no bìd			
11	Tire Tax (per vehicle	e)					
	Fee	LT	5	no bid			
12	Delivery - nontaxable	e (per vehicle)					
	Fee	LT	5	no bid	•		
13	Sales Tax at 9% (pe	r vehicle)					
	Fee	LT	5	no bid	·		
				Subtotal	. 0	0	
	Item D						
14	4 Door Mid Size Hyb						
	Vehicle	EA	5	no bid			
15	Tire Tax (per vehicle						
	Fee	LT	5	no bid			
16	Delivery - nontaxable	e (per vehicle)					
	Fee	LT	5	no bid			
17	Sales Tax at 9% (pe	r vehicle)					
	Fee	LT	5	no bid			
				Subtotal	0	0	

Multi-Year Vehicle Purchase (ITB FS 16-126), bidding on November 10, 2016 11:00 AM (Pacific)

Type	Item Code Item E	UOM	Qty	Unit Price	Line Total	Discount Comment
18	4 DOOR MID SIZE PL	UG IN HYBRID SI	EDAN			
	Vehicle	EA	5	no bìd		
19	Tire Tax (per vehicle)	•				
	Fee	LT	5	no bid		
20	Delivery - nontaxable (ner vehicle)			·	
20	Fee	LT	5	no bid		
21	Sales Tax at 9% (per v		"			
	Fee ·	LT	5	no bid		
	Harris E			Subtotal	0	0
22	Item F FORD MINI CARGO V	'AN				
	Vehicle	EA	5	no bid		
23	Tire Tax (per vehicle)	ı.T	-	له (ما میں		
	Fee	LT	.	no bìd		
24	Delivery - nontaxable (per vehicle)				
	Fee	LT	5	no bid		
25	Sales Tax at 9% (per v	vehicle)				
	Fee	LT	5	no bid		
			•	Subtotal	0	0
	Item G					
26	CHEVY COLORADO,					
	Vehicle	EA	.	no bid		
27	Tire Tax (per vehicle)					
	Fee	LT	5	no bid		
28	Delivery - nontaxable (per vehicle)				
	Fee	LT	5	no bid		
29	Sales Tax at 9% (per v	vehicle)				•
	Fee	LT	5	no biđ		·
				Subtotal	0	O
	Item H					
30	CHEVY COLORADO,					
	Vehicle	EA ·	5	no bid		and the second second
31	Tire Tax (per vehicle)					
	Fee	LT · ·	5	no bid		

Printed 11/10/2016

Type 32	Item Code Delivery - nontaxable	UOM e (per vehicle)	Qty	Unit Price	Line Total	Discount Comment
	Fee	LT	5	no bid		
33	Sales Tax at 9% (per	vehicle)				
	Fee	LT	5	no bid		
				Subtotal	0	0
	ltem l					
34	CHEVY COLORADO), 2WD COMPACT (CREW CAB SHO	RT BED PICK UP		
•	Vehicle	EA	5	no bid		
35	Tire Tax (per vehicle))				
	Fee	LT	5	no bid		
36	Delivery - nontaxable	(per vehicle)				
	Fee	LT	5	no bid		
37	Sales Tax at 9% (per	vehicle)				
	Fee	L.T	5	no bid		
				Subtotal	0	0
	Item J			dubiotai	Ü	ŭ
38	CHEVY COLORADO	, 4WD COMPACT	CREW CAB SHO	ORT BED PICK UP		
	Vehicle	EA	5	no bid		
39	Tire Tax (per vehicle))				
	Fee	LT	5	no bid		
40	Delivery - nontaxable	(per vehicle)			•	
	Fee	LT	5	no bid		
41	Sales Tax at 9% (per	r vehicle)				
	Fee	LT	5	no bid		
				Subtotal	. 0	O
	Item K				-	•
42	CHEVY COLORADO), 2WD CREW CAB	LONG BED PIC	KUP		
	Vehicle	EA .	5	no bid		
43	Tire Tax (per vehicle))		•		
	Fee	LT	5	no bid		
44	Delivery - nontaxable	(per vehicle)				
	Fee	LT	5	no bid		
45	Sales Tax at 9% (per	vehicle)				•
	Fee	LŢ	5	no bid		
				Subtotal	0	0

Multi-Year Vehicle Purchase (ITB FS 16-126), bidding on November 10, 2016 11:00 AM (Pacific)

Type	Item Code Item L	UOM	Qty	Unit Price	Line Total	Discount Comment
46	CHEVY COLORADO, 4V	VD CREW CAB LO	NG BED PICK	UP		
	Vehicle	EA	5	no bid		
47	Tire Tax (per vehicle)			• • •		
	Fee	LT	5	no bid	•	
48	Delivery - nontaxable (pe	er vehicle)				
	Fee	LT	5	no bid		
49	Sales Tax at 9% (per ver	nicle)		4 - 42		
,,,	Fee	LT	5	no bid		
				Subtotal		0
	Item M			oubtotal		•
50	FORD ESCAPE, 2WD C	OMPACT 4 DOOR	SUV			
	Vehicle	EA	5	no bid		
51	Tire Tax (per vehicle)					
	Fee	LT	5	no bid		
52	Delivery - nontaxable (pe					
	Fee	LT	5	no bid		
53	Sales Tax at 9% (per vel	nicle)	-			
	Fee	LT	5	no bid		
				Subtotal	0	0
54	Item N FORD ESCAPE, 4WD C	OMPACT 4 DOOR	SUV			
	Vehicle	EA	5	no biđ		
55	Tire Tax (per vehicle)					and the second s
	Fee	LT	5	no bid		
56	Delivery - nontaxable (pe	er vehicle)				
	Fee	LT	5	no bid		
57	Sales Tax at 9% (per vel	nicle)		e e		
0,	Fee	LT	5	no bíd		
				Subtotal	0	0
58	Item P 4WD MID SIZE 4 DOOR	TOYOTA RAV4 HY	/BRID SUV	ouptotal	v	Ü
~ -	Vehicle	EA	5	no bid		
59	Tire Tax (per vehicle)				e e	
55	Fee	LT	5	no bid		

Type 60	Item Code Delivery - nontaxable	UOM e (per vehicle)	Qty	Unit Price	Line Total	Discount Comment
	Fee	LT	5	no bíd		
61	Sales Tax at 9% (pe	er vehicle)				
	Fee	LT	5	no bid		
				Subtotal	0	0
	Item Q					
62	½ TON CARGO VA	N CNG				
	Vehicle	EA	5	no bid		
63	Tire Tax (per vehicle))				•
	Fee	LT	5	no bid		
64	Delivery - nontaxabl	e (per vehicle)				
	Fee	LT	5	no bid		
65	Sales Tax at 9% (pe	er vehicle)				
	Fee	LT	5	no bid		
				Subtotal	0	0
	Item R					
66		ER VAN - 10 PASSEI 				
	Vehide	EA	5	no bìd		
67	Tire Tax (per vehicle	9)		•		
	Fee	LT	5	no bid		
68	Delivery - nontaxable	e (per vehicle)				
	Fee	LT	5	no bid		
69	Sales Tax at 9% (pe	er vehicle)				
	Fee	LT	5	no bid		
				Subtotal	0	0
70	Item S 34 TON CARGO VA	NI CNC				
70	Vehicle	EA	5	no bid		
74			J	io bid		
71	Tire Tax (per vehicle		_			
	Fee	LT	5	no biɗ		
72	Delivery - nontaxabl	-				
	Fee	LT	5	no bid		
73	Sales Tax at 9% (pe	er vehicle)				
	Fee	LT	5	no bid		
				Subtotal	0	0

Multi-Year Vehicle Purchase (ITB FS 16-126), bidding on November 10, 2016 11:00 AM (Pacific)

Туре	Item Code Item T	UOM	Qty	Unit Price	Line Total	Discount Comment
74	¾ TON PASSENGE	R VAN CNG				
	Vehicle	EA	5	no bid		
75	Tire Tax (per vehicle)					
	Fee ,	LT	5	no bid		
76	Delivery - nontaxable	(ner vehicle)	• •			
10	Fee	LT.	5	ne bid		
				(IO DIG		
77	Sales Tax at 9% (per					
	Fee	LT .	5	no bid		
				Subtotal	0	0
70	Item U	CNC				
78	1 TON CARGO VAN Vehicle	EA	E	no bid		
	venicie	EA	5	no biu		
79	Tire Tax (per vehicle)	1				•
	Fee	LT 	5	no bid		
80	Delivery - nontaxable	(per vehicle)				
	Fee	LT	5	no bid		
81	Sales Tax at 9% (per	vehicle)				
	Fee	, LT	5	no bid		
				Subtotal	O	0
	Item V			dabiotai	v	v
82	FORD 1 TON PASSE	ENGER VAN - 10 P	ASSENGER			
	Vehicle	EA		no bid		
83	Tire Tax (per vehicle))				
	Fee	LT	5	no bid		
84	Delivery - nontaxable	(per vehicle)				
	Fee	LT	5	no biđ	•	
85	Sales Tax at 9% (per	vehicle)				
00	Fee Fee	LT	5	no bid		
	7 66		J			_
	Item W			Subtotal	0	0
86	1 TON PASSENGER	VAN - 10 PASSEN	IGER CNG			•
	Vehicle	EA	5	no bid		
87	Tire Tax (per vehicle)	,	•			
	Fee	LT	5	по bid		
				•		

Type 88	Item Code Delivery - nontaxab	UOM le (per vehicle)	Qty	Unit Price	Line Total	Discount	Comment
	Fee	LT	5	bid on			
89	Sales Tax at 9% (pe	er vehicle)					
	Fee	LT	5	no bid			
				Subtotal	0		
••	Item X	. DEOULAR 645 / 6	NA BED BIOL				
90		REGULAR CAB, LO			****	****	
	Vehicle	EA .	5	\$22,462.0900	\$112,310.4500	\$112,310.4500	
91	Tire Tax (per vehicle	e)					
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
92	Delivery - nontaxab	le (per vehicle)					
•	Fee	LT	5	0	0	0	
93	Sales Tax at 9% (pe	er vehicle)					
	Fee	LT	5	\$2,021.5900	\$10,107.9500	\$10,107.9500	
				Subtotal	\$122,462.1500	\$122,462.1500	
	Item Y						
94		REGULAR CAB, LO	·				
	Vehicle	EA	5	\$23,131.0900	\$115,655.4500	\$115,655.4500	
95	Tire Tax (per vehicle	e)					
	Fee	LT .	5	\$8.7500	\$43.7500	\$43.7500	
96	Delivery - nontaxab	le (per vehicle)					
	Fee	LT	5	0	0	0	
97	Sales Tax at 9% (pe	er vehicle)					
	Fee	LT	5	\$2,081.8000	\$10,409.0000	\$10,409.0000	
				Subtotal	\$126,108.2000	\$126,108.2000	
00	Item Z	NEVIENDED OAD O	LIODE DED DI			•	
98	Vehicle	EXTENDED CAB, S EA	HORT BED PI		\$442.94E.4E00	\$442.94E.4E00	
			3	\$22,763.0900	\$113,815.4500	\$113,815.4500	
99	Tire Tax (per vehicle						
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
100	Delivery - nontaxab	le (per vehicle)					
	Fee	LT	5	0	0	0	
101	Sales Tax at 9% (pe	er vehicle)					
	Fee	LT	5	\$2,048.6800	\$10,243.4000	\$10,243.4000	
				Subtotal	\$124,102.6000	\$124,102.6000	

Туре	Item Code Item AA	WOW	Qty	Unit Price	Line Total	Discount	Comment
102	½ TON 2WD FOR	DEXTENDED CAB, S	HORT BED P	ICK UP GASOLINE			
	Vehicle	EA	5	\$22,473.0900	\$112,365.4500	\$112,365.4500	
103	Tire Tax (per vehic	le)					•
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
104	Delivery - nontaxat	nie (per vehicle)		er er			
,	Fee	LT	5	0	0 .	0	
105	Sales Tax at 9% (p	or vohiala)	4.5				
100	Fee	LT	5	\$2,022.5800	\$10,112.9000	\$10,112.9000	
	Item BB			Subtotal	\$122,522.1000	\$122,522.1000	
106	1/2 TON 2WD FOR	O CREW CAB PICK U	P CNG				
	Vehicle	EA	5	\$25,729.0900	\$128,645.4500	\$128,645.4500	
107	Tire Tax (per vehic	le)					
	Fee	LT	5	\$8.7500	\$43,7500	\$43.7500	•
108	Delivery - nontaxat	ole (per vehicle)			and the second		
	Fee	LT	5	0	0	0	÷
109	Sales Tax at 9% (p	er vehicle)					
100	Fee	LT	5	\$2,315.6200	\$11,578.1000	\$11,578.1000	
		* *		Subtotal	\$140,267.3000	\$140,267.3000	
	Item CC			Subtotal	\$140,207.3000	φ140,207.3000	
110	½ TON 2WD FOR	O CREW CAB PICK U	P GASOLINE				•
	Vehicle	EA	5	\$25,440.0900	\$127,200.4500	\$127,200.4500	40.00
111	Tire Tax (per vehic	le)					
	Fee ,	LT	5	\$8.7500	\$43.7500	\$43.7500	
112	Delivery - nontaxab	ole (per vehicle)				v.	
	Fee	LT	5	0	0	0	
113	Sales Tax at 9% (p	er vehicle)	•				
	Fee	LT	5	\$2,289.6100	\$11,448.0500	\$11,448.0500	
				Subtotal	\$138,692.2500	\$138,692.2500	
111	Item DD	DADOOR SUOPER	ED BIOK UP	CNIC			
114	72 TON 400D, FOR	D 4 DOOR, SHORT B EA	5 ED PICK	\$25,785.0900	\$128,925.4500	\$128,925.4500	
44=				φες, 1 σσ. σσοσ	Ψ120,020.7000	ψ120,020.4000	
115	Tire Tax (per vehic	•	-	\$6.75 00	#40 7F00	#40 3 000	
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	

Type 116	Item Code Delivery - nontaxabl	UOM le (per vehicle)	Qty	Unit Price	Line Total	Discount	Comment
	Fee	LT	5	0	0	0	
117	Sales Tax at 9% (pe	er vehicle)					
	Fee	LT	5	\$2,320.6600	\$11,603.3000	\$11,603.3000	
				Subtotal	\$140,572.5000	\$140,572.5000	
	Item EE						
118	½ TON 4WD, FORE	D 4 DOOR, LONG BE	D PICK UP CN	ig .			
	Vehicle	EA	5	\$25,785.0900	\$128,925.4500	\$128,925.4500	
119	Tire Tax (per vehicle	e)					
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
120	Delivery - nontaxab	le (per vehicle)					
	Fee	LT	5	0	0	0	
121	Sales Tax at 9% (pe	er vehicle)					
	Fee	LT	5	\$2,320.6600	\$11,603.3000	\$11,603.3000	
		,		Subtotal	\$140,572.5000	\$140,572.5000	
	Item FF						
122		O REGULAR CAB, LO	ONG BED, PIC				
	Vehicle	EA	5	\$22,835.4200	\$114,177.1000	\$114,177.1000	
123	Tire Tax (per vehicle	e)					
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
124	Delivery - nontaxabl	le (per vehicle)					
	Fee	LT	5	0	0	0	
125	Sales Tax at 9% (pe	er vehicle)		•			
	Fee	LT	5	\$2,055.1900	\$10,275.9500	\$10,275.9500	
				Subtotal	\$124,496.8000	\$124,496.8000	
126	Item GG	D EXTENDED CAB, S	NUMBI DED D	IICK LIB CNC			
120	Vehicle	EA	5 5	\$24,784.4200	\$123,922.1000	\$123,922.1000	
407			3	ψ24,704.4200	φ (2.0,922. 1000	\$123,322.1000	
127	Tire Tax (per vehicle		_	ቀ ስ ማድለሱ	\$43.7500	#40 7 500	
	Fee	LT	5	\$8.7500	\$43.75UU	\$43.7500	
128	Delivery - nontaxabl	•					
	Fee	LT	5	0	0	0	
129	Sales Tax at 9% (pe	er vehicle)					
	Fee	LT	5	\$2,230.6000	\$11,153.0000	\$11,153.0000	
				Subtotal	\$135,118.8500	\$135,118.8500	

Printed 11/10/2016

Туре	Item Code Item HH	UOM	Qty	Unit Price	Line Total	Discount	Comment
130	¾ TON 2WD, FORI	D CREW CAB, LONG	BED, PICK U	P CNG			
	Vehicle	EA	5	\$26,349.5600	\$131,747.8000	\$131,747.8000	
131	Tire Tax (per vehicl	e)		· · · · ·			•
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
132	Delivery - nontaxab	le (per vehicle)					
	Fee	LT	5	. 0	0	0	
133	Sales Tax at 9% (pe	er vehicle)		•			
	Fee	LT	5	\$2,371.4600	\$11,857.3000	\$11,857.3000	
				Subtotal	\$143,648.8500	\$143,648.8500	
	ltem II						
134	¾ TON 4WD, FOR	O REGULAR CAB, LO	ONG BED, PIC	K UP CNG			
	Vehicle	EA	5	\$24,688.4200	\$123,442.1000	\$123,442.1000	
135	Tìre Tax (per vehicl	e)					
	Fee	LT 	5	\$8.7500	\$43.7500	\$43.7500	
136	Delivery - nontaxab	le (per vehicle)					
	Fee	LT	5	0	0	0	
137	Sales Tax at 9% (pe	er vehicle)				4	
	Fee	LT	5	\$2,221.9600	\$11,109,8000	\$11,109.8000	
				Subtotal	\$134,595.6500	\$134,595.6500	
138	Item JJ	DEXTENDED CAB, S	SHORT BED. I	DICK LID CNG			
150	Vehicle	EA	5	\$27,596.4200	\$137,982.1000	\$137,982,1000	
139	Tire Tax (per vehicl						** * *
100	Fee	<i>□)</i> LT	5	\$8,7500	\$43.7500	\$43,7500	
140					·		
140	Fee	LT	5	0 ,	0	0	
444							
141	Sales Tax at 9% (po	er venicie) LT	5	\$2,483.6800	\$12,418.4000	\$12,418.4000	
	1 66	Li		· ·	•	•	
	Item KK			Subtotal	\$150,444.2500	\$150,444.2500	
142	¾ TON 4WD, FOR	D CREW CAB, LONG	BED, PICK U	P CNG			
	Vehicle	EA	5	\$28,810.5600	\$144,052.8000	\$144,052.8000	
143	Tire Tax (per vehicl						
	Fee	LT .	5	\$8.7500	\$43.7500	\$43.7500	

Multi-Year Vehicle Purchase (ITB FS 16-126), bidding on November 10, 2016 11:00 AM (Pacific)

Type 144	Item Code Delivery - nontaxabl	UOM le (per vehicle)	Qty	Unit Price	Line Total	Discount	Comment
	Fee	LT	5	0	. 0	0	
145	Sales Tax at 9% (pe	er vehicle)					
	Fee	LT	5	\$2,592.9500	\$12,964.7500	\$12,964.7500	
				Subtotal	\$157,061.3000	\$157,061.3000	
	Item LL						
146	1 TON 2WD FORD	REGULAR CAB, SHO	ORT BED PICK	(UP CNG			
	Vehicle	EA	5	\$24,762.4200	\$123,812.1000	\$123,812.1000	
147	Tire Tax (per vehicle	e)					
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
148	Delivery - nontaxab	le (per vehicle)					
	Fee	LT	5	· 0	0	. 0	
149	Sales Tax at 9% (pe	er vehicle)					
	Fee	LT	5	\$2,228.6200	\$11,143.1000	\$11,143.1000	
				Subtotal	\$134,998.9500	\$134,998.9500	
	Item MM						
150		REGULAR CAB, LOI					
	Vehicle ·	EA	5	\$24,473.4200	\$122,367.1000	\$122,367.1000	
151	Tire Tax (per vehicle	e)					
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
152	Delivery - nontaxab	le (per vehicle)					
	Fee	LT	5	0	0	0	
153	Sales Tax at 9% (pe	er vehicle)	•				
	Fee	LT	5	\$2,202.6100	\$11,013.0500	\$11,013.0500	
				Subtotal	\$133,423.9000	\$133,423.9000	
154	Item NN 1 TON 2WD FORD	EXTENDED CAB, SI	HORT BED PIC	CK UP CNG			
	Vehicle	EA	5	\$27,016.4200	\$135,082.1000	\$135,082.1000	
155	Tìre Tax (per vehicle	e)					
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
156	Delivery - nontaxab	le (per vehicle)					
	Fee	LT	5	0	0	0	
157	Sales Tax at 9% (pe	er vehicle)				•	
	Fee	LT	5	\$2,431.4800	\$12,157.4000	\$12,157.4000	
				Subtotal	\$147,283.2500	\$147,283.2500	

Type	Item Code	UOM	Qty	Unit Price	Line Total	Discount	Comment
158	1 TON 4WD FORD	REGULAR CAB, LO	NG BED PICK	UP CNG			
	Vehicle	EA	5	\$26,919.4200	\$134,597.1000	\$134,597.1000	
159	Tire Tax (per vehicl	e)				****	
	Fee "	LT	5	\$8.7500	\$43.7500	\$43.7500	
160	Delivery - nontaxab	do (nor vobiolo)				•	
160	Fee	LT	5	. 0	0	0	
	•						
161	Sales Tax at 9% (p						
	Fee	LT	5	\$2,422.7500	\$12,113.7500	\$12,113.7500	
				Subtotal	\$146,754.6000	\$146,754.6000	
460	Item PP	EVTENDED CAD C	LIODE RED DI	CK LID CNC			
162	Vehicle	EXTENDED CAB, S EA	5 TOKI BED	\$28,673.4200	\$143,367.1000	\$143,367.1000	
				φ28,073.4200	Ψ143,30 <i>1</i> .1000	φ143,307.1000	
163	Tire Tax (per vehic						
	Fee	LT	5	\$8.7500	\$43.7500	\$43,7500	
164	Delivery - nontaxab	ile (per vehicle)					
	Fee	LT	5	·, 0	0	0	
165	Sales Tax at 9% (p	er vehicle)					•
	Fee	LT	5	\$2,580.6100	\$12,903.0500	\$12,903.0500	
				Subtotal	\$156,313.9000	\$156,313.9000	
	Item QQ			Gubiotai	ψ100,313.8000	\$130,313.8000	
166	1 TON 4WD FORD	CREW CAB, SHOR	FBED PICK UP	P CNG			
	Vehicle	EA	5	\$31,562.4200	\$157,812.1000	\$157,812.1000	
167	Tire Tax (per vehicl	le)					
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
168	Delivery - nontaxab	le (per vehicle)	•			•	
	Fee	LT	5	0	0	0	
169	Sales Tax at 9% (p	er vehicle)		•			
103	Fee	LT	5	\$2,840.6200	\$14,203.1000	\$14,203.1000	
	1 00	E.	Ü				
	Item RR			Subtotal	\$172,058.9500	\$172,058.9500	
170		CREW CAB, LONG	BED PICK UP	CNG			
	Vehicle	EA	5	\$31,737.5600	\$158,687.8000	\$158,687.8000	
171	Tire Tax (per vehic	le)	•				
	Fee	LT	. 5	\$8.7500	\$43.7500	\$43.7500	
	and the second second	6.3			4.4		

Page 14

Type 172	Item Code Delivery - nontaxable (pe	UOM r vehicle)	Qty	Unit Price	Line Total	Discount	Comment
	Fee	LT	5	0	0	0	
173	Sales Tax at 9% (per veh	icle)					
	Fee	LT	5	\$2,856.3800	\$14,281.9000	\$14,281.9000	
				Subtotal	\$173,013.4500	\$173,013.4500	
	Item SS						
174	¾ TON FORD REGULAR						
	Vehicle	EA	10	\$22,485.4200	\$224,854.2000	\$224,854.2000	
175	Truck Body per specificat	tions					
	Truck Body Option 1	EA	10	\$7,320.0000	\$73,200.0000	\$73,200.0000	
176	Truck Body per specifical	tions					
	Truck Body Option 2	EA	10	no bid			
177	Tire Tax (per vehicle)						
	Fee	LT	10	\$8.7500	\$87.5000	\$87.5000	
178	Delivery - nontaxable (pe	r vehicle)					
	Fee	LT	10	0	0	0	
179	Sales Tax at 9% (per veh	icle)					
	Fee	LT	10	\$2,682.4900	\$26,824.9000	\$26,824.9000	
180	Bed enclosure (two section	on)					
	Options	LT	10	\$1,260.0000	\$12,600.0000	\$12,600.0000	
181	Lumber Rack with (2) stra	aps on each sid	е				
	Options	LT	10	\$1,490.0000	\$14,900.0000	\$14,900.0000	
182	Install (2) Led Vertex on t	he headlamp as	ssembly # VTX6	609A			
	Options	LT	10	\$1,540.0000	\$15,400.0000	\$15,400.0000	
183	Install (2) M6A on the rea	r on the CS and	d SS with flange	# M6FC			
	Options	LT	10	\$1,180.0000	\$11,800.0000	\$11,800.0000	
184	Install (2) LED spot deck	light on the lum	ber rack # 5 AG	-S with P46SLC bulb			
	Options	LT	10	\$1,300.0000	\$13,000.0000	\$13,000.0000	
185	Install (1) Beacon light # I	L31HAF on the	Lumber rack on	the SS.			
	Options	LT	10	\$845.0000	\$8,450.0000	\$8,450.0000	
186	Removable vise bracket	on the rear of C	s				
	Options	LT	10	\$320.0000	\$3,200.0000	\$3,200.0000	

Туре 187	Item Code One (1) Arrow Board from	บ <mark>o</mark> м n National Signal	Qty Inc. 30"X60" 1	Unit Price 80° rotation	Line Total	Discount	Comment
	Options	LT	10	\$3,900.0000	\$39,000.0000	\$39,000.0000	
				Subtotal	\$443,316.6000	\$443,316.6000	•
	Item TT						
188	34 TON FORD EXTENDE	ED CAB SERVIC	E BED TRUC	K CNG	`		
	Vehicle	EA	5	\$23,610.4200	\$118,052.1000	\$118,052.1000	
189	Truck Body per specifica	tions					
	Truck Body Option 1	EA	5	\$7,320.0000	\$36,600.0000	\$36,600.0000	
190	Truck Body per specifica	tions	•				
	Truck Body Option 2	EA	5	no bid			
191	Tire Tax (per vehicle)						
	Fee	, LT	5	\$8.7500	\$43.7500	\$43.7500	
192	Delivery - nontaxable (pe	r vehicle)					
	Fee	LT	5	0	0	0	
193	Sales Tax at 9% (per veh	nicle)					
	Fee	LT	5	\$2,783.7400	\$13,918.7000	\$13,918.7000	
194	Bed enclosure (two section	on)					
	Options	LT	5	\$1,260.0000	\$6,300.0000	\$6,300.0000	
195	Lumber Rack with (2) str	aps on each side				•	
	Options	LT	5	\$1,490.0000	\$7,450.0000	\$7,450.0000	
196	Install (2) Led Vertex on	the headlamp ass	sembly # VTX6	609A			
	Options	LT	5	\$1,540.0000	\$7,700.0000	\$7,700.0000	
197	Install (2) M6A on the rea	er on the CS and	SS with flange	# M6FC			
	Options	LT	5	\$1,180.0000	\$5,900.0000	\$5,900.0000	
198	Install (2) LED spot deck	light on the lumb	er rack # 5 AG	-S with P46SLC bulb			
	Options	LT	5	\$1,300.0000	\$6,500.0000	\$6,500.0000	***
199	Install (1) Beacon light #	L31HAF on the L	umber rack on	the SS.			
	Options	LT	5	\$845,0000	\$4,225.0000	\$4,225.0000	
200	Removable vise bracket	on the rear of CS					
	Options	LT	5	\$320.0000	\$1,600.0000	\$1,600.0000	e a company
201	One (1) Arrow Board from	n National Signal	Inc. 30"X60" 1	80° rotation			
	Options	LT	5	\$3,900.0000	\$19,500.0000	\$19,500.0000	
	Item UU			Subtotal	\$227,789.5500	\$227,789.5500	

Type 202	Item Code % TON FORD CREW C	UOM AB SERVICE BI	Qty ED TRUCK CNG	Unit Price	Line Total	Discount	Comment
٠	Vehicle	EA	5	\$25,999.5600	\$129,997.8000	\$129,997.8000	
203	Truck Body per specifica	ations					
	Truck Body Option 1	EA	5	\$7,320.0000	\$36,600.0000	\$36,600.0000	
204	Truck Body per specifica	ations					
	Truck Body Option 2	EA	5	no bid			
205	Tire Tax (per vehicle)						
	Fee	LT	5	\$8.7500	\$43.7500	\$43.7500	
206	Delivery - nontaxable (pe	er vehicle)					
	Fee	LT	5	0	0	0	
207	Sales Tax at 9% (per ve	hicle)					
	Fee	LT	5	\$2,998.7600	\$14,993.8000	\$14,993.8000	
208	Bed enclosure (two sect	ion)					
	Options	LT	5	\$1,260.0000	\$6,300.0000	\$6,300.0000	
209	Lumber Rack with (2) str	raps on each sid	e				
	Options	LT	5	\$1,490.0000	\$7,450.0000	\$7,450.0000	
210	Install (2) Led Vertex on	the headlamp as	ssembly # VTX60	99A			
	Options	LT	5	\$1,540.0000	\$7,700.0000	\$7,700.0000	
211	Install (2) M6A on the rea	ar on the CS and	I SS with flange #	# M6FC			
	Options	LT	5	\$1,180.0000	\$5,900.0000	\$5,900.0000	
212	Install (2) LED spot deck	light on the lum	ber rack # 5 AG-	S with P46SLC bulb			
	Options	LT	5	\$1,300.0000	\$6,500.0000	\$6,500.0000	
213	Install (1) Beacon light #	L31HAF on the	Lumber rack on t	he SS.			
	Options	LT	5	\$845.0000	\$4,225.0000	\$4,225.0000	
214	Removable vise bracket						
	Options	LT	5	\$320.0000	\$1,600.0000	\$1,600.0000	
215	One (1) Arrow Board from	•					
	Options	LT	5	\$3,900.0000	\$19,500.0000	\$19,500.0000	e e
	Item VV			Subtotal	\$240,810.3500	\$240,810.3500	
216	1 TON FORD REGULAR	R CAB SERVICE	BED TRUCK C	NG			
	Vehicle	EA	2	\$23,632.4200	\$47,264.8400	\$47,264.8400	

Туре 217	Item Code Truck Body per specificat	UOM ions	Qty	Unit Price	Line Total	Discount	Comment
	Truck Body Option 1	EA	2	\$14,395.0000	\$28,790.0000	\$28,790.0000	
218	Truck Body per specificat	ions			•		
	Truck Body Option 2	EA	2	no bid			
219	Tire Tax (per vehicle)			•	•		
	Fee	LT	2	\$8.7500	\$17.5000	\$17,5000	
220	Delivery - nontaxable (per	r vehicle)		e e		10 m	
	Fee	LT	2	0	0	0	
221	Sales Tax at 9% (per veh	icle)	4				in the second
,	Fee	LT	2	\$3,422.4700	\$6,844.9400	\$6,844.9400	
222	Bed enclosure (two section	nn)					
222	Options (two sections)	LT	2	\$1,510.0000	\$3,020.0000	\$3,020.0000	
002							
223	Lumber Rack with (2) stra Options	LT	de 2	\$1,820.0000	\$3,640.0000	\$3,640.0000	
					46,040.000	Ψ0,040.0000	
224	Install (2) Led Vertex on the	·	-		#n nno nnan	#8 and anno	
	Options	LT	2	\$1,540.0000	\$3,080.0000	\$3,080.0000	
225	Install (2) M6A on the rea						
	Options	LT	2	\$1,180.0000	\$2,360.0000	\$2,360.0000	
226	Install (2) LED spot deck	light on the lur	mber rack # 5 AG-	S with P46SLC bulb			
	Options	LT	2	\$1,300.0000	\$2,600.0000	\$2,600.0000	
227	Install (1) Beacon light # l	31HAF on the	e Lumber rack on	the SS.			
	Options	LT		\$845.0000	\$1,690.0000	\$1,690.0000	
228	Removable vise bracket of	on the rear of	cs				
	Options	LT	2	\$320.0000	\$640.0000	\$640.0000	
229	One (1) Arrow Board from	n National Sign	nal Inc. 30"X60" 1	80° rotation		·	
	Options	LT	2	\$3,900.0000	\$7,800.0000	\$7,800.0000	
230	Liftgate 1200# capacity				·		
	Options	LT	2	\$2,300.0000	\$4,600,0000	\$4,600.0000	
		• •		Subtotal	\$112,347.2800	\$112,347.2800	
024	Item WW	n CAR GEDV	CE BED TBLICK	CNG			
231	1 TON FORD EXTENDED Vehicle	EA ERVI	5	\$28,318.5600	\$141,592.8000	\$141,592.8000	
	venicie			φ <u>∠</u> 0,010.0000	ψ s-4 1,032.6000	ψι+1,032.0000	

Туре 232	Item Code Truck Body per specificat	UOM tions	Qty	Unit Price	Line Total	Discount	Comment
	Truck Body Option 1	EA	5	\$12,870.0000	\$64,350.0000	\$64,350.0000	
233	Truck Body per specificat	ilons					
	Truck Body Option 2	EA	5	no bid			4
234	Tire Tax (per vehicle)						
	Fee	LT	5	\$12.2500	\$61.2500	\$61.2500	
235	Delivery - nontaxable (pe	r vehicle)					
	Fee	LT	5	0	0	0	
236	Sales Tax at 9% (per veh	icle)					
	Fee	LT	5	\$3,706.9700	\$18,534.8500	\$18,534.8500	
237	Bed enclosure (two section	on)					
	Options	LT	5	\$1,510.0000	\$7,550.0000	\$7,550.0000	
238	Lumber Rack with (2) stra	aps on each sid	ie				
	Options	LT	5	\$1,820.0000	\$9,100.0000	\$9,100.0000	
239	Install (2) Led Vertex on t	he headlamp a	ssembly # VTX6	09A			
	Options	LT	, 5	\$1,540.0000	\$7,700.0000	\$7,700.0000	
240	Install (2) M6A on the rea	r on the CS an	d SS with flange	# M6FC			
	Options	LT	5	\$1,180.0000	\$5,900.0000	\$5,900.0000	
241	Install (2) LED spot deck	light an the lun	nber rack # 5 AG	S with P46SLC bulb			
	Options	LT	5	\$1,300.0000	\$6,500.0000	\$6,500.0000	
242	Install (1) Beacon light # I	L31HAF on the	Lumber rack on	the SS.			
	Options	LT	5	\$845.0000	\$4,225.0000	\$4,225.0000	
243	Removable vise bracket of	on the rear of C	s				
	Options	LT	5	\$320.0000	\$1,600.0000	\$1,600.0000	
244	One (1) Arrow Board from	n National Sign	al Inc. 30"X60" 1	80° rotation			
	Options	LT	5	\$3,900.0000	\$19,500.0000	\$19,500.0000	
245	Liftgate 1200# capacity						
	Options	LT	5	\$2,300.0000	\$11,500.0000	\$11,500.0000	
	14 VOV			Subtotal	\$298,113.9000	\$298,113.9000	
246	Item XX 1-1/4 TON FORD CREW	/ CAB SERVIC	E BED TRUCK (CNG			
-	Vehicle	EA	5	\$34,282.5600	\$171,412.8000	\$171,412.8000	

Type 247	Item Code Truck Body per specifica	UOM tions	Qty	Unit Price	Line Total	Discount	Comment
	Truck Body Option 1	EA	5	\$12,870.0000	\$64,350.0000	\$64,350.0000	
248	Truck Body per specifica	tions		•		•	•
	Truck Body Option 2	EA	5	no bid			
249	Tire Tax (per vehicle)						
	Fee	LT	5	\$12.2500	\$61.2500	\$61.2500	
250	Delivery - nontaxable (pe	r vehicle)					
	Fee	ĿT	5	0	0	0	
251	Tire Tax (per vehicle)						
	Fee	LT	5	\$4,243.7300	\$21,218.6500	\$21,218.6500	
252	Delivery - nontaxable (pe	r vehicle)					
	Fee	LT	5	no bid			
253	Sales Tax at 9% (per veh	nicle)				te e tet e	
	Fee	LT	5	no bid			
254	Bed enclosure (two secti	on)					
	Options	LT	5	\$1,510.0000	\$7,550,0000	\$7,550.0000	
255	Lumber Rack with (2) str	aps on each sid	ie				
	Options	LT	5	\$1,820.0000	\$9,100.0000	\$9,100.0000	
256	Install (2) Led Vertex on	the headlamp a	ssembly # VTX	609A			
	Options	LT	5	\$1,540.0000	\$7,700.0000	\$7,700.0000	
257	Install (2) M6A on the rea	ar on the CS an	d SS with flange	# M6FC			
	Options	LT	5	\$1,180.0000	\$5,900.0000	\$5,900.0000	
258	Install (2) LED spot deck	light on the lun	nber rack # 5 A0	S-S with P46SLC bull	b		
	Options	LT	5	\$1,300.0000	\$6,500.0000	\$6,500.0000	
259	Install (1) Beacon light#	L31HAF on the	Lumber rack or	n the SS.			
	Options	LT	5	\$845.0000	\$4,225.0000	\$4,225.0000	a.e
260	Removable vise bracket	on the rear of 0	es				
	Options	LT	5	\$320,0000	\$1,600.0000	\$1,600.0000	
261	One (1) Arrow Board from	m National Sign	al Inc. 30"X60"	180° rotation			
	Options	LT	5	\$3,900.0000	\$19,500.0000	\$19,500.0000	
262	Liftgate 1200# capacity						
	Options	LT	5	\$2,300.0000	\$11,500.0000	\$11,500.0000	
				Subtotal	\$330,617.7000	\$330,617.7000	

Туре	Item Code Item YY	WOU	Qty	Unit Price	Line Total	Discount Comment
263	2WD, LARGE SUV					
	Vehicle	EA	5	no bid		
264	Tire Tax (per vehicle)					
	Fee	LT	5	กo bid		
265	Delivery - nontaxable (p	er vehicle)				
	Fee	LT	5	no bid		
266	Sales Tax at 9% (per ve	hicle)			•	
	Fee	, LT	5	no bid		
				Subtotal	0	0
	Item ZZ				·	-
267	4WD, LARGE, SUV					
	Vehicle	EA	5	no bid		
268	Tire Tax (per vehicle)					
	Fee	LT	5	no bid		
269	Delivery - nontaxable (p	er vehicle)				
	Fee	LT	5	no bid		
270	Sales Tax at 9% (per ve	hicle)				
	Fee	LT	5	no biđ		
				Subtotal	0	0
271	Item A1 2WD, EXTRA LARGE, S	21 N/				
21.1	Vehicle	EA	5	no bid		
272	Tire Tax (per vehicle)					
	Fee	LT	5	no bid		
273	Delivery - nontaxable (p					
_, _	Fee	LT	5	no bid		
274	Sales Tax at 9% (per ve	hicle)				
	Fee	LT	5	no bid		
				Subtotal	0	0
275	item A2 4WD, EXTRA LARGE, S	SUV				
	Vehicle	EA	5	no bid		
276	Tire Tax (per vehicle)					
	Fee	LT	5	no bid		
			•			

Туре 277	Item Code Delivery - nontaxat	UOM ble (per vehicle)	Qty	Unit Price	Line Total	Discount	Comment					
	Fee	LT	. 5	no bìd								
278	Sales Tax at 9% (per vehicle)											
216	Fee	LT	5	no bíd								
			3									
	Item A3			Subtotal	0	0						
279		JRSUIT CERTIFIED S	EDAN, SOLID									
	Vehicle	EA	5	\$25,515.7900	\$127,578.9500	\$127,578.9500						
280	Tire Tax (per vehicle)											
	Fee	LT .	5	\$8.7500	\$43.7500	\$43.7500						
	• • • •	.'		40.7500		\$1517,000						
281	Delivery - nontaxat			-	_							
	Fee	LT	5		0	0						
282	Sales Tax at 9% (per vehicle)											
	Fee	LT	5	\$2,296.4200	\$11,482.1000	\$11,482.1000						
				Subtotal	\$139,104.8000	\$139,104.8000						
	item A4											
283		JRSUIT CERTIFIED S										
	Vehicle	EA	5	no bid								
284	Tire Tax (per vehic	le)										
	Fee	LT	5	no bid								
285	Delivery - nontaxable (per vehicle)											
	Fee	LT	5	no bid								
286	Sales Tax at 9% (per vehicle)											
	Fee Fee	LT	5	πο bid								
		· · ·		Out to to t								
	Subtotal 0 0 Item A5											
287	FORD, POLICE PURSUIT CERTIFIED SOLID COLOR SUV, AWD.											
	Vehicle	EA	20	\$26,580.2900	\$531,605.8000	\$531,605.8000						
288	Tire Tax (per vehicle)											
	Fee	LT	20	\$8.7500	\$175.0000	\$175,0000						
289	Delivery - nontaxal	ole (per vehicle)	e e e e e e e e e e e e e e e e e e e	•	t.							
	Fee	LT	20	0	0	0						
290	and the second second				e e e							
	Sales Tax at 9% (p	-	90	ൂർ ചവ വസ	# 47 9 44 0000	647 644 0000						
	Fee	LT . · · ·	20	\$2,392.2300	\$47,844.6000	\$47,844.6000						
				Subtotal	\$579,625.4000	\$579,625.4000						

Multi-Year Vehicle Purchase (ITB FS 16-126), bidding on November 10, 2016 11:00 AM (Pacific)

Printed 11/10/2016

Туре	Item Code	UOM	Qty	Unit Price	Line Total	Discount Comment				
	Item A6									
291	FORD, POLICE PURSUIT CERTIFIED SOLID BLACK AND WHITE SUV, AWD									
	Vehicle	EA	40	no bid						
292	Tire Tax (per vehicle)									
	Fee	LT	40	no bid	,					
293	Delivery - nontaxable (per vehicle)									
	Fee	LT	40	no bid						
294	Sales Tax at 9% (per vehicle)									
	Fee	LT	40	no bid						
				Subtotal	0	0				
	Contract Extension C	ption								
295	Percentage increase during first extension period. Contractor must enter percentage at the Unit Price (5% would be entered as .05, 10% would be entered as .10, etc.)									
	First Renewal	percentage	1	\$0.0300	\$0.0300	\$0.0300				
296	Percentage increase during second extension period. Contractor must enter percentage at the Unit Price (5% would be entered as .05, 10% would be entered as .10, etc.)									
	Second Renewal	percentage	1	\$0.0300	\$0.0300	\$0.0300				
				Subtotal	\$0.0600	\$0.0600				
				Total	\$5,336,237.9400	\$5,336,237.9400				