

## NEW HOME RATING SYSTEM, VERSION 6.0

## MULTIFAMILY

The GreenPoint Rated checklist tracks green features incorporated into the home. GreenPoint Rated is administered by Build It Green, a non-profit whose mission is to promote healthy, energy and resource efficient buildings in California. The minimum requirements of GreenPoint Rated are: verification of 50 or more points; Earn the following minimum points per category: Commulty (3) Energy (22), Indoor Air Quality/Health (6), Resources (6), and Water (8); and meet the prerequisites CALGreen Mandatory, E5.2, H6.1, J5.1, O1, O7.

The criteria for the green building practices listed below are described in the GreenPoint Rated Single Family Rating Manual. For more information please visit www.buildittgreen.org/greenpointrated Build It Green is not a code enforcement agency.

Points Targeted: 124.0
Certification Level: Gold

56.5

more information please v	issit www.builditgreen.org/greenpointrated  de enforcement agency.			56.5		30.0		■ Points Targeted
A home is only GreenPo	int Rated if all features are verified by a Certified GreenPoint Rater through Build It Green.		2 10.0	25	18.5	6	6 9.0	
4800 8 04.20.202		Points Targeted	Community	Energy	IAQ/Health	Resources	Water	
CALGreen	Measures			Po	ssible Po	ints		Notes
Yes A. SITE	CALGreen Res (REQUIRED)	4		1	1	1	1	
No	A2. Job Site Construction Waste Diversion  A2. I 65% C&D Waste Diversion (Including Alternative Daily Cover)	0				2		
No Yes Yes	A2.1 65% C&D Waste Diversion (Induding Alternative Daily Cover) A2.2 65% C&D Waste Diversion (Excluding Alternative Daily Cover) A2.3 Recycling Rates from Third-Party Verified Mixed-Use Waste Facility	2				2		
No TBD	A3. Recycled Content Base Material  A4. Heat Island Effect Reduction (Non-Roof)	0		1		1		
No	A5. Construction Environmental Quality Management Plan Including Flush-Out A6. Stormwater Control: Prescriptive Path	0			1			
No	A6.1 Permeable Paving Material	0					1	Onsite stormwater will be directed to the offsite
Yes Yes	A6.2 Filtration and/or Bio-Retention Features A6.3 Non-Leaching Roofing Materials	0					1	developmenmt bio-retention area.  TPO - Roofing material (non-leaching)
No	A6.4 Smart Stormwater Street Design	0	1					
Yes								Provide plans that indicate stormwater being directed to bioswale. Provide calculations showing that 85% of the
B. FOUNDATION No	A7. Stormwater Control: Performance Path  B1. Fly Ash and/or Slag in Concrete	0				1	3	total annual stormwater is being captured and treateed.
No No	B2. Radon-Resistant Construction B3. Foundation Drainage System	0			2	2		
No	B4. Moisture Controlled Crawlspace B5. Structural Pest Controls	0			1			
No No	B5.1 Termite Shields and Separated Exterior Wood-to-Concrete Connections B5.2 Plant Trunks, Bases, or Stems at Least 36 Inches from the Foundation	0				1		
C. LANDSCAPE 0.03%	Enter the landscape area percentage							
Yes	C1. Plants Grouped by Water Needs (Hydrozoning)	1					1	Group plants and turf in low, medium and high water use
Yes	C2. Three Inches of Mulch in Planting Beds C3. Resource Efficient Landscapes	1					1	Add note for 3 inch. Of mulch for planting beds.
Yes	C3.1 No Invasive Species Listed by Cal HPC	1				1		Use Cal-IPC when making plant selections. We will review based of the current list.
Yes Yes	C3.2 Plants Chosen and Located to Grow to Natural Size C3.3 Drought Tolerant, California Native, Mediterranean Species, or Other	0				1	_	Provide 75% drought tolerant plants based on quantity of
	Appropriate Species C4. Minimal Turf in Landscape C4. No Turf on Stoppe Evaporing 10% and No Overhood Sprinklers Installed in	0		1			3	plants installed.
Yes	C4.1 No Turf on Slopes Exceeding 10% and No Overhead Sprinklers Installed in Areas Less Than Eight Feet Wide C4.2 Turf on a Small Percentage of Landscaped Area	0					2	
No Yes	C5. Trees to Moderate Building Temperature C6. High-Efficiency Irrigation System	0	1	1			1 2	
Yes No	C7. One Inch of Compost in the Top Six to Twelve Inches of Soil C8. Rainwater Harvesting System	0					2	
No Yes	C9. Recycled Wastewater Irrigation System C10. Submeter or Dedicated Meter for Landscape Irrigation	0					1 2	
≤0.5 ETo	C11. Landscape Meets Water Budget C12. Environmentally Preferable Materials for Site	0					2	
No	C12.1 Environmentally Preferable Materials for 70% of Non-Plant Landscape Elements and Fencing	0				1		
No No	C12.2 Play Structures and Surfaces Have an Average Recycled Content ≥20%  C13. Reduced Light Pollution	0	1			1		
No No	C14. Large Stature Tree(s) C15. Third Party Landscape Program Certification	0	1				1	
No No	C16. Maintenance Contract with Certified Professional C17. Community Garden E AND BUILDING ENVELOPE	0	2				1	
No	D1. Optimal Value Engineering D1. Joists, Raffers, and Studs at 24 Inches on Center	0		1 1		2		
Yes No	D1.2 Non-Load Bearing Door and Window Headers Sized for Load D1.3 Advanced Framing Measures	1 0				1 2		
No	D2. Construction Material Efficiencies D3. Engineered Lumber	0				1		
No Yes	D3.1 Engineered Beams and Headers D3.2 Wood I-Joists or Web Trusses for Floors	0				1		
Yes No	D3.3 Enginered Lumber for Roof Rafters D3.4 Engineered or Finger-Jointed Studs for Vertical Applications	0				1		
Yes Yes	D3.5 OSB for Subfloor D3.6 OSB for Wall and Roof Sheathing	0.5 0.5				0.5 0.5		
No	D4. Insulated Headers D5. FSC-Certified Wood	0		1				
No No	D5.1 Dimensional Lumber, Studs, and Timber D5.2 Panel Products	0				6 3		
No No	D6. Solid Wall Systems D6.1 At Least 90% of Floors D6.2 At Least 90% of Exterior Walls	0		1		1		
No No	D6.3 At Least 90% of Roofs D7. Energy Heels on Roof Trusses	0		1 1		1		
No	D8. Overlangs and Gutters D9. Reduced Pollution Entering the Home from the Garage	0		1		1		
No TBD	D9.1 Detached Garage D9.2 Mitigation Strategies for Attached Garage	0			2			
No	D10. Structural Pest and Rot Controls D10.1 All Wood Located At Least 12 Inches Above the Soil	0				1		
Yes	D10.2 Wood Framing Treating With Borates or Factory-Impregnated, or Wall Materials Other Than Wood	1				1		
No E EXTERIOR	D11. Moisture-Resistant Materials in Wet Areas (such as Kitchen, Bathrooms, Utility Rooms, and Basements)	0			1	1	L	
E. EXTERIOR No	E1. Environmentally Preferable Decking E2. Flashing Installation Third-Party Verified	0				1 2		
Yes No Yes	E2. Flashing Installation Third-Party Verified E3. Rain Screen Wall System E4. Durable and Non-Combustible Cladding Materials	2 0 1				2 2		Traditional 3 coat stucco system qualifies.
	E5. Durable Roofing Materials	, i				<u>'</u>		Flat roof, 10 year material warranty and a 3-year
Yes Yes	E5.1 Durable and Fire Resistant Roofing Materials or Assembly E5.2 Roofing Warranty for Shingle Roofing	1 Y	R	R	R	1 R	R	workmanship warranty.
No F. INSULATION	E6. Vegetated Roof	0	2	2				
TBD	F1. Insulation with 30% Post-Consumer or 60% Post-Industrial Recycled Content  F1.1 Walls and Floors					11		
TBD	F1.2 Ceilings F2. Insulation that Meets the CDPH Standard Method—Residential for Low Emissions					1		
TBD TBD	F2.1 Walls and Floors F2.2 Ceilings				1			
No	F3. Insulation That Does Not Contain Fire Retardants F3.1 Cavity Walls and Floors	0			1			
No No G. PLUMBING	F3.2 Ceilings F3.3 Interior and Exterior Insulation	0			1			
	G1. Efficient Distribution of Domestic Hot Water							1 in. foam on entire run of pipe lest than 2 in. in diameter.
Yes	G1.1 Insulated Hot Water Pipes G1.2 WaterSense Volume Limit for Hot Water Distribution	1		1			1	1.5in foam on entire run of pipe lest than 2 in. in diameter.  1.5in foam on pipe greater than 2 in.
TBD	G1.3 Increased Efficiency in Hot Water Distribution  G2. Install Water-Efficient Fixtures						2	
Yes Yes	G2.1 WaterSense Showerheads with Matching Compensation Valve G2.2 WaterSense Bathroom Faucets	2					2	
Yes	G2.3 WaterSense Toilets with a Maximum Performance (MaP) Threshold of No Less Than 500 Grams	1					1	

	5100 Long Beach Blvd.	Points Targeted	Community	Energy	IAQ/Health	Resources	Water	
No No No	G2.4 Urinals with Flush Rate of ≤ 0.1 Gallons/Flush G3. Pre-Plumbing for Graywater System G4. Operational Graywater System	0 0					1 1 3	
No	G5. Submeter Water for Tenants , AND AIR CONDITIONING H1. Sealed Combustion Units	0					2	
No No No	H1.1 Sealed Combustion Furnace H1.2 Sealed Combustion Water Heater H2. High Performing Zoned Hydronic Radiant Heating System	0 0		1	2			
Yes	H3. Effective Ductwork H3.1 Duct Mastic on Duct Joints and Seams	1		1				Section 150.0(m)1 of 2013 BEES
No TBD	H3.2 Pressure Balance the Ductwork System H4. ENERGY STAR® Bathroom Fans Per HVI Standards with Air Flow Verified H5. Advanced Practices for Cooling	0		1	1			
No No	H5.1 ENERGY STAR Ceiling Fans in Living Areas and Bedrooms H5.2 Operable Windows and Skylights Located to Induce Cross Ventilation in At Least One Room in 80% of Units	0		1				
Yes	H6. Whole House Mechanical Ventilation Practices to Improve Indoor Air Quality H6.1 Meet ASHRAE Standard 62.2-2012 Ventilation Residential Standards	Y	R	R	R	R	R	Continuous operation, HVI Rated fan 1cfm/watt @ 0.25
Yes TBD	H6.2 Advanced Ventilation Standards H6.3 Outdoor Air Ducted to Bedroom and Living Areas	1			1 2			static pressure.
TBD No	H7. Effective Range Design and Installation H7.1 Effective Range Hood Ducting and Design H7.2 Automatic Range Hood Control	0			1 1			
Yes Yes	I1. Pre-Plumbing for Solar Water Heating I2. Preparation for Future Photovoltaic Installation	0		1 1				
100.00%	I3. Onsite Renewable Generation (Solar PV, Solar Thermal, and Wind) 14. Net Zero Energy Home	0		25				Provide 3.7kW PV system per DU
Yes Yes No	I4.1 Near Zero Energy Home I4.2 Net Zero Electric I5. Solar Hot Water Systems to Preheat Domestic Hot Water	2 4 0		4				
≥60% of common area  J. BUILDING PERFORMAN  Yes	G. Photovoltaic System for Multifamily Projects  ZE AND TESTING  JJ. Third-Party Verification of Quality of Insulation Installation	1		12	1			
No No No	J2. Supply and Return Air Flow Testing J3. Mechanical Ventilation Testing and Low Leakage J4. Combustion Appliance Safety Testing	0 0		1	1 1 1			
19.00%	J5. Building Performance Exceeds Title 24 Part 6  J5.1 Home Outperforms Title 24	43		30				
0.00% Yes No	J5.2 Non-Residential Spaces Outperform Title 24 J6. Title 24 Prepared and Signed by a CABEC Certified Energy Analyst J7. Participation in Utility Program with Third-Party Plan Review	0 1 0		15 1 1				
No No K. FINISHES	J8. ENERGY STAR for Homes J9. EPA Indoor airPlus Certification	0		1	1			
Yes No	K1. Entryways Designed to Reduce Tracked-In Contaminants K1.1 Entryways to Individual Units K1.2 Entryways to Buildings	1 0			1 1			
Yes Yes	K2. Zero-VOC Interior Wall and Ceiling Paints K3. Low-VOC Caulks and Adhesives	2			1 2			
≥80% ≥50%	K4. Environmentally Preferable Materials for Interior Finish K4.1 Cabinets K4.2 Interior Trim	2				2		
≥80% ≥80%	K4.3 Shelving K4.4 Doors	2 2				2 2		
Yes Yes	K4.5 Countertops K5. Formaldehyde Emissions in Interior Finish Exceed CARB K5.1 Doors	1			1	'		
Yes Yes Yes	K5.2 Cabinets and Countertops K5.3 Interior Trim and Shelving K6. Products That Comply With the Health Product Declaration Open Standard	2 2 2			2 2			
Yes No	K7. Indoor Air Formaldehyde Level Less Than 27 Parts Per Billion K8. Comprehensive Inclusion of Low Emitting Finishes	2			2			
TBD TBD L. FLOORING	K9. Durable Cabinets K10. At Least 25% of Interior Furniture Has Environmentally Preferable Attributes				1			
≥50% ≥50% No	L1. Environmentally Preferable Flooring L2. Low-Emitting Flooring Meets CDPH 2010 Standard Method—Residential L3. Durable Flooring	2 2 0			3	3		
No M. APPLIANCES AND LIG	L4. Thermal Mass Flooring TING	0		1				
Yes No No	M1. ENERGY STAR® Dishwasher M2. CEE-Rated Clothes Washer M3. Size-Efficient ENERGY STAR Refrigerator	0 0		1 2			2	
No No	M4. Permanent Centers for Waste Reduction Strategies M4.1 Built-In Recycling Center M4.2 Built-In Composting Center	0				1 1		
Yes	M5. Lighting Efficiency M5.1 High-Efficacy Lighting	2		2				
No No	M5.2 Lighting System Designed to IESNA Footcandle Standards or Designed by Lighting Consultant M6. Central Laundry	0		2			1	
No N. COMMUNITY	M7. Gearless Elevator  N1. Smart Development	0		1				
Yes No	N1.1 Infill Site N1.2 Designated Brownfield Site	2 0 1	1	2	1	1		
>20 No	N1.3 Conserve Resources by Increasing Density N1.4 Cluster Homes for Land Preservation N1.5 Home Size Efficiency	0 4	1	2		2 1 9		Based on the average largest unit type.
1,579 3 No	Enter the area of the home, in square feet Enter the number of bedrooms N2. Home(s)/Development Located Within 1/2 Mile of a Major Transit Stop	0	2					
	N3. Pedestrian and Bicycle Access N3.1 Pedestrian Access to Services Within 1/2 Mile of Community Services Enter the number of Tier 1 services		2					
Yes	Enter the number of Tier 2 services N3.2 Connection to Pedestrian Pathways	1	1					
No Yes No	N3.3 Traffic Calming Strategies N3.4 Sidewalks Buffered from Roadways and 5-8 Feet Wide N3.5 Bicycle Storage for Residents	0 1 0	1 1					
No No	N3.6 Bicycle Storage for Non-Residents N3.7 Reduced Parking Capacity N4. Outdoor Gathering Places	0	1 2					
Yes No	N4.1 Public or Semi-Public Outdoor Gathering Places for Residents N4.2 Public Outdoor Gathering Places with Direct Access to Tier 1 Community	1	1					
Yes	Services N5. Social Interaction N5.1 Residence Entries with Views to Callers	1	1					two peepholes
Yes Yes Yes	N5.2 Entrances Visible from Street and/or Other Front Doors N5.3 Porches Oriented to Street and Public Space N5.4 Social Gathering Space	1 1	1 1					
No	N6. Passive Solar Design N6.1 Heating Load	0	Ė	2				
No No	N6.2 Cooling Load N7. Adaptable Building N7.1 Universal Design Principles in Units	0	1	2	1			
No No	N7.2 Full-Function Independent Rental Unit N8. Affordability N8.1 Dedicated Units for Households Making 80% of AMI or Less	0	1 2					
No No No	N8.2 Units with Multiple Bedrooms for Households Making 80% of AMI or Less N8.3 At Least 20% of Units at 120% AMI or Less are For Sale	0	1 1					
No No	N9. Mixed-Use Developments N9.1 Live/Work Units Include a Dedicated Commercial Entrance N9.2 At Least 2% of Development Floor Space Supports Mixed Use	0	1 1					
No O. OTHER	N9.3 Half of the Non-Residential Floor Space is Dedicated to Community Service  O1. GreenPoint Rated Checklist in Blueprints	0 Y	1 R	R	R	R	R	
Yes No Yes	O2. Pre-Construction Kickoff Meeting with Rater and Subcontractors O3. Orientation and Training to Occupants—Conduct Educational Walkthroughs	0 2	K	0.5 0.5	0.5	1 0.5	0.5 0.5	
No No	O4. Builder's or Developer's Management Staff are Certified Green Building Professionals O5. Home System Monitors	0		0.5	0.5	0.5	0.5	
Yes	O6. Green Building Education O6.1 Marketing Green Building	2	2					
Yes No No	O6.2 Green Building Signage O7. Green Appraisal Addendum O8. Detailed Durability Plan and Third-Party Verification of Plan Implementation	1 N 0	R	0.5 R	R	R 1	0.5 R	
No No P. DESIGN CONSIDERATION	O9. Residents Are Offered Free or Discounted Transit Passes O10. Vandalism Deterrence Practices and Vandalism Management Plan	0	2			1		
0	P1. Acoustics: Noise and Vibration Control  Enter the number of Tier 1 practices	0	1		1			
0	Enter the number of Tier 2 practices P2. Mixed-Use Design Strategies							

	5100 Long Beach Blvd.	Points Targeted	Community	Energy	IAQ/Health	Resources	Water	
No	P2.1 Tenant Improvement Requirements for Build-Outs	0			1		1	
No	P2.2 Commercial Loading Area Separated for Residential Area	0			1			
No	P2.3 Separate Mechanical and Plumbing Systems	0			1			
	P3. Commissioning							
No	P3.1 Design Phase	0		1	1			
No	P3.2 Construction Phase	0		1	1			
No	P3.3 Post-Construction Phase	0		1	1			
No	P4. Building Enclosure Testing	0		1	1	1		
INNOVATIONS								
No	Enter Innovation 1 description here. Enter up to four points at right.	0						
No	Enter Innovation 2 description here. Enter up to four points at right.	0						
No	Enter Innovation 3 description here. Enter up to four points at right.	0						
No	Enter Innovation 4 description here. Enter up to four points at right.	0						
Summary								
	Total Available Points in Specific Categories		43	138	61	86	53	
	Minimum Points Required in Specific Categories	50	2	25	6	6	6	
	Total Points Targeted	124.0	10.0	56.5	18.5	30.0	9.0	