



## Legislation Details (With Text)

---

**File #:** 21-0442      **Version:** 1      **Name:** PD - ABC License - Wood & Salt Tavern D8  
**Type:** ABC License      **Status:** Granted  
**File created:** 4/29/2021      **In control:** City Council  
**On agenda:** 5/18/2021      **Final action:** 5/18/2021  
**Title:** Recommendation to receive the application of Lennestrand, L.P., dba Wood & Salt Tavern, for an original application of an Alcoholic Beverage Control (ABC) License, at 4262 Atlantic Avenue; submit a Public Notice of Protest to ABC; and, direct City Manager to withdraw the protest if a Conditional Use Permit (CUP) is granted. (District 8)  
**Sponsors:** Police  
**Indexes:**  
**Code sections:**  
**Attachments:** 1. 051821-C-17sr&att.pdf

Date	Ver.	Action By	Action	Result
5/18/2021	1	City Council	approve recommendation	Pass

Recommendation to receive the application of Lennestrand, L.P., dba Wood & Salt Tavern, for an original application of an Alcoholic Beverage Control (ABC) License, at 4262 Atlantic Avenue; submit a Public Notice of Protest to ABC; and, direct City Manager to withdraw the protest if a Conditional Use Permit (CUP) is granted. (District 8)

It is City Council policy to review applications for ABC licenses to determine if a basis for protest against the issuance of the license exists. The attached application lists the possible bases for protest.

The Department of Alcoholic Beverage Control received the above application on March 30, 2021. The applicant is still in the planning stages and has not yet received a CUP. Provided the Planning Commission approves the CUP, the recommendation includes a request to direct the City Manager to withdraw the Public Notice of Protest. City Council action is requested on May 18, 2021, to respond to the Department of Alcoholic Beverage Control by the May 19, 2021 due date.

There is no fiscal impact associated with this recommendation.

Approve recommendation.

ROBERT G. LUNA  
CHIEF OF POLICE

APPROVED:

THOMAS B. MODICA  
CITY MANAGER