

OFFICE OF THE CITY ATTORNEY
CHARLES PARKIN, City Attorney
411 West Ocean Boulevard, 9th Floor
Lana Beach, CA 90802-4664

1 “4. TIME FOR CONTRACT. The term of this Contract shall commence
2 at midnight on May 1, 2019, and shall terminate at 11:59 p.m. on April 30, 2022, unless
3 sooner terminated as provided in this Contract, or unless the services or the Project is
4 completed sooner. Time is of the essence hereunder. City will suffer damage if the work
5 is not completed within the time stated, but those damages would be difficult or impractical
6 to determine. So, Contractor shall pay to City, as liquidated damages, the amount stated
7 in the Contract Documents.”

8 3. The Rates in Exhibit “A” to the Contract are hereby amended in
9 accordance with Exhibit “A-1”, attached hereto and incorporated by this reference.

10 4. Except as expressly amended herein, all terms and conditions in
11 Contract No. 35239 are ratified and confirmed and shall remain in full force and effect.

12 ///
13 ///
14 ///
15 ///
16 ///
17 ///
18 ///
19 ///
20 ///
21 ///
22 ///
23 ///
24 ///
25 ///
26 ///
27 ///
28 ///

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

IN WITNESS WHEREOF, the Parties have caused this document to be duly executed with all formalities required by law as of the date first stated above.

ALL AMERICAN ASPHALT, a California corporation

3/26/21, 2021

By [Signature]
Name Edward J. Carlson
Title Vice President

3/26/21, 2021

By [Signature]
Name Michael Farkas
Title Secretary

"Contractor"

CITY OF LONG BEACH, a municipal corporation

April 9, 2021

By [Signature]
City Manager

"City" EXECUTED PURSUANT TO SECTION 301 OF THE CITY CHARTER

This Second Amendment to Contract No. ~~35289~~ 35289 is approved as to form on

April 6, 2021.

CHARLES PARKIN, City Attorney

By [Signature]
Deputy

OFFICE OF THE CITY ATTORNEY
CHARLES PARKIN, City Attorney
411 West Ocean Boulevard, 9th Floor
Lona Beach, CA 90802-4664

CALIFORNIA ALL-PURPOSE ACKNOWLEDGEMENT

CIVIL CODE § 1189

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California

County of Riverside


On March 26, 2021 before me, Kenona Nazari, Notary Public
Date Here Insert name and Title of the Officer

personally appeared Edward J. Carlson and Michael Farkas
Name(s) of Signer(s)

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.



Place Notary Seal Above

Signature Kenona Nazari
Signature of Notary Public

OPTIONAL

Though the information below is not required by law, it may prove valuable to person relying on the document and could prevent fraudulent removal and reattachment of this form to another document.

Description of Attached Document

Title or Type of Document Second Amendment Signature Page – City of Long Beach

Document Date: March 26, 2021 Number of Pages: 3


Signer(s) Other Than Named Above: None

Capacity(ies) Claimed by Signer(s)

Signer's Name: Edward J. Carlson

- Individual
- Corporate Officer — Title(s): Vice President
- Partner Limited General
- Attorney in Fact
- Trustee
- Other: _____

Signer is Representing:
All American Asphalt



Signer's Name: Michael Farkas

- Individual
- Corporate Officer — Title(s): Secretary
- Partner Limited General
- Attorney in Fact
- Trustee
- Other: _____

Signer is Representing:
All American Asphalt




EXHIBIT “A-1”

Revised Rates May 1, 2021 to April 30, 2022

Long Beach Annual Contract for Major and Secondary Highway Arterial Improvements R-7131 3/17/21

Contract No. 35239

Contractor: All American Asphalt

all American Asphalt is in agreement all new unit pricing

John P. Stewart Project Mgr

| Bid Item | Description | QTY | UOM | Original Unit Price | April 2021 Renewal Unit Price |
|----------|---|-----|-----|---------------------|-------------------------------|
| 1 | Adjust City Manhole Frame & Cover | 1 | EA | 750.00 | 772.50 |
| 2 | Adjust L.A.C.S.D. Manhole Frame & Cover | 1 | EA | 1,500.00 | 1,545.00 |
| 3 | Reconstruct Manhole Frame & Cover | 1 | EA | 1,500.00 | 1,545.00 |
| 4 | Recoat Epoxy-lined Manholes | 1 | EA | 2,000.00 | 2,060.00 |
| 5 | Manhole Step | 1 | EA | 25.00 | 25.75 |
| 6 | Adjust Water Valve Box & Cover and Meter Box & Cover | 1 | EA | 350.00 | 360.50 |
| 7 | Reconstruct Water Valve Box & Cover | 1 | EA | 800.00 | 824.00 |
| 8 | Adjust Gas Valve Box & Cover | 1 | EA | 350.00 | 360.50 |
| 9 | Replace Pull Box # 3 | 1 | EA | 350.00 | 360.50 |
| 10 | Replace Pull Box # 5 | 1 | EA | 350.00 | 360.50 |
| 11 | Replace Pull Box # 6 | 1 | EA | 450.00 | 463.50 |
| 12 | Furnish and Install Traffic Signal Pull Box # 3 | 1 | EA | 420.00 | 432.60 |
| 13 | Furnish and Install Traffic Signal Pull Box # 5 | 1 | EA | 825.00 | 849.75 |
| 14 | Furnish and Install Traffic Signal Pull Box # 6 | 1 | EA | 950.00 | 978.50 |
| 15 | Install Survey Monument Type C with Casting & Cover | 1 | EA | 800.00 | 824.00 |
| 16 | Install Survey Monument Casting & Cover | 1 | EA | 800.00 | 824.00 |
| 17 | Adjust Survey Monument Casting & Cover | 1 | EA | 450.00 | 463.50 |
| 18 | Construct Survey Benchmark Type I per CLB Standard Plan No. 203 | | | | |
| 19 | Construct Spike and Washer per CLB Standard Plan No. 206 | 1 | EA | 450.00 | 463.50 |
| 20 | Construct Survey Ties per CLB Standard Plan No. 205 | 1 | EA | 450.00 | 463.50 |
| 21 | Survey Monument, Apparent Property Corner or Prolongation to be tied out prior to construction and submitted as a corner record | 1 | EA | 450.00 | 463.50 |
| 22 | Construct Survey Ties per CLB Standard Plan No. 207 (pending) | 1 | EA | 450.00 | 463.50 |
| 23 | Install Survey Bench Mark, Type 1 | 1 | EA | 450.00 | 463.50 |
| 24 | Install Spike & Washer and/or ties | 1 | EA | 450.00 | 463.50 |
| 25 | Curb Drain | 1 | EA | 250.00 | 257.50 |
| 26 | Concrete Removal | 0.5 | CY | 500.00 | 515.00 |
| 27 | Concrete Removal | 5.1 | CY | 500.00 | 515.00 |

3/17/21

| | | | | | | | |
|----|--|--|--------|--------|----|----------|----------|
| 28 | Concrete Removal | | 10.1 | 50.0 | CY | 350.00 | 360.50 |
| 29 | Concrete Removal | | 50.1 | 100.0 | CY | 300.00 | 309.00 |
| 30 | Concrete Removal | | 100.1 | MORE | CY | 148.00 | 152.44 |
| 31 | Bituminous Pavement Removal | | 0.5 | 5.0 | CY | 500.00 | 515.00 |
| 32 | Bituminous Pavement Removal | | 5.1 | 10.0 | CY | 500.00 | 515.00 |
| 33 | Bituminous Pavement Removal | | 10.1 | 50.0 | CY | 300.00 | 309.00 |
| 34 | Bituminous Pavement Removal | | 50.1 | 100.0 | CY | 150.00 | 154.50 |
| 35 | Bituminous Pavement Removal | | 100.1 | MORE | CY | 110.00 | 113.30 |
| 36 | Cold Milling Asphalt Concrete Pavement, 2.0" Average Depth | | 500.0 | 1000.0 | SY | 20.00 | 20.60 |
| 37 | Cold Milling Asphalt Concrete Pavement, 2.0" Average Depth | | 1001.0 | 2000.0 | SY | 15.00 | 15.45 |
| 38 | Cold Milling Asphalt Concrete Pavement, 2.0" Average Depth | | 2001.0 | 3000.0 | SY | 6.50 | 6.70 |
| 39 | Cold Milling Asphalt Concrete Pavement, 2.0" Average Depth | | 3001.0 | MORE | SY | 4.50 | 4.64 |
| 40 | Cold Milling Asphalt Concrete Pavement, 3.0" Average Depth | | 500.0 | 1000.0 | SY | 40.00 | 41.20 |
| 41 | Cold Milling Asphalt Concrete Pavement, 3.0" Average Depth | | 1001.0 | 2000.0 | SY | 17.00 | 17.51 |
| 42 | Cold Milling Asphalt Concrete Pavement, 3.0" Average Depth | | 2001.0 | 3000.0 | SY | 8.25 | 8.50 |
| 43 | Cold Milling Asphalt Concrete Pavement, 3.0" Average Depth | | 3001.0 | MORE | SY | 5.50 | 5.67 |
| 44 | Unclassified Excavation | | 1.0 | 10.0 | CY | 500.00 | 515.00 |
| 45 | Unclassified Excavation | | 11.0 | 50.0 | CY | 500.00 | 515.00 |
| 46 | Unclassified Excavation | | 51.0 | 100.0 | CY | 110.00 | 113.30 |
| 47 | Unclassified Excavation | | 101.0 | MORE | CY | 85.00 | 87.55 |
| 48 | Root Shaving | | 50.0 | 100.0 | SF | 10.00 | 10.30 |
| 49 | Root Shaving | | 101.0 | 500.0 | SF | 8.00 | 8.24 |
| 50 | Root Shaving | | 501.0 | 1000.0 | SF | 5.00 | 5.15 |
| 51 | Root Shaving | | 1001.0 | MORE | SF | 4.20 | 4.33 |
| 52 | Root Pruning, 14" Deep Curb Side | | 10.0 | 100.0 | LF | 40.00 | 41.20 |
| 53 | Root Pruning, 14" Deep Curb Side | | 101.0 | 500.0 | LF | 30.00 | 30.90 |
| 54 | Root Pruning, 14" Deep Curb Side | | 501.0 | 1000.0 | LF | 30.00 | 30.90 |
| 55 | Root Pruning, 14" Deep Curb Side | | 1001.0 | MORE | LF | 33.00 | 33.99 |
| 56 | Root Pruning, 26" Deep Curb Side | | 10.0 | 100.0 | LF | 45.00 | 46.35 |
| 57 | Root Pruning, 26" Deep Curb Side | | 101.0 | 500.0 | LF | 50.00 | 51.50 |
| 58 | Root Pruning, 26" Deep Curb Side | | 501.0 | 1000.0 | LF | 40.00 | 41.20 |
| 59 | Root Pruning, 26" Deep Curb Side | | 1001.0 | MORE | LF | 40.00 | 41.20 |
| 60 | Tree Pruning | | 1.0 | 10.0 | EA | 425.00 | 437.75 |
| 61 | Tree Pruning | | 11.0 | MORE | EA | 400.00 | 412.00 |
| 62 | Tree Removal up to 24" diameter trunk | | | 1 | EA | 1,800.00 | 1,854.00 |
| 63 | Tree Removal up to 25" to 36" diameter trunk | | | 1 | EA | 3,500.00 | 3,605.00 |
| 64 | Imported Borrow | | 1.0 | 10.0 | CY | 100.00 | 103.00 |
| 65 | Imported Borrow | | 11.0 | 50.0 | CY | 80.00 | 82.40 |
| 66 | Imported Borrow | | 51.0 | MORE | CY | 50.00 | 51.50 |

At 3/17/21

| | | | | | | |
|-----|---|--------|--------|-----|--------|--------|
| 67 | Slurry Backfill- 2 sack | 1.0 | 5.0 | CY | 170.00 | 175.10 |
| 68 | Slurry Backfill- 2 sack | 6.0 | 10.0 | CY | 170.00 | 175.10 |
| 69 | Slurry Backfill- 2 sack | 11.0 | 30.0 | CY | 170.00 | 175.10 |
| 70 | Slurry Backfill- 2 sack | 31.0 | MORE | CY | 170.00 | 175.10 |
| 71 | Crushed Miscellaneous Base, 6" Thick under PCC Improvements | 1.0 | 500.0 | SF | 4.00 | 4.12 |
| 72 | Crushed Miscellaneous Base, 6" Thick under PCC Improvements | 501.0 | 1000.0 | SF | 4.00 | 4.12 |
| 73 | Crushed Miscellaneous Base, 6" Thick under PCC Improvements | 1001.0 | 2000.0 | SF | 3.50 | 3.61 |
| 74 | Crushed Miscellaneous Base, 6" Thick under PCC Improvements | 2001.0 | MORE | SF | 1.25 | 1.29 |
| 75 | Crushed Miscellaneous Base | 1.0 | 50.0 | CY | 40.00 | 41.20 |
| 76 | Crushed Miscellaneous Base | 51.0 | 100.0 | CY | 40.00 | 41.20 |
| 77 | Crushed Miscellaneous Base | 101.0 | 200.0 | CY | 40.00 | 41.20 |
| 78 | Crushed Miscellaneous Base | 201.0 | 500.0 | CY | 40.00 | 41.20 |
| 79 | Crushed Miscellaneous Base | 501.0 | MORE | CY | 20.00 | 20.60 |
| 80 | Crack Preparation | 100.0 | 500.0 | LF | 3.00 | 3.09 |
| 81 | Crack Preparation | 501.0 | 1000.0 | LF | 3.00 | 3.09 |
| 82 | Crack Preparation | 1001.0 | 3000.0 | LF | 3.00 | 3.09 |
| 83 | Crack Preparation | 3001.0 | 5000.0 | LF | 2.50 | 2.58 |
| 84 | Crack Preparation | 5001.0 | MORE | LF | 2.50 | 2.58 |
| 85 | Asphalt Concrete Pavement | 1.0 | 100.0 | Ton | 140.00 | 144.20 |
| 86 | Asphalt Concrete Pavement | 101.0 | 500.0 | Ton | 140.00 | 144.20 |
| 87 | Asphalt Concrete Pavement | 501.0 | 1000.0 | Ton | 94.00 | 96.82 |
| 88 | Asphalt Concrete Pavement | 1001.0 | 1500.0 | Ton | 94.00 | 96.82 |
| 89 | Asphalt Concrete Pavement | 1501.0 | 2000.0 | Ton | 93.00 | 95.79 |
| 90 | Asphalt Concrete Pavement | 2001.0 | 3000.0 | Ton | 92.00 | 94.76 |
| 91 | Asphalt Concrete Pavement | 3001.0 | MORE | Ton | 90.00 | 92.70 |
| 92 | Asphalt Rubber Pavement | 1.0 | 100.0 | Ton | 153.00 | 157.59 |
| 93 | Asphalt Rubber Pavement | 101.0 | 500.0 | Ton | 153.00 | 157.59 |
| 94 | Asphalt Rubber Pavement | 501.0 | 1000.0 | Ton | 101.00 | 104.03 |
| 95 | Asphalt Rubber Pavement | 1001.0 | 1500.0 | Ton | 101.00 | 104.03 |
| 96 | Asphalt Rubber Pavement | 1501.0 | 2000.0 | Ton | 101.00 | 104.03 |
| 97 | Asphalt Rubber Pavement | 2001.0 | 3000.0 | Ton | 95.00 | 97.85 |
| 98 | Asphalt Rubber Pavement | 3001.0 | MORE | Ton | 87.00 | 89.61 |
| 99 | Asphalt Concrete Curb | 1.0 | 2000.0 | LF | 20.00 | 20.60 |
| 100 | Asphalt Concrete Curb | 2001.0 | MORE | LF | 15.00 | 15.45 |
| 101 | Slurry Seal – Emulsion Aggregate Slurry (EAS), Type I | 1.0 | 10.0 | ELT | 600.00 | 618.00 |
| 102 | Slurry Seal – Emulsion Aggregate Slurry (EAS), Type I | 11.0 | 50.0 | ELT | 550.00 | 566.50 |
| 103 | Slurry Seal – Emulsion Aggregate Slurry (EAS), Type I | 51.0 | 100.0 | ELT | 450.00 | 463.50 |
| 104 | Slurry Seal – Emulsion Aggregate Slurry (EAS), Type I | 101.0 | MORE | ELT | 350.00 | 360.50 |
| 105 | Slurry Seal – Emulsion Aggregate Slurry (EAS), Type II | 1.0 | 10.0 | ELT | 605.00 | 623.15 |

AT 3/14/12

| | | | | | | |
|-----|---|--------|--------|-----|----------|----------|
| 106 | Slurry Seal – Emulsion Aggregate Slurry (EAS), Type II | 11.0 | 50.0 | ELT | 555.00 | 571.65 |
| 107 | Slurry Seal – Emulsion Aggregate Slurry (EAS), Type II | 51.0 | 100.0 | ELT | 455.00 | 468.65 |
| 108 | Slurry Seal – Emulsion Aggregate Slurry (EAS), Type II | 101.0 | MORE | ELT | 355.00 | 365.65 |
| 109 | Slurry Seal – Rubberized Emulsion Aggregate Slurry (REAS), Type I | 1.0 | 10.0 | ELT | 4,617.00 | 4,755.51 |
| 110 | Slurry Seal – Rubberized Emulsion Aggregate Slurry (REAS), Type I | 11.0 | 50.0 | ELT | 1,642.00 | 1,691.26 |
| 111 | Slurry Seal – Rubberized Emulsion Aggregate Slurry (REAS), Type I | 51.0 | 100.0 | ELT | 1,139.00 | 1,173.17 |
| 112 | Slurry Seal – Rubberized Emulsion Aggregate Slurry (REAS), Type I | 101.0 | MORE | ELT | 1,139.00 | 1,173.17 |
| 113 | Slurry Seal – Rubberized Emulsion Aggregate Slurry (REAS), Type II | 1.0 | 10.0 | ELT | 4,057.00 | 4,178.71 |
| 114 | Slurry Seal – Rubberized Emulsion Aggregate Slurry (REAS), Type II | 11.0 | 50.0 | ELT | 1,512.00 | 1,557.36 |
| 115 | Slurry Seal – Rubberized Emulsion Aggregate Slurry (REAS), Type II | 51.0 | 100.0 | ELT | 1,084.00 | 1,116.52 |
| 116 | Slurry Seal – Rubberized Emulsion Aggregate Slurry (REAS), Type II | 101.0 | MORE | ELT | 1,084.00 | 1,116.52 |
| 117 | Slurry Seal – Rubberized Polymer Modified Slurry Surface Mix with Chandler 2% (RPMS), Type I or approved equal | 1.0 | 10.0 | ELT | 600.00 | 618.00 |
| 118 | Slurry Seal – Rubberized Polymer Modified Slurry Surface Mix with Chandler 2% (RPMS), Type I or approved equal | 11.0 | 50.0 | ELT | 550.00 | 566.50 |
| 119 | Slurry Seal – Rubberized Polymer Modified Slurry Surface Mix with Chandler 2% (RPMS), Type I or approved equal | 51.0 | 100.0 | ELT | 450.00 | 463.50 |
| 120 | Slurry Seal – Rubberized Polymer Modified Slurry Surface Mix with Chandler 2% (RPMS), Type I or approved equal | 101.0 | MORE | ELT | 350.00 | 360.50 |
| 121 | Slurry Seal – Rubberized Polymer Modified Slurry Surface Mix with Chandler 2% (RPMS), Type II or approved equal | 1.0 | 10.0 | ELT | 605.00 | 623.15 |
| 122 | Slurry Seal – Rubberized Polymer Modified Slurry Surface Mix with Chandler 2% (RPMS), Type II or approved equal | 11.0 | 50.0 | ELT | 555.00 | 571.65 |
| 123 | Slurry Seal – Rubberized Polymer Modified Slurry Surface Mix with Chandler 2% (RPMS), Type II or approved equal | 51.0 | 100.0 | ELT | 455.00 | 468.65 |
| 124 | Slurry Seal – Rubberized Polymer Modified Slurry Surface Mix with Chandler 2% (RPMS), Type II or approved equal | 101.0 | MORE | ELT | 355.00 | 365.65 |
| 125 | Crack Seal | 100.0 | 500.0 | LF | 7.00 | 7.21 |
| 126 | Crack Seal | 501.0 | 1000.0 | LF | 7.00 | 7.21 |
| 127 | Crack Seal | 1001.0 | 3000.0 | LF | 3.00 | 3.09 |
| 128 | Crack Seal | 3001.0 | 5000.0 | LF | 2.00 | 2.06 |
| 129 | Crack Seal | 5001.0 | MORE | LF | 1.00 | 1.03 |
| 130 | Stamped Concrete | 1.0 | 100.0 | SF | 25.00 | 25.75 |
| 131 | Stamped Concrete | 101.0 | 400.0 | SF | 25.00 | 25.75 |
| 132 | Stamped Concrete | 401.0 | 1000.0 | SF | 25.00 | 25.75 |
| 133 | Stamped Concrete | 1001.0 | 2000.0 | SF | 18.00 | 18.54 |
| 134 | Stamped Concrete | 201.0 | MORE | SF | 18.00 | 18.54 |
| 135 | PCC Pavement, 6" Thick | 1.0 | 100.0 | SF | 40.00 | 41.20 |
| 136 | PCC Pavement, 6" Thick | 101.0 | 400.0 | SF | 40.00 | 41.20 |
| 137 | PCC Pavement, 6" Thick | 401.0 | 1000.0 | SF | 30.00 | 30.90 |
| 138 | PCC Pavement, 6" Thick | 1001.0 | 2000.0 | SF | 8.00 | 8.24 |

OK 3/17/20

| | | | | | | | |
|-----|---|--|--------|--------|----|--------|--------|
| 139 | PCC Pavement, 6" Thick | | 2001.0 | 3000.0 | SF | 8.00 | 8.24 |
| 140 | PCC Pavement, 6" Thick | | 3001.0 | MORE | SF | 8.00 | 8.24 |
| 141 | PCC Pavement, 8" Thick | | 1.0 | 100.0 | SF | 40.00 | 41.20 |
| 142 | PCC Pavement, 8" Thick | | 101.0 | 400.0 | SF | 40.00 | 41.20 |
| 143 | PCC Pavement, 8" Thick | | 401.0 | 1000.0 | SF | 40.00 | 41.20 |
| 144 | PCC Pavement, 8" Thick | | 1001.0 | 2000.0 | SF | 15.00 | 15.45 |
| 145 | PCC Pavement, 8" Thick | | 2001.0 | 3000.0 | SF | 12.00 | 12.36 |
| 146 | PCC Pavement, 8" Thick | | 3001.0 | MORE | SF | 11.00 | 11.33 |
| 147 | PCC Alley Entrance, 6" Thick | | 1.0 | 100.0 | SF | 40.00 | 41.20 |
| 148 | PCC Alley Entrance, 6" Thick | | 101.0 | 400.0 | SF | 40.00 | 41.20 |
| 149 | PCC Alley Entrance, 6" Thick | | 401.0 | 1000.0 | SF | 10.00 | 10.30 |
| 150 | PCC Alley Entrance, 6" Thick | | 1001.0 | 2000.0 | SF | 8.00 | 8.24 |
| 151 | PCC Alley Entrance, 6" Thick | | 2001.0 | MORE | SF | 7.00 | 7.21 |
| 152 | Type "E" Joint Sealant | | | 20.0 | LF | 10.00 | 10.30 |
| 153 | PCC Curb, SPPWC Type A1-6, A1-8, A1 Integral, C1-6, or C1-8 | | 1.0 | 50.0 | LF | 80.00 | 82.40 |
| 154 | PCC Curb, SPPWC Type A1-6, A1-8, A1 Integral, C1-6, or C1-8 | | 51.0 | 100.0 | LF | 80.00 | 82.40 |
| 155 | PCC Curb, SPPWC Type A1-6, A1-8, A1 Integral, C1-6, or C1-8 | | 101.0 | 400.0 | LF | 45.00 | 46.35 |
| 156 | PCC Curb, SPPWC Type A1-6, A1-8, A1 Integral, C1-6, or C1-8 | | 401.0 | 1000.0 | LF | 35.00 | 36.05 |
| 157 | PCC Curb, SPPWC Type A1-6, A1-8, A1 Integral, C1-6, or C1-8 | | 1001.0 | 2000.0 | LF | 22.00 | 22.66 |
| 158 | PCC Curb, SPPWC Type A1-6, A1-8, A1 Integral, C1-6, or C1-8 | | 2001.0 | MORE | LF | 22.00 | 22.66 |
| 159 | PCC Curb & Gutter, SPPWC Type A2, W=1.5' | | 1.0 | 50.0 | LF | 85.00 | 87.55 |
| 160 | PCC Curb & Gutter, SPPWC Type A2, W=1.5' | | 51.0 | 100.0 | LF | 80.00 | 82.40 |
| 161 | PCC Curb & Gutter, SPPWC Type A2, W=1.5' | | 101.0 | 400.0 | LF | 70.00 | 72.10 |
| 162 | PCC Curb & Gutter, SPPWC Type A2, W=1.5' | | 401.0 | 1000.0 | LF | 45.00 | 46.35 |
| 163 | PCC Curb & Gutter, SPPWC Type A2, W=1.5' | | 1001.0 | 2000.0 | LF | 42.00 | 43.26 |
| 164 | PCC Curb & Gutter, SPPWC Type A2, W=1.5' | | 2001.0 | MORE | LF | 32.00 | 32.96 |
| 165 | PCC Curb & Gutter, SPPWC Type A2, W=2.0' | | 1.0 | 50.0 | LF | 90.00 | 92.70 |
| 166 | PCC Curb & Gutter, SPPWC Type A2, W=2.0' | | 51.0 | 100.0 | LF | 85.00 | 87.55 |
| 167 | PCC Curb & Gutter, SPPWC Type A2, W=2.0' | | 101.0 | 400.0 | LF | 60.00 | 61.80 |
| 168 | PCC Curb & Gutter, SPPWC Type A2, W=2.0' | | 401.0 | 1000.0 | LF | 45.00 | 46.35 |
| 169 | PCC Curb & Gutter, SPPWC Type A2, W=2.0' | | 1001.0 | 2000.0 | LF | 40.00 | 41.20 |
| 170 | PCC Curb & Gutter, SPPWC Type A2, W=2.0' | | 2001.0 | MORE | LF | 34.00 | 35.02 |
| 171 | PCC Curb & Gutter, SPPWC Type A2, W=7.0' | | 1.0 | 50.0 | LF | 150.00 | 154.50 |
| 172 | PCC Curb & Gutter, SPPWC Type A2, W=7.0' | | 51.0 | 100.0 | LF | 150.00 | 154.50 |
| 173 | PCC Curb & Gutter, SPPWC Type A2, W=7.0' | | 101.0 | 400.0 | LF | 128.00 | 131.84 |
| 174 | PCC Curb & Gutter, SPPWC Type A2, W=7.0' | | 401.0 | 1000.0 | LF | 126.00 | 129.78 |
| 175 | PCC Curb & Gutter, SPPWC Type A2, W=7.0' | | 1001.0 | 2000.0 | LF | 73.00 | 75.19 |
| 176 | PCC Curb & Gutter, SPPWC Type A2, W=7.0' | | 2001.0 | MORE | LF | 65.00 | 66.95 |
| 177 | PCC Bus Stop Street Pad, 10" Thick | | 1.0 | 700.0 | SF | 25.00 | 25.75 |

3/1/21

| | | | | | | |
|-----|--------------------------------------|--------|--------|----|----------|----------|
| 178 | PCC Bus Stop Street Pad, 10" Thick | 701.0 | 1400.0 | SF | 18.00 | 18.54 |
| 179 | PCC Bus Stop Street Pad, 10" Thick | 1401.0 | 2100.0 | SF | 15.00 | 15.45 |
| 180 | PCC Bus Stop Street Pad, 10" Thick | 2101.0 | 2800.0 | SF | 15.00 | 15.45 |
| 181 | PCC Bus Stop Street Pad, 10" Thick | 2801.0 | MORE | SF | 14.00 | 14.42 |
| 182 | PCC Cross Gutter, 8" Thick | 1.0 | 50.0 | SF | 40.00 | 41.20 |
| 183 | PCC Cross Gutter, 8" Thick | 51.0 | 100.0 | SF | 40.00 | 41.20 |
| 184 | PCC Cross Gutter, 8" Thick | 101.0 | 400.0 | SF | 40.00 | 41.20 |
| 185 | PCC Cross Gutter, 8" Thick | 401.0 | 1000.0 | SF | 15.00 | 15.45 |
| 186 | PCC Cross Gutter, 8" Thick | 1001.0 | 2000.0 | SF | 11.00 | 11.33 |
| 187 | PCC Cross Gutter, 8" Thick | 2001.0 | MORE | SF | 10.00 | 10.30 |
| 188 | PCC Sidewalk, 3" Thick | 1.0 | 50.0 | SF | 40.00 | 41.20 |
| 189 | PCC Sidewalk, 3" Thick | 51.0 | 100.0 | SF | 40.00 | 41.20 |
| 190 | PCC Sidewalk, 3" Thick | 101.0 | 400.0 | SF | 35.00 | 36.05 |
| 191 | PCC Sidewalk, 3" Thick | 401.0 | 1000.0 | SF | 25.00 | 25.75 |
| 192 | PCC Sidewalk, 3" Thick | 1001.0 | 2000.0 | SF | 13.00 | 13.39 |
| 193 | PCC Sidewalk, 3" Thick | 2001.0 | MORE | SF | 5.25 | 5.41 |
| 194 | Curb Ramps, Case A | 1.0 | 4.0 | EA | 2,800.00 | 2,884.00 |
| 195 | Curb Ramps, Case A | 5.0 | 10.0 | EA | 2,800.00 | 2,884.00 |
| 196 | Curb Ramps, Case A | 11.0 | 15.0 | EA | 2,800.00 | 2,884.00 |
| 197 | Curb Ramps, Case A | 16.0 | MORE | EA | 2,800.00 | 2,884.00 |
| 198 | Curb Ramps, Case C | 1.0 | 4.0 | EA | 2,800.00 | 2,884.00 |
| 199 | Curb Ramps, Case C | 5.0 | 10.0 | EA | 2,800.00 | 2,884.00 |
| 200 | Curb Ramps, Case C | 11.0 | 15.0 | EA | 2,800.00 | 2,884.00 |
| 201 | Curb Ramps, Case C | 16.0 | MORE | EA | 2,800.00 | 2,884.00 |
| 202 | Curb Ramps, Case D | 1.0 | 4.0 | EA | 2,800.00 | 2,884.00 |
| 203 | Curb Ramps, Case D | 5.0 | 10.0 | EA | 2,800.00 | 2,884.00 |
| 204 | Curb Ramps, Case D | 11.0 | 15.0 | EA | 2,800.00 | 2,884.00 |
| 205 | Curb Ramps, Case D | 16.0 | MORE | EA | 2,800.00 | 2,884.00 |
| 206 | Curb Ramps, Case E | 1.0 | 4.0 | EA | 2,800.00 | 2,884.00 |
| 207 | Curb Ramps, Case E | 5.0 | 10.0 | EA | 2,800.00 | 2,884.00 |
| 208 | Curb Ramps, Case E | 11.0 | 15.0 | EA | 2,800.00 | 2,884.00 |
| 209 | Curb Ramps, Case E | 16.0 | MORE | EA | 2,800.00 | 2,884.00 |
| 210 | Curb Ramp Detectable Warning Surface | 10.0 | 50.0 | SF | 75.00 | 77.25 |
| 211 | Curb Ramp Detectable Warning Surface | 51.0 | 500.0 | SF | 60.00 | 61.80 |
| 212 | Curb Ramp Detectable Warning Surface | 501.0 | MORE | SF | 50.00 | 51.50 |
| 213 | PCC Driveway, 4" Thick | 1.0 | 50.0 | SF | 40.00 | 41.20 |
| 214 | PCC Driveway, 4" Thick | 51.0 | 100.0 | SF | 40.00 | 41.20 |
| 215 | PCC Driveway, 4" Thick | 101.0 | 400.0 | SF | 25.00 | 25.75 |
| 216 | PCC Driveway, 4" Thick | 401.0 | 1000.0 | SF | 10.00 | 10.30 |

OK 3/17/02

| | | | | | | |
|-----|---|--------|--------|----|----------|----------|
| 217 | PCC Driveway, 4" Thick | 1001.0 | 2000.0 | SF | 6.00 | 6.18 |
| 218 | PCC Driveway, 4" Thick | 2001.0 | MORE | SF | 6.00 | 6.18 |
| 219 | PCC Driveway, 6" Thick | 1.0 | 50.0 | SF | 40.00 | 41.20 |
| 220 | PCC Driveway, 6" Thick | 51.0 | 100.0 | SF | 40.00 | 41.20 |
| 221 | PCC Driveway, 6" Thick | 101.0 | 400.0 | SF | 20.00 | 20.60 |
| 222 | PCC Driveway, 6" Thick | 401.0 | 1000.0 | SF | 10.00 | 10.30 |
| 223 | PCC Driveway, 6" Thick | 1001.0 | 2000.0 | SF | 7.00 | 7.21 |
| 224 | PCC Driveway, 6" Thick | 2001.0 | MORE | SF | 7.00 | 7.21 |
| 225 | Storm Drain - 18" RCP, D-1750, 2.0' to 4.9' deep | 6.0 | 100.0 | LF | 175.00 | 180.25 |
| 226 | Storm Drain - 18" RCP, D-1750, 2.0' to 4.9' deep | 101.0 | MORE | LF | 125.00 | 128.75 |
| 227 | Storm Drain - 18" RCP, D-1750, 5.0' to 10.0' deep | 6.0 | 100.0 | LF | 180.00 | 185.40 |
| 228 | Storm Drain - 18" RCP, D-1750, 5.0' to 10.0' deep | 101.0 | MORE | LF | 134.00 | 138.02 |
| 229 | Storm Drain - 24" RCP, D-1750, 2.0' to 4.9' deep | 6.0 | 100.0 | LF | 185.00 | 190.55 |
| 230 | Storm Drain - 24" RCP, D-1750, 2.0' to 4.9' deep | 101.0 | MORE | LF | 146.00 | 150.38 |
| 231 | Storm Drain - 24" RCP, D-1750, 5.0' to 10.0' deep | 6.0 | 100.0 | LF | 216.00 | 222.48 |
| 232 | Storm Drain - 24" RCP, D-1750, 5.0' to 10.0' deep | 101.0 | MORE | LF | 152.00 | 156.56 |
| 233 | Local Depression Case A | 100.0 | 500.0 | SF | 40.00 | 41.20 |
| 234 | Local Depression Case A | 501.0 | 1000.0 | SF | 40.00 | 41.20 |
| 235 | Local Depression Case A | 1001.0 | 1500.0 | SF | 40.00 | 41.20 |
| 236 | Local Depression Case A | 1501.0 | MORE | SF | 40.00 | 41.20 |
| 237 | Local Depression Case B | 100.0 | 500.0 | SF | 40.00 | 41.20 |
| 238 | Local Depression Case B | 501.0 | 1000.0 | SF | 40.00 | 41.20 |
| 239 | Local Depression Case B | 1001.0 | 1500.0 | SF | 40.00 | 41.20 |
| 240 | Local Depression Case B | 1501.0 | MORE | SF | 40.00 | 41.20 |
| 241 | Local Depression Case C | 100.0 | 500.0 | SF | 40.00 | 41.20 |
| 242 | Local Depression Case C | 501.0 | 1000.0 | SF | 40.00 | 41.20 |
| 243 | Local Depression Case C | 1001.0 | 1500.0 | SF | 40.00 | 41.20 |
| 244 | Local Depression Case C | 1501.0 | MORE | SF | 40.00 | 41.20 |
| 245 | Local Depression Case E | 100.0 | 500.0 | SF | 40.00 | 41.20 |
| 246 | Local Depression Case E | 501.0 | 1000.0 | SF | 40.00 | 41.20 |
| 247 | Local Depression Case E | 1001.0 | 1500.0 | SF | 40.00 | 41.20 |
| 248 | Local Depression Case E | 1501.0 | MORE | SF | 40.00 | 41.20 |
| 249 | Storm Drain 42" Manhole per Standard Plan SPPWC-321, 5.0' to 10.0' deep | | 1.0 | EA | 5,700.00 | 5,871.00 |
| 250 | Storm Drain Concrete Collar per Standard Plan SPPWC-332 | | 1.0 | EA | 1,100.00 | 1,133.00 |
| 251 | Weakened Plane Joint Dowel | | 10.0 | EA | 25.00 | 25.75 |
| 252 | Topsoil, Class "A" | 1.0 | 10.0 | CY | 75.00 | 77.25 |
| 253 | Topsoil, Class "A" | 11.0 | 50.0 | CY | 58.00 | 59.74 |
| 254 | Topsoil, Class "A" | 51.0 | 100.0 | CY | 55.00 | 56.65 |
| 255 | Topsoil, Class "A" | 101.0 | MORE | CY | 55.00 | 56.65 |

AK 3/17/11

| | | | | | | |
|-----|--|--------|--------|----|----------|----------|
| 256 | Tree Planting, 15 Gallon Tree Rhus lanceal/ African Sumac | 1.0 | 5.0 | EA | 288.00 | 296.64 |
| 257 | Tree Planting, 15 Gallon Tree Rhus lanceal/ African Sumac | 6.0 | MORE | EA | 145.00 | 149.35 |
| 258 | Tree Planting, 15 Gallon Tree Tabebuia Avellanadae / Lavender Trumpet Tree | 1.0 | 5.0 | EA | 288.00 | 296.64 |
| 259 | Tree Planting, 15 Gallon Tree Tabebuia Avellanadae / Lavender Trumpet Tree | 6.0 | MORE | EA | 145.00 | 149.35 |
| 260 | Tree Planting, 15 Gallon Tree Tristania Conferta / Brisbane Box | 1.0 | 5.0 | EA | 288.00 | 296.64 |
| 261 | Tree Planting, 15 Gallon Tree Tristania Conferta / Brisbane Box | 6.0 | MORE | EA | 144.00 | 148.32 |
| 262 | Tree Planting, 15 Gallon Tree Ullmas Parvifolia / Chinese Elm | 1.0 | 5.0 | EA | 288.00 | 296.64 |
| 263 | Tree Planting, 15 Gallon Tree Ullmas Parvifolia / Chinese Elm | 6.0 | MORE | EA | 144.00 | 148.32 |
| 264 | Tree Planting, 15 Gallon Tree Geijera Parviflora / Australian Willow | 1.0 | 5.0 | EA | 288.00 | 296.64 |
| 265 | Tree Planting, 15 Gallon Tree Geijera Parviflora / Australian Willow | 6.0 | MORE | EA | 144.00 | 148.32 |
| 266 | Tree Planting, 24" Box Tree Rhus Lancea / African Sumac | 1.0 | 5.0 | EA | 900.00 | 927.00 |
| 267 | Tree Planting, 24" Box Tree Rhus Lancea / African Sumac | 6.0 | MORE | EA | 460.00 | 473.80 |
| 268 | Tree Planting, 24" Box Tree Tabebuia Avellanadae / Lavender Trumpet Tree | 1.0 | 5.0 | EA | 900.00 | 927.00 |
| 269 | Tree Planting, 24" Box Tree Tabebuia Avellanadae / Lavender Trumpet Tree | 6.0 | MORE | EA | 460.00 | 473.80 |
| 270 | Tree Planting, 24" Gallon Tree Tristania Conferta / Brisbane Box | 1.0 | 5.0 | EA | 900.00 | 927.00 |
| 271 | Tree Planting, 24" Gallon Tree Tristania Conferta / Brisbane Box | 6.0 | MORE | EA | 4,500.00 | 4,635.00 |
| 272 | Tree Planting, 24" Gallon Tree Ullmas Parvifolia / Chinese Elm | 1.0 | 5.0 | EA | 900.00 | 927.00 |
| 273 | Tree Planting, 24" Gallon Tree Ullmas Parvifolia / Chinese Elm | 6.0 | MORE | EA | 460.00 | 473.80 |
| 274 | Tree Planting, 24" Box Tree Geijera Parviflora / Australian Willow | 1.0 | 5.0 | EA | 900.00 | 927.00 |
| 275 | Tree Planting, 24" Box Tree Geijera Parviflora / Australian Willow | 6.0 | MORE | EA | 460.00 | 473.80 |
| 276 | Lawn Sodding | 100.0 | 500.0 | SF | 5.00 | 5.15 |
| 277 | Lawn Sodding | 501.0 | MORE | SF | 2.50 | 2.58 |
| 278 | 4" ReflectORIZED Paint Traffic Striping | 1.0 | 100.0 | LF | 3.65 | 3.76 |
| 279 | 4" ReflectORIZED Paint Traffic Striping | 101.0 | 500.0 | LF | 3.04 | 3.13 |
| 280 | 4" ReflectORIZED Paint Traffic Striping | 501.0 | 1000.0 | LF | 2.43 | 2.50 |
| 281 | 4" ReflectORIZED Paint Traffic Striping | 1001.0 | MORE | LF | 1.46 | 1.50 |
| 282 | 4" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 1.0 | 100.0 | LF | 3.65 | 3.76 |
| 283 | 4" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 101.0 | 500.0 | LF | 3.04 | 3.13 |
| 284 | 4" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 501.0 | 1000.0 | LF | 2.43 | 2.50 |
| 285 | 4" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 1001.0 | MORE | LF | 1.46 | 1.50 |
| 286 | 4" Thermoplastic Traffic Striping | 1.0 | 100.0 | LF | 9.72 | 10.01 |
| 287 | 4" Thermoplastic Traffic Striping | 101.0 | 500.0 | LF | 4.86 | 5.01 |
| 288 | 4" Thermoplastic Traffic Striping | 501.0 | 1000.0 | LF | 3.65 | 3.76 |
| 289 | 4" Thermoplastic Traffic Striping | 1001.0 | MORE | LF | 1.70 | 1.75 |
| 290 | 4" Thermoplastic Traffic Striping, Including Raised Pavement Markers (RPM's) | 1.0 | 100.0 | LF | 9.72 | 10.01 |
| 291 | 4" Thermoplastic Traffic Striping, Including Raised Pavement Markers (RPM's) | 101.0 | 500.0 | LF | 4.86 | 5.01 |

3/17/21

| | | | | | | |
|-----|--|--------|-------------|----|-------|-------|
| 292 | 4" Thermoplastic Traffic Striping, Including Raised Pavement Markers (RPM's) | 501.0 | 1000.0 | LF | 3.65 | 3.76 |
| 293 | 4" Thermoplastic Traffic Striping, Including Raised Pavement Markers (RPM's) | 1001.0 | MORE | LF | 1.70 | 1.75 |
| 294 | 6" ReflectORIZED Paint Traffic Striping | 1.0 | 100.0 | LF | 6.08 | 6.26 |
| 295 | 6" ReflectORIZED Paint Traffic Striping | 101.0 | 500.0 | LF | 4.86 | 5.01 |
| 296 | 6" ReflectORIZED Paint Traffic Striping | 501.0 | 1000.0 | LF | 3.65 | 3.76 |
| 297 | 6" ReflectORIZED Paint Traffic Striping | 1001.0 | MORE | LF | 1.76 | 1.81 |
| 298 | 6" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 1.0 | 100.0 | LF | 6.08 | 6.26 |
| 299 | 6" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 101.0 | 500.0 | LF | 4.86 | 5.01 |
| 300 | 6" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 501.0 | 1000.0 | LF | 3.65 | 3.76 |
| 301 | 6" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 1001.0 | MORE | LF | 1.76 | 1.81 |
| 302 | 6" Thermoplastic Traffic Striping | 1.0 | 100.0 | LF | 12.15 | 12.51 |
| 303 | 6" Thermoplastic Traffic Striping | 101.0 | 500.0 | LF | 7.29 | 7.51 |
| 304 | 6" Thermoplastic Traffic Striping | 501.0 | 1000.0 | LF | 3.04 | 3.13 |
| 305 | 6" Thermoplastic Traffic Striping | 1001.0 | MORE | LF | 1.94 | 2.00 |
| 306 | 6" Thermoplastic and Paint Striping, with Raised Pavement Markers (RPM's) | 1.0 | 100.0 | LF | 12.15 | 12.51 |
| 307 | 6" Thermoplastic and Paint Striping, with Raised Pavement Markers (RPM's) | 101.0 | 500.0 | LF | 7.29 | 7.51 |
| 308 | 6" Thermoplastic and Paint Striping, with Raised Pavement Markers (RPM's) | 501.0 | 1000.0 | LF | 3.04 | 3.13 |
| 309 | 6" Thermoplastic and Paint Striping, with Raised Pavement Markers (RPM's) | 1001.0 | MORE | LF | 1.94 | 2.00 |
| 310 | 6" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 1.0 | 100.0 | LF | 12.15 | 12.51 |
| 311 | 6" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 101.0 | 500.0 | LF | 7.29 | 7.51 |
| 312 | 6" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 501.0 | 1000.0 | LF | 3.04 | 3.13 |
| 313 | 6" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 1001.0 | MORE | LF | 1.94 | 2.00 |
| 314 | 8" ReflectORIZED Paint Traffic Striping | 1.0 | 100.0 | LF | 7.29 | 7.51 |
| 315 | 8" ReflectORIZED Paint Traffic Striping | 101.0 | 500.0 | LF | 6.08 | 6.26 |
| 316 | 8" ReflectORIZED Paint Traffic Striping | 501.0 | 1000.0 | LF | 3.65 | 3.76 |
| 317 | 8" ReflectORIZED Paint Traffic Striping | 1001.0 | MORE | LF | 1.94 | 2.00 |
| 318 | 8" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 1.0 | 100.0 | LF | 7.29 | 7.51 |
| 319 | 8" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 101.0 | 500.0 | LF | 6.08 | 6.26 |
| 320 | 8" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 501.0 | 1000.0 | LF | 3.65 | 3.76 |
| 321 | 8" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 1001.0 | MORE | LF | 1.94 | 2.00 |
| 322 | 8" Thermoplastic Traffic Striping | 1.0 | 100.0 | LF | 14.58 | 15.02 |
| 323 | 8" Thermoplastic Traffic Striping | 101.0 | 500.0 | LF | 8.51 | 8.77 |
| 324 | 8" Thermoplastic Traffic Striping | 501.0 | 1000.0 | LF | 3.65 | 3.76 |
| 325 | 8" Thermoplastic Traffic Striping | 1001.0 | MORE | LF | 2.43 | 2.50 |
| 326 | 8" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 1.0 | 100.0 | LF | 14.58 | 15.02 |
| 327 | 8" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 101.0 | 500.0 | LF | 8.51 | 8.77 |
| 328 | 8" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 501.0 | 1000.0 | LF | 3.65 | 3.76 |
| 329 | 8" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | 1001.0 | MORE | LF | 2.43 | 2.50 |
| 330 | 12" ReflectORIZED Paint Traffic Striping | 1.0 | 100.0 | LF | 18.23 | 18.78 |

OK 3/17/12

| | | | | | | | |
|-----|--|--|--------|--------|----|--------|--------|
| 331 | 12" ReflectORIZED Paint Traffic Striping | | 101.0 | 500.0 | LF | 9.72 | 10.01 |
| 332 | 12" ReflectORIZED Paint Traffic Striping | | 501.0 | 1000.0 | LF | 4.86 | 5.01 |
| 333 | 12" ReflectORIZED Paint Traffic Striping | | 1001.0 | MORE | LF | 3.46 | 3.56 |
| 334 | 12" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | | 1.0 | 100.0 | LF | 18.23 | 18.78 |
| 335 | 12" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | | 101.0 | 500.0 | LF | 9.72 | 10.01 |
| 336 | 12" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | | 501.0 | 1000.0 | LF | 4.86 | 5.01 |
| 337 | 12" ReflectORIZED Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | | 1001.0 | MORE | LF | 3.46 | 3.56 |
| 338 | 12" Thermoplastic Traffic Striping | | 1.0 | 100.0 | LF | 18.23 | 18.78 |
| 339 | 12" Thermoplastic Traffic Striping | | 101.0 | 500.0 | LF | 9.72 | 10.01 |
| 340 | 12" Thermoplastic Traffic Striping | | 501.0 | 1000.0 | LF | 4.86 | 5.01 |
| 341 | 12" Thermoplastic Traffic Striping | | 1001.0 | MORE | LF | 3.46 | 3.56 |
| 342 | 12" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | | 1.0 | 100.0 | LF | 18.23 | 18.78 |
| 343 | 12" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | | 101.0 | 500.0 | LF | 9.72 | 10.01 |
| 344 | 12" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | | 501.0 | 1000.0 | LF | 4.86 | 5.01 |
| 345 | 12" Thermoplastic Paint Traffic Striping, Including Raised Pavement Markers (RPM's) | | 1001.0 | MORE | LF | 3.46 | 3.56 |
| 346 | Yield Lines "Shark Teeth" per Figure 3B-16 CA MUTCD | | 1.5 | 5.0 | SF | 121.52 | 125.17 |
| 347 | Yield Lines "Shark Teeth" per Figure 3B-16 CA MUTCD | | 5.1 | 10.0 | SF | 97.22 | 100.14 |
| 348 | Yield Lines "Shark Teeth" per Figure 3B-16 CA MUTCD | | 10.1 | 15.0 | SF | 60.76 | 62.58 |
| 349 | Yield Lines "Shark Teeth" per Figure 3B-16 CA MUTCD | | 15.1 | MORE | SF | 24.30 | 25.03 |
| 350 | Curb Painting | | 1.0 | 100.0 | LF | 5.47 | 5.63 |
| 351 | Curb Painting | | 101.0 | 500.0 | LF | 3.65 | 3.76 |
| 352 | Curb Painting | | 501.0 | 1000.0 | LF | 2.43 | 2.50 |
| 353 | Curb Painting | | 1001.0 | MORE | LF | 1.52 | 1.57 |
| 354 | Typical Thermoplastic Arrows Pavement Marking including Type 1, 2, 3, 6, 7 or 8 per CA MUTCD | | 1.0 | 5.0 | EA | 364.56 | 375.50 |
| 355 | Typical Thermoplastic Arrows Pavement Marking including Type 1, 2, 3, 6, 7 or 8 per CA MUTCD | | 6.0 | 10.0 | EA | 303.80 | 312.91 |
| 356 | Typical Thermoplastic Arrows Pavement Marking including Type 1, 2, 3, 6, 7 or 8 per CA MUTCD | | 11.0 | 20.0 | EA | 243.04 | 250.33 |
| 357 | Typical Thermoplastic Arrows Pavement Marking including Type 1, 2, 3, 6, 7 or 8 per CA MUTCD | | 21.0 | MORE | EA | 121.52 | 125.17 |
| 358 | 8' ReflectORIZED Paint Pavement Legends per CA MUTCD Figure 3B-23. Colors white or yellow. | | 4.0 | 20.0 | EA | 303.80 | 312.91 |
| 359 | 8' ReflectORIZED Paint Pavement Legends per CA MUTCD Figure 3B-23. Colors white or yellow. | | 21.0 | 100.0 | EA | 97.22 | 100.14 |
| 360 | 8' ReflectORIZED Paint Pavement Legends per CA MUTCD Figure 3B-23. Colors white or yellow. | | 101.0 | MORE | EA | 78.99 | 81.36 |
| 361 | 8' Thermoplastic Pavement Legends per CA MUTCD Figure 3B-23. Colors white or yellow. | | 4.0 | 20.0 | EA | 303.80 | 312.91 |
| 362 | 8' Thermoplastic Pavement Legends per CA MUTCD Figure 3B-23. Colors white or yellow. | | 21.0 | 100.0 | EA | 97.22 | 100.14 |
| 363 | 8' Thermoplastic Pavement Legends per CA MUTCD Figure 3B-23. Colors white or yellow. | | 101.0 | MORE | EA | 78.99 | 81.36 |
| 364 | Raised Pavement Markers (Ceramic) | | 8.0 | 40.0 | EA | 12.15 | 12.51 |
| 365 | Raised Pavement Markers (Ceramic) | | 41.0 | 100.0 | EA | 8.51 | 8.77 |
| 366 | Raised Pavement Markers (Ceramic) | | 101.0 | MORE | EA | 6.08 | 6.26 |
| 367 | Raised Pavement Markers (Reflective) | | 8.0 | 40.0 | EA | 30.38 | 31.29 |
| 368 | Raised Pavement Markers (Reflective) | | 41.0 | 100.0 | EA | 24.30 | 25.03 |
| 369 | Raised Pavement Markers (Reflective) | | 101.0 | MORE | EA | 18.23 | 18.78 |

3/17/21

| | | | | | | |
|-----|---|--------|--------|----|----------|----------|
| 370 | Bicycle Sharrow Legend Pavement Marker Painted per Figure 9C-9 CA MUTCD | 4.0 | 20.0 | EA | 303.80 | 312.91 |
| 371 | Bicycle Sharrow Legend Pavement Marker Painted per Figure 9C-9 CA MUTCD | 21.0 | 100.0 | EA | 243.04 | 250.33 |
| 372 | Bicycle Sharrow Legend Pavement Marker Painted per Figure 9C-9 CA MUTCD | 101.0 | MORE | EA | 145.82 | 150.19 |
| 373 | Bicycle Sharrow Legend Pavement Marker Thermoplastic per Figure 9C-9 CA MUTCD | 4.0 | 20.0 | EA | 425.32 | 438.08 |
| 374 | Bicycle Sharrow Legend Pavement Marker Thermoplastic per Figure 9C-9 CA MUTCD | 21.0 | 100.0 | EA | 243.04 | 250.33 |
| 375 | Bicycle Sharrow Legend Pavement Marker Thermoplastic per Figure 9C-9 CA MUTCD | 101.0 | MORE | EA | 182.28 | 187.75 |
| 376 | Parking T's, Thermoplastic per Figure 3B-21 CA MUTCD | 4.0 | 20.0 | EA | 54.68 | 56.32 |
| 377 | Parking T's, Thermoplastic per Figure 3B-21 CA MUTCD | 21.0 | 100.0 | EA | 30.38 | 31.29 |
| 378 | Parking T's, Thermoplastic per Figure 3B-21 CA MUTCD | 101.0 | MORE | EA | 24.30 | 25.03 |
| 379 | Removal of Pavement Marking | 1.0 | 1000.0 | SF | 6.08 | 6.26 |
| 380 | Removal of Pavement Marking | 1001.0 | 2000.0 | SF | 4.86 | 5.01 |
| 381 | Removal of Pavement Marking | 2001.0 | 5000.0 | SF | 3.65 | 3.76 |
| 382 | Removal of Pavement Marking | 5001.0 | MORE | SF | 3.04 | 3.13 |
| 383 | Remove Sign and Post | 1.0 | 10.0 | EA | 243.04 | 250.33 |
| 384 | Remove Sign and Post | 11.0 | 20.0 | EA | 212.66 | 219.04 |
| 385 | Remove Sign and Post | 21.0 | 100.0 | EA | 121.52 | 125.17 |
| 386 | Remove Sign and Post | 101.0 | MORE | EA | 103.29 | 106.39 |
| 387 | Remove Sign from Post | 1.0 | 10.0 | EA | 91.14 | 93.87 |
| 388 | Remove Sign from Post | 11.0 | 20.0 | EA | 78.99 | 81.36 |
| 389 | Remove Sign from Post | 21.0 | 100.0 | EA | 48.61 | 50.07 |
| 390 | Remove Sign from Post | 101.0 | MORE | EA | 24.30 | 25.03 |
| 391 | Install Sign on 2" Square steel tubing post, or min 2 3/8" Galvanized steel posts per City Standard No. 317 | 1.0 | 10.0 | EA | 376.71 | 388.01 |
| 392 | Install Sign on 2" Square steel tubing post, or min 2 3/8" Galvanized steel posts per City Standard No. 317 | 11.0 | 20.0 | EA | 364.56 | 375.50 |
| 393 | Install Sign on 2" Square steel tubing post, or min 2 3/8" Galvanized steel posts per City Standard No. 317 | 21.0 | 100.0 | EA | 358.48 | 369.23 |
| 394 | Install Sign on 2" Square steel tubing post, or min 2 3/8" Galvanized steel posts per City Standard No. 317 | 101.0 | MORE | EA | 358.48 | 369.23 |
| 395 | Install Sign on Existing Post | 1.0 | 10.0 | EA | 303.80 | 312.91 |
| 396 | Install Sign on Existing Post | 11.0 | 20.0 | EA | 273.42 | 281.62 |
| 397 | Install Sign on Existing Post | 21.0 | 100.0 | EA | 243.04 | 250.33 |
| 398 | Install Sign on Existing Post | 101.0 | MORE | EA | 182.28 | 187.75 |
| 399 | Installation of Object Markers Type "K" or "L" | 1.0 | 40.0 | EA | 182.28 | 187.75 |
| 400 | Installation of Object Markers Type "K" or "L" | 41.0 | 100.0 | EA | 145.82 | 150.19 |
| 401 | Installation of Object Markers Type "K" or "L" | 101.0 | MORE | EA | 91.14 | 93.87 |
| 402 | Installation of Object Markers Type "N", "P", or "R" | 1.0 | 40.0 | EA | 182.28 | 187.75 |
| 403 | Installation of Object Markers Type "N", "P", or "R" | 41.0 | 100.0 | EA | 145.82 | 150.19 |
| 404 | Installation of Object Markers Type "N", "P", or "R" | 101.0 | MORE | EA | 91.14 | 93.87 |
| 405 | Install Type "E" Inductive Loop Detector per Cal Trans Standard Plan No. ES-58 | 1.0 | 5.0 | EA | 1,320.00 | 1,359.60 |
| 406 | Install Type "E" Inductive Loop Detector per Cal Trans Standard Plan No. ES-58 | 6.0 | 10.0 | EA | 720.00 | 741.60 |
| 407 | Install Type "E" Inductive Loop Detector per Cal Trans Standard Plan No. ES-58 | 11.0 | 20.0 | EA | 480.00 | 494.40 |
| 408 | Install Type "E" Inductive Loop Detector per Cal Trans Standard Plan No. ES-58 | 21.0 | MORE | EA | 357.50 | 368.23 |

3/17/21

| | | | | | | |
|-----|--|--------|--------|-----|----------|----------|
| 409 | Install Bicycle/Vehicle Inductive Loop Detector per City of Long Beach Detail | 1.0 | 5.0 | EA | 1,350.00 | 1,390.50 |
| 410 | Install Bicycle/Vehicle Inductive Loop Detector per City of Long Beach Detail | 6.0 | 10.0 | EA | 750.00 | 772.50 |
| 411 | Install Bicycle/Vehicle Inductive Loop Detector per City of Long Beach Detail | 11.0 | 20.0 | EA | 468.00 | 482.04 |
| 412 | Install Bicycle/Vehicle Inductive Loop Detector per City of Long Beach Detail | 21.0 | MORE | EA | 385.00 | 396.55 |
| 413 | Traffic Signal Conduit, 3" Diameter PVC | 30.0 | 120.0 | LF | 45.00 | 46.35 |
| 414 | Traffic Signal Conduit, 3" Diameter PVC | 121.0 | MORE | LF | 43.00 | 44.29 |
| 415 | Traffic Signal Conduit, 3" Diameter Rigid Steel | 30.0 | 120.0 | LF | 140.00 | 144.20 |
| 416 | Traffic Signal Conduit, 3" Diameter Rigid Steel | 121.0 | MORE | LF | 116.00 | 119.48 |
| 417 | PVC Schedule 40 Conduit, 4" Diameter | 1.0 | 100.0 | LF | 55.00 | 56.65 |
| 418 | PVC Schedule 40 Conduit, 4" Diameter | 101.0 | 500.0 | LF | 49.00 | 50.47 |
| 419 | PVC Schedule 40 Conduit, 4" Diameter | 501.0 | 1000.0 | LF | 43.00 | 44.29 |
| 420 | PVC Schedule 40 Conduit, 4" Diameter | 1001.0 | MORE | LF | 37.00 | 38.11 |
| 421 | PVC Schedule 80 Conduit, 4" Diameter | 1.0 | 100.0 | LF | 79.00 | 81.37 |
| 422 | PVC Schedule 80 Conduit, 4" Diameter | 101.0 | 500.0 | LF | 73.00 | 75.19 |
| 423 | PVC Schedule 80 Conduit, 4" Diameter | 501.0 | 1000.0 | LF | 67.00 | 69.01 |
| 424 | PVC Schedule 80 Conduit, 4" Diameter | 1001.0 | MORE | LF | 61.00 | 62.83 |
| 425 | Install #6E Steel Plate Pullbox (Street Rated) | | 1.0 | EA | 1,762.00 | 1,814.86 |
| 426 | Changeable Message Sign to be used as part of any Traffic Control or Detour Plan | | 1.0 | Day | 250.00 | 257.50 |
| 427 | Changeable Message Sign to be used as part of any Traffic Control or Detour Plan | | 2.0 | Day | 250.00 | 257.50 |
| 428 | Changeable Message Sign to be used as part of any Traffic Control or Detour Plan | 3 | 4 | Day | 200.00 | 206.00 |
| 429 | Changeable Message Sign to be used as part of any Traffic Control or Detour Plan | 5 | 6 | Day | 150.00 | 154.50 |
| 430 | Changeable Message Sign to be used as part of any Traffic Control or Detour Plan | 7 | 8 | Day | 125.00 | 128.75 |
| 431 | Changeable Message Sign to be used as part of any Traffic Control or Detour Plan | 9 | 10 | Day | 100.00 | 103.00 |
| 432 | Flaggers (in cases where additional flaggers are needed or requested by agency) | | 1 | EA | 650.00 | 669.50 |
| 433 | Manhole and Structure Rehabilitation | | 5 | EA | 5,569.00 | 5,736.07 |
| 434 | Manhole and Structure Rehabilitation | | 10 | EA | 5,569.00 | 5,736.07 |
| 435 | Manhole and Structure Rehabilitation | | 20 | EA | 4,455.00 | 4,588.65 |
| 436 | Traffic Control | 1 | 20 | Day | 1,850.00 | 1,905.50 |
| 437 | Traffic Control | 21 | 40 | Day | 1,850.00 | 1,905.50 |
| 438 | Traffic Control | 41 | 60 | Day | 1,850.00 | 1,905.50 |
| 439 | Traffic Control | 61 | 90 | Day | 1,850.00 | 1,905.50 |
| 440 | Traffic Control | 91 | MORE | Day | 1,850.00 | 1,905.50 |
| 441 | Conduit Installation using Microtunneling | 1 | 500 | LF | 125.00 | 128.75 |
| 442 | Conduit Installation using Microtunneling | 501 | 2500 | LF | 115.00 | 118.45 |
| 443 | Conduit Installation using Microtunneling | 2501 | MORE | LF | 108.00 | 111.24 |
| 444 | Furnish and Install Wheel Stops | | 1 | EA | 226.00 | 232.78 |
| 445 | Furnish and Install K71 self-erecting marker post | | 1 | EA | 307.00 | 316.21 |
| 446 | Furnish and Install Green Preformed Thermoplastic | 1 | 500 | SF | 46.00 | 47.38 |
| 447 | Furnish and Install Green Preformed Thermoplastic | 501 | 1000 | SF | 30.00 | 30.90 |

OK 3/17/21

| | | | | | | |
|-----|---|------|-------------|----|-------|-------|
| 448 | Furnish and Install Green Preformed Thermoplastic | 1001 | 1500 | SF | 25.00 | 25.75 |
| 449 | Furnish and Install Green Preformed Thermoplastic | 1501 | MORE | SF | 25.00 | 25.75 |

PR 3/17/21