Long Beach, CA 90802-4664

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

ROBERT E. SHANNON, City Attorney 333 West Ocean Boulevard, 11th Floor

<u>AGREEMENT</u>

30580

THIS AGREEMENT is made and entered, in duplicate, as of February 5, 2008 for reference purposes only, pursuant to Resolution No. RES-08-0013 adopted by the City Council of the City of Long Beach at its meeting on January 22, 2008, by and between M&M LIFTS, INC., a California corporation ("Contractor"), with a place of business at 6880 Orangethorpe Avenue, Suite F, Buena Park, California 90620, and the CITY OF LONG BEACH ("City"), a municipal corporation.

WHEREAS, Section 1802 of the Long Beach City Charter permits the City to make purchases under the purchasing contracts of other governmental agencies when authorized to do so by a resolution; and

WHEREAS, the City desires to purchase one (1) aerial lift truck with the option to purchase additional units and equipment; and

WHEREAS, the City of Corona has a purchase order for the purchase of this aerial lift truck from M&M Lifts, Inc., P.O. Number P14387 ("Corona Purchase Order"); and

WHEREAS, Resolution No. RES-08-0013 authorizes the City Purchasing Agent to purchase this equipment from Contractor by virtue of the Corona Purchase Order;

NOW, THEREFORE, in consideration of the terms and conditions contained in this Agreement, the parties agree as follows:

- 1. The Corona Purchase Order with Contractor is incorporated by this reference as if fully set forth, and the same terms and conditions contained in the Corona Purchase Order shall be applicable here except as follows:
 - Α. Wherever the Corona Purchase Order refers to the City of Corona, it shall be deemed to refer to the City of Long Beach;
 - B. Contractor shall sell, furnish and deliver to the City equipment of substantially the same type and kind purchased by the City of Corona and on

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

the same terms and conditions offered to the City of Corona, except as modified

- C. Payment for the equipment purchased from Contractor by the City shall be made by the City on delivery to and acceptance of the equipment by the City and submittal of an invoice to the City. Payment is due thirty (30) days after the date of the invoice.
 - D. All warranties shall accrue to the City of Long Beach.
- E. The parties may, by mutual agreement, amend this Agreement with the approval of the City's City Council.
- 2. Neither this Agreement nor any money that becomes due to Contractor under this Agreement may be assigned by Contractor without the prior written consent of the City Manager or his designee.
- 3. Any notice given under this Agreement shall be in writing and personally delivered or deposited in the U.S. Postal Service, return receipt, and shall be delivered or mailed to Contractor at the relevant address first stated above, and to the City at 333 West Ocean Boulevard, Long Beach, California 90802 Attn: City Manager. Notice shall be deemed given three days after deposit in the mail.
- 4. The terms appearing on the Corona Purchase Order are incorporated in this Agreement.
- Contractor shall cooperate with the City in all matters relating to selfaccrual of use tax. Contractor shall contact the City Treasurer for additional information regarding self-accrual.
 - 6. This Agreement and all documents which are incorporated by

reference in this Agreement constitute the entire understanding between the parties and supersede all other agreements, oral or written, with respect to the subject matter of this Agreement. If there is any legal proceeding between the parties to enforce or interpret this Agreement, or to protect or establish any rights or remedies, the prevailing party shall be entitled to its costs and expenses, including reasonable attorney's fees.

IN WITNESS WHEREOF, the parties have caused this document to be duly executed with all formalities required by law as of the date first stated above.

Feb 15, 2008 Feb 15, 2008	(Type or Print Name)
<u>February</u> Z6, 2008	"Contractor" CITY OF LONG BEACH, a municipal corporation By City Manager Pursuant Section 301 of
This Agreement is ap 2008.	"City" THE CITY CHARTER.
	ROBERT E. SHANNON, City Attorney By Deputy

EXHIBIT "A"

6880 Orangethorpe Ave. Unit F, Buenz Park CA. 90620 Tel: 714/736-9210 Fax: 714/736-9212 E-mail: sales@mmlifts.com Web site: www.mmlifts.com

11/26/07

John Seevers
City of Long Beach, Public Works, Fleet Services Bureau
Superintendent, Acquisitions, Electronic & Decal Shops

M & M Lifts, Inc. will sell this truck with the same terms and conditions as the City of Corona Bid # 05-007.

This truck has been delivered and is still under warranty.

The City of Corona Contract Price is \$66,436.00 w/o Tax.

Below are the following modifications to meet the City of Long Beach Specs.

08' Chevy C-5500 Gas Engine to meet City of Long Beach Spees & AQMD	\$7,247.40
DTAXS-44FP to meet City of Long Beach Specs	\$6,202.00
CTEC Body to meet City of Long Beach Specs	\$5,042.00
Over Cab Protector to meet City of Long Beach Specs	\$3,800.00
Spacer to Clear Cab (Chevy chassis have higher Cab Profile)	\$ 700.00

Sub Total: \$ 89,427.40 Tax @ 8.25% \$ 7,377.76

Total: \$ 96,805.16

Note: The Dur-A-Lift model DTAXS-44 is the only model that has a 49' working height and can be mounted on a 19,000 GVWR chassis.

Byron Busbee M & M Lifts, Inc. National Account Executive

6880 Orangethorpe Ave. Unit F, Buena Park CA. 90620 Tel: 714/736-9210 Fax: 714/736-9212 E-mail: sales@mmlifts.com Web site: www.mmlifts.com

November 21, 2007

City of Long Beach

Attn: John Severs

M & M Lifts QUOTATION No.: 1231

Aerial unit model DTAXS-44FP Articulated/Telescopic, aerial device installed behind the cab of the chassis built in accordance to Dur-A-Lift standard specifications and include the following standard features:

- A. Ground to bottom of platform height: 44' (Platform height is calculated by using a by using 36" frame height)
- B. Working height: 49' (Working height is calculated by using 36" frame height)
- C. Horizontal reach: 30° to the outer edge of the bucket. (End Hung Basket 30' side reach)
- D: Boom Actions: Lower boom -2° to +80°. Upper boom: -25° to +78°.
- E: Stowed travel height: 10' (Based on a 36" frame height, and standard height pedestal without spacers).
- F: Outriggers: Optional: (2) Hydraulic Flat shoes "A" frame, with two spool valve installed. Behind the rear of cab chassis "H" frame outriggers are available.
- G: Rotation: Continuous: 370° degrees non-confinuous. (360° confinuous available)
- H: <u>Platform leveling system</u>: Hydraulically leveled, (Double pilot operated check valve to prevent tilt in case bydraulic hose failure)
- I: <u>Platform: 350lbs:</u> *Capacity, single one-man end mounted. Dimensions 24" x 24" x 42". Curbside basket mounting
- J: Insulation: Non-Insulated.
- K: Hvdraulic system: Open center bydraulic system 5-6 gpm. 10 Micron Filter in return line
- L: Vehicle Engine: Optional Start/stop from platform. / PTO & Pump.
- M: <u>Controls</u>: Full pressure, hydraulics at platforms and pedestal. Controls are proportional and interactive. Individual self-locking for safety.
- N: Paint: Polyurethane white color.
- O: Oil Reservoir: 10-gallon oil tank with sight reservoir.
- P: Hvdraulic Hoses: All hoses through the entire unit are electrical insulated. (PARKER)
- Q: Manuals: (2) Two, (1) operational and (1) maintenance manuals. (Extra manuals can be ordered).
- R: Compliance: Meets or exceeds A.N.S.I. A92.2-1990 & Cal-OSHEA Requirements.
- S: Warranty: Two-year warranty parts and labor

6880 Orangethorpe Ave. Unit F, Buena Park CA. 90620 Tel: 714/736-9210 Fax: 714/736-9212 E-mail: sales@mmlifts.com Web site: www.mmlifts.com

M & M Lifts QUOTATION No.: 1.	<u>231</u>	
	ne, 19,500 GVWR, Allison Automatic Transmission	\$ 32,400.00
Dur-A-Lift DTAXS 44FP w/ Over Frame N	lounting Kit (49'WH)	
24" x 24" x 42" Fiberglass Bucket	•	
12V DC. Full Function Emergency Releas	se System	
180° Bucket Rotation		
360° continuous rotation		
Hydraulic Bucket leveling		
110V Outlet/Inlet in Platform		
Front and Rear Torsion Bars (No Outrigg	ers Required)	
Truck engine START/STOP from Platform		
Installation Lift		
Muncie Hot Shift PTO/Pump	•	
CTEC 128 Series Heavy Duty Utility Body	w/ curb side front compartment, second vertical	
compartments transverse with access on	both sides, 40' rear tail shelf w/ cone holder on	
	ment w/door below deck, Over cab protector to	
completely cover truck cab also allow, for		
Quad Flash Safety Strobes, Back Up Alarn	n, Boom Rest, Bucket Rest	
Harness and Lanyard		
Level indicator		
Spacer (increases Working Height to 50')		
2 YEAR WARRANTY PARTS AND LABOR		
	Sub Total:	\$ 89,427,40
	Tax @ 8.25%	\$ 7,377.76
	Total:	\$ 96,805.16
Options		
3 Axis Single Hand Joystick Control for Up	per Controls	\$ 962.00
Double Lock Out Lever		\$ 273.00
Linex on Bed Area (Tail Shelf, Side Panels,	Head Board)	\$ 1,350.00
·	de 60-90 days depending at time of order.	
FOB: Buena Park, CA.		
This Quotation is good for 30 days.		
Financing and leasing available.		
M & M Lifts, Inc.	Accepted By:	
$\Lambda = A$	n 4.7.	
120	Print:	
	Date:	
Byron Busbee		

PO #:

National Account Executive



///HIDRO-GRUBERT USA/// 6880 Orangethorpe Ave STE F Buena Park, CA 90620

Invoice

Date	Invoice #		
10/05/2005	. 797		

Bill To


City of Corona
Ad-Administration BLDG
Public Works-Traffic Division
730 Corporation Yard Way 1st Floor
Corona, Ca 92880

Ship To

City of Corona
Ad-Administration BLDG
Public Works-Traffic Division
730 Corporation Yard Way 1st Floor
Corona, Ca 92880

		P.O. Number	Terms	Rep	Ship	p	Via		F.O.B.
		P14387	Not 30	BLB	10/05/2	005	M&M Delivery		
Quantity		Item Code		Description	,		Price Each		Amount
	1	BTA-40/N	05' FORD F-5. Utility Body ar Articulated/Tel Lift	ad 40'			66,436	5.00	66,436.00
		Warranty	Extended Warr. Acrial Lift Serie Truck Vin #1FI	al # 13991-07/			1,500	.00	1,500.00
en you are re	ndy :	for an Aerial Li	ft M & M Lifts is t	ready for you!	!!	Sales	Tax (7.75%)	\$5,148.79
						Tota	· · · · · · · · · · · · · · · · · · ·		\$73,084.79
						Baland	ce Due		\$73,084.79

100



M & M LIFTS INC 5880 ORANGETHORPE AVE STE F

PURCHAS	EORDER			
P.O. NUMBER	P14367			
DATE	03/14/05			
VENDOR I.D.	127801			
DELIVERY DATE	5/16/05			
FQB	DEST			
REQUISITION NO	R4105114			
PAYMENT TERMS	N30			
OUR PURCHASE ORDER NUMBER MUST APPEAR ON ALL INVOICES, PACKING LIST AND CORRESPONDENCE.				

(714) 736-9006 FAX#

BUENCA PARK, CA 90620

TO: [

DELIVER ITFINS TO:

AD - ADMINISTRATION BLDG PUBLIC WORKS - TRAFFIC DIVISION 730 CORPORATION YARD WAY 157 FLOOR CORONA, CA 92880

SEND INVOICE TO:

AD - ADMINISTRATION BLDC PUBLIC WORKS - TRAFFIC DIVISIO 730 CORPORATION YARD WAY 1ST FLOOR CORONA, CA 92880

GTY	DESCRIPTION	UNIT PRICE	EXTENSION
	THIS PURCHASE ORDER IS ISSUED TO COVER THE COSTS OF ONE (1) AERIAL LIFT BUCKET TRUCK AS A RESULT OF INVITATION FOR BID NO. 05-007, WHICH IS HEREBY SPECIFICALLY REFERRED TO AND MADE PART OF THE CONTRACT AS IF FULLY SET FORTH HEREIN. VERBAL MODIFICATIONS TO THIS PURCHASE ORDER SHALL BE CONSIDERED INVALID. DO NOT ACCEPT VERBAL MODIFICATIONS FROM ANY EMPLOYEE, AGENT OR IMPLIED AGENT OF THE CITY OF CORONA. VALID MODIFICATIONS TO THIS ORDER SHALL BE IN THE FORM OF A WRITTEN CHANGE ORDER, SIGNED BY A AUTHORIZED MEMBER OF THE PROCUREMENT STAFF. THIS PURCHASE ORDER SHALL ACT AS THE CITY OF CORONA'S FORMAL NOTICE TO PROCEED.		
1 LT	AERIAL LIPT BUCKET TRUCK, PER THE SPECIFICATIONS OF FORMAL BID NO. 05-007 * * * CONTINUED * * *	73,004.79	73,084.79
	ACCOUNT NO.	pul of)
AMOUNT	General Industrial Safety Order 619 (MSDS) be supplied, Mr applicable THIS ORDER IS SUBJECT TO OF REMIT INVOICE IMMEDIATELY TO SHOWN ON THE CHECK ISSURD	tems, with the initial order. Y OF CORONA GENERAL™ DADDRESE GHOWN ABON	TERMS AND CONDITION VE. THE P.O. NO. WILL B

VENDOR COPY

SHOWN ON THE CHECK ISSUED IN PAYMENT HEREOF, THUS EN IDENTIFY THE PAYMENT WITH THE ITEMS SHOWN ABOVE. PAYMENT WILL BE MADE ONLY AFTER RECEIPT OF INVOICE, ANY QUESTIONS CONTACT

ACCIDIUNTS PAYABLE DIVISION, TELEPHONE: (909) 735-2326.

FROM-CITY OF CORONA - PURCHASING

CITY OF CORONA

PURCHASING DIVISION
730 CORPORATION YARD WAY
CORONA, CALIFORNIA 92880
(208) 738-2274 . FAX (909) 735-2445

9097362445

T-518 P.002/002 F-383

PURCHASE ORDER					
P.O. NUMBER	P14387				
DATE	03/14/05				
VENDOR LD.	127801				
DELIVERY DATE	5/16/05				
FOB	DEST				
REQUISITION NO	R4105114				
PAYMENT TERMS N30					

OUR FURCHASE ORDER NUMBER MUST APPEAR ON ALL INVOICES, PACKING UST AND CORRESPONDENCE.

TO: M & M LIFTS INC
6880 ORANGETHORPE AVE STE P
BUENA PARK, CA 90620

PAX# (714) 736-9006

DELIVER ITEMS TO:

AD - ADMINISTRATION BLDG FUBLIC WORKS - TRAFFIC DIVISION 730 CORPORATION YARD WAY 18T FLOOR CORONA, CA 52880

SEND INVOICE TO:

AD - ADMINISTRATION BLDG PUBLIC WORKS - TRAFFIC DIVISIO 730 CORPORATION YARD WAY 1ST FLOOR CORONA, CA 92880

		2. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	NIT DRICE	EXTENSION
QTY UN	DESCRIPTION		THE PERSON AND THE	
			1	
	COST BREAKDOWN IS AS FOLLOWS:	000 000	}	
	BUCKET TRUCK	\$66,436.00	j	
	SALES TAX	\$ 5,148.79)	
	EXTENDED WARRANTY (1-YR)(ATR)	\$ 1,500.00		
	TOTAL AMOUNT:	\$/3,084.19	(
	CITY CONTACT: RICK DWYER (951)817-57	779		
	PURCHASING CONTACT: GREG DAVIS (951)	736-2454		
	VENDOR CONTACT: BYRON BUSBEE - F(714	736-9210		
	~ F(714	736-9212	. 1	
j				
}				
			1	
1			ļ	
			. .	
(-	Tax	0.00
)	119 177			73,084.79
APP (1911) 提出的	ACCOUNT SUMMARY THE THE PARTY OF THE	there say		•
AMIDI INT	ACCOUNT NO.	Museu	1-	
. 73 OB4 78	44639240 45100	1	<i>b</i> .	:
12,004.12		- unto the	NG MANAGER	
	General	ndustrial Safety Order 5185 require	6 Material Safety Data	Sheets

VENDOR COPY

General Industrial Safety Order \$185 requires Material Bafety Data Sheets (MSDS) be supplied, for applicable items, with the Initial Order.

THIS CROER IS SUBJECT TO CITY OF CORONA CENERAL TERMS AND CONDITIONS. REMY INVOICE IMMEDIATELY TO ADDRESS SHOWN ABOVE. THE P.O. NO. WILL BE SHOWN ON THE CHECK ISSUED IN PAYMENT HEREOF. THUS ENABLING YOU TO IDENTIFY THE PAYMENT WITH THE ITEMS SHOWN ABOVE. PAYMENT WILL BE MADE ONLY AFTER RECEIPT OF INVOICE. ANY QUESTIONS CONTACT ACCOUNTS PAYABLE DIVISION, TELEPHONE: (909) 736-2326.

INTENT OF SPECIFICATIONS

These specifications cover general requirements of a Aerial Lift Platform Bucket Truck for the Traffic Signal Department, model year 2004 or 2005. It is currently proposed to purchase a total of one (1) Bucket Truck.

DETAILED SPECIFICATIONS

The City of Corona is accepting bids on a new and unused current model year 2004 or 2005. Aerial Lift Platform Bucket Truck with the following specifications:

MODEL:

Ford, F-550XL Superduty Chassis 4 x 2 Regular Cab, Dual

Rear Wheel HD or Equivalent

ENGINE:

V-10 Gasoline 6.8L, or Equivalent, Min. HP=350@4250 RPM,

Min. Torque = 450@3500 RPM

TRANSMISSION:

4 Speed Automatic, PTO

REAR AXLE:

Please indicate Ratio

WHEELBASE:

165"WB, 84" Cab to Axle

GVWR:

18,000 LBS. Minimum

ALTERNATOR:

largest possible

COOLING SYSTEM:

Heaviest Duty Available Radiator with Coolant Recovery

System

SUSPENSION:

Heaviest Duty Available Gas Pressurized Shock Absorbers (4),

Springs- Heaviest Duty Available, Front and Rear.

STEERING:

Power Assisted

FUEL TANK:

40 Gallons Minimum Capacity

EXTERIOR:

Electric Horn, Electric Windshield Washers with 2 Speed

Minimum Intermittent Wipers. Factory Mounted,

COLOR:

Truck and Body Fleet White.

LIGHTS:

Headlights - Halogen Type, Door Activated Dome Light,

Parking Light, Parking Brake Warning Light, Cargo Light.

MIRRORS.

Dual Trailer-Towing Mirrors.

GAUGES:

Voltmeter, Oil Pressure, Temperature and Fuel

(Warning Light Only - Not Acceptable)

AIR CONDITIONING: Factory Installed and ducted.

Cloth Front Bench Seat with Foam Padding. Fresh Air INTERIOR:

Heater/Defroster, AM/FM Stereo, Speed Control (2) Operator's Manual and One (1) Repair Manual Manual (CD Preferred) Shall Cover Engine, Power Train, Emission and Electrical Systems, \$500 Will Be Withheld From Payment Until Manuals

are Delivered if Not Available with Vehicle.

Service Body (16 gauge Steel Min.) with Flip Top Boxes, 84" CA TRUCK BODY:

> and an Overall Body Length of Approximately 132" with Vertical Lighted Cabinets. Tow Package Two Inch Dual Purpose Hitch

with Hydraulic A-Frame Outriggers, Legal Lighting.

Fully Hydraulic Telescopic/Articulated Aerial Lift. Minimum AERIAL LIFT:

> Working Height of 40', Non-Insulated Boom, 5000LB, Capacity Platform "Bucket" Dimensions 36" X 60" minimum, 750LB

Capacity, 180 Degree Bucket Rotator. Two Speed Throttle-Control, Outrigger / Boom Interlock, Boom Stow Protection: Dual Level Ride Torsion Bar Suspension Stabilizing System, Completely Proportional Hydraulic Controls, Auxiliary 12 Volt D.C. Letdown, Engine Start/Stop at Platform, Hydraulic Tool-

Quick Disconnect at Platform.

EMERGENCY LIGHTING:

Corner Strobes, Four (4) each, Mounted, Two (2) Mounted in

Front Turn-Signals. Two (2) Flush Mounted Amber on each

side of the rear of the box.

Rotating Beacons (strobe), Two (2) each, Mounted behind and

above cab on each side of truck.

Standard - Quote Extended Warranty Options --WARRANTY:

KEYS: 4 Sets of Keys are Required.

City of Corona DELIVERY: Fleet Maintenance

760 Corporation Yard Way **DELIVERY ADDRESS:**

> Corona, CA, 92880 Attn: Steve Szueber