


CONCEPT RENDERING BELMONT SHORE ENTRANCE



1209 Euclid Ave.  
Long Beach Ca.  
90804  
Ph: 562 494-8676  
Fx: 562-494-8677  
machansign.com  
Lic# 793184

Client:  
**Belmont Shore Business Association**

Address:

Phone:  
**1**

Email:  
**1**

Contractor:

Page: 1

Date: 1-13-22

Revision:

5-13-22

All work to comply with 2016 Calif.  
building codes

Codes in effect: 2016 cbc cec section  
600 each letter to be UL listed and labeled

All wall penetrations shall be sealed in  
an approved manor to provide a weather  
tight finish

Article 600: This sign is intended to be installed in accordance with the requirements of  
article 600 of the national electrical code and/or other applicable local codes

120 volt 20 amp primary electrical source,PROVIDED BY OTHERS (SEPARATE PERMIT)  
within 5' of sign location (nec 600-5)

NOTE that the remote metal parts of a section sign or outline lighting system supplied by  
a remote Class 2 power supply are not required to be connected to an equipped  
grounding conductor (600.7 (B) (1) Ex)

This is an original unpublished  
drawing created by Machan Sign  
Company Inc. All drawings and/or  
artwork are copyrighted property  
of Machan Sign Company Inc. and  
should not be reproduced or  
retransmitted in any form without  
the expressed written consent from  
Machan Sign Company inc.